

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b><i>Establishment Information</i></b>		
Facility Name <b>Dollar General #13120</b>	Facility Type <b>Retail Food Store</b>	
Licensee Name <b>Dolgencorp, Inc.</b>	Facility Telephone # <b>304 263-9657</b>	
Facility Address <b>2941 Charlestown Rd Kearneysville , WV</b>	Licensee Address <b>,</b>	
<b><i>Inspection Information</i></b>		
Inspection Type <b>Routine</b>	Inspection Date <b>01/19/2018</b>	Total Time Spent <b>1.25</b>

<b><i>Equipment Temperatures</i></b>	
Description	Temperature (Fahrenheit)
Egg Refrigerator	40
Milk Refrigerator	40

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b><i>Observed Critical Violations</i></b>
<p><b>Total # 1</b></p> <p><b>Repeated # 3</b></p> <p><b>4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE</b></p> <p><b>This is a critical violation</b></p> <p><b>OBSERVATION:</b> Inside of Milk/Iced Tea Cooler needs cleaned (mold)</p>

**ObservedNon-CriticalViolations**

**Total # 11**

**Repeated # 3**

**4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION**

**OBSERVATION:** Gaskets on Egg/Bacon refrigerator need replaced (torn)

**4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION**

REPEAT OBSERVATION 2-Door True freezer needs defrosted (won't open because doors are frozen shut and ice on outside of unit)

**4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION**

REPEAT OBSERVATION Nestle ice cream freezer needs defrosted

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Employee microwave needs cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Bottom of small Pepsi refrigerator needs cleaned (at front check-out)

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Inside of all refrigerators/freezer in frozen/refrigeration isle need cleaned

**5-501.113 - COVERING RECEPTACLES**

**OBSERVATION:** Dumpster lid needs to stay closed at all times when not in use

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Outside of building by delivery door needs repaired (delivery truck damaged when backing).

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Men's and Women's bathrooms need cleaned (ceiling vents/toilets)

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Mop sink needs cleaned

**6-501.16 - DRYING MOPS**

REPEAT OBSERVATION Mop needs to air dry. (needs to hang to dry)

**Inspection Outcome**

**Comments**

Watch Best By Dates Lays Lightly Salted Chips January 2, 2018.

Disclaimer

Person in Charge



**Wendy Knable**

Sanitarian



**Keith Allison**