



West Virginia Department of Health & Human Resources

Berkeley Health Department

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS

PRIORITY: _____
CORE: _____

PRIORITY FOUNDATION: _____
TOTAL: _____

ESTABLISHMENT:	<u>Sweet Frog</u>	PERMIT NO.:		DATE:	<u>1-10-20</u>
ADDRESS:	<u>Retail Commercial</u>	CITY:	<u>Mohy</u>	STATE:	<u>WV</u>
PERSON IN CHARGE/TITLE:	<u>Mandy Rave</u>	TELEPHONE:		ZIP:	<u>25401</u>
RECEIVED BY (SIGNATURE):	<u>Mandy Rave</u>	SANITARIAN (SIGNATURE):	<u>R.S.</u>		
INSPECTION TYPE:	ROUTINE <input checked="" type="checkbox"/>	FOLLOW-UP <input type="checkbox"/>	COMPLAINT <input type="checkbox"/>	OTHER: <input type="checkbox"/>	TIME: <u>2PM</u>

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
			6501.12	Floors need cleaned under & behind equipment esp hard to reach areas ex ^{water} refrigerator
			6501.11	Drain + wall near 3-Bay sink ANTS.
			4-602.13	wire buscart needs cleaned
			4-602.13	green & black wire racks need dusted
				Area code
			6501.11	broken light shield + burnt lights need replaced
			6-501.12	Ceiling vents need closed - kitchen news room

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
Supervisor Cooler	37F	Cold Draft	37F				
Tree Cooler	41F	Sm Juice Cooler	36F				
3 Bay	30-40						
Plates Cooler	36F						