

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name Martins-Bakery	Facility Type Food Service Establishment	
Licensee Name Giant Food Stores, LLC	Facility Telephone # 304 267-8448	
Facility Address 901 Foxcroft Ave Martinsburg , WV	Licensee Address ,	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 01/16/2019	Total Time Spent 0.75

<i>Equipment Temperatures</i>	
Description	Temperature (Fahrenheit)
Walk-in cooler	37
Cake Display Cooler	36

<i>Warewashing Info</i>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
ThreebaysinkDish machine	ChemicalHeat	160	300	QuatHeat	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<i>Observed Critical Violations</i>
<p>Total # 1 Repeated # 2</p> <p>4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE This is a critical violation OBSERVATION: Mixer needs cleaned</p>

Observed Non-Critical Violations

Total # 7

Repeated # 2

3-302.12 - FOOD STORAGE CONTAINERS WITH COMMON NAME OF FOOD

OBSERVATION: Items outside original containers in walk-in freezer need labeled (cupcakes/canolis/icing)

3-302.12 - FOOD STORAGE CONTAINERS WITH COMMON NAME OF FOOD

REPEAT OBSERVATION Flour/sugar drawers need labeled

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside of cake kits storage needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Door gaskets on ovens need cleaned

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Handsink in back by 3-Bay sink needs repaired (water coming through faucet attachment)

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floor fan needs cleaned

6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION

REPEAT OBSERVATION Hood vents need cleaned

Inspection Outcome

Comments


Disclaimer

Person in Charge

Sanitarian



Ron Poet



Keith Allison