

West Virginia Department of Health & Human Resources

Berkeley County Health Department



Public Health
Prevent. Promote. Protect.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information	
Facility Name Travers Country Store	Facility Type Food Service Establishment
Licensee Name Travers Country Store LLC	Facility Telephone # 304 754-3352
Facility Address 8885 Hedgesville Rd Hedgesville, WV	Licensee Address ,

Inspection Information		
Inspection Type Routine	Inspection Date 08/31/2017	Total Time Spent 1.83

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Prep Unit	36
Meat/Cheese Case	35
Walk-In	35
Milk Refrigerator	38

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Bucket3-BaySink	ChemicalChemical		100	Quat	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

ObservedNon-CriticalViolations
Total # 2
Repeated # 0
4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION OBSERVATION: Water leaking under prep unit (drain clogged?)
4-501.12 - CUTTING SURFACES OBSERVATION: Cutting board needs bleached/re-surfaced

Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian

Kristy Shirley

Keith Allison
Keith Allison

Kristy Shirley