

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name 7-11 #22086A Berkeley Station Road	Facility Type Retail Food Store	
Licensee Name Indernoor Inc.	Facility Telephone # 304 263-2975	
Facility Address 1754 Williamsport Pike Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 01/10/2018	Total Time Spent 1.27

Equipment Temperatures	
Description	Temperature (Fahrenheit)
chillers coffee	41.5
vault	34
ice cream novelty freezer	-5
open case	35

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 4
Repeated # 0
3-202.15 - PACKAGE INTEGRITY This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): several dented onion dip cans found
3-302.11 - PACKAGED AND UNPACKAGED FOOD - SEPARATION, PACKAGING, AND SEGREGATION This is a critical violation OBSERVATION: shell eggs stored over ready to drink beverages
3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): 3 out of date bakery items
4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS This is a critical violation OBSERVATION: vault walls, condensor, etc covered in layer of mold-Needs cleaned thoroughly

ObservedNon-CriticalViolations

Total # 9

Repeated # 0

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: pints of ice cream covered in ice-check for needed repair(only on right side of freezer)

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: bagged ice unit needs to be defrosted

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: inside cabinet beneath Hershey's Gold machine needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: ledge beneath all cup holder rings needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: 2 liter soda shelving and all snack exposed shelving needs cleaned(dusty)

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: outside of ice chute needs cleaned on Big Gulp

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: walkin vault shelving needs cleaned

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: corner wall trim needs replaced over Slurpee machine

6-501.13 - CLEANING FLOORS, DUSTLESS METHODS

OBSERVATION: floor needs cleaned behind wall units-deli and freezer

Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian



Joshua JRK Kelley