



THORNTON LABORATORIES TESTING & INSPECTION SERVICES, INC.

1145 E. Cass St, Tampa, FL 33602
Phone: 813-223-9702 Fax: 813-223-9332
WWW.THORNTONLAB.COM

4-Jan-2021
Page 1 of 1

Report for: Hydrodynamics International, Inc.
5711 Enterprise Drive
Lansing, MI 48911
Attn: Jason Steinman

Sample Identification:

Fertilizer
Id: Clonex Root Maximizer Granular

Date Received: 22-Dec-2020

Laboratory Number: 435720

CERTIFICATE OF ANALYSIS

Method	Parameter	Result	Units	Detection Limit-	Analysis Date/Analyst
EPA 6010	Arsenic (As), Total	2.5	mg/Kg	0.01	12-30-20 DS
	Barium (Ba), Total	72	mg/Kg	0.01	12-30-20 DS
	Cadmium (Cd), Total	0.2	mg/Kg	0.01	12-30-20 DS
	Chromium (Cr), Total	39	mg/Kg	0.01	12-30-20 DS
	Cobalt (Co), Total	6.7	mg/Kg	0.01	12-30-20 DS
	Copper (Cu), Total	43	mg/Kg	0.01	12-30-20 DS
	Lead (Pb), Total	6.9	mg/Kg	0.01	12-30-20 DS
EPA 7473	Mercury (Hg), Total	0.22	mg/Kg	0.01	12-22-20 JF
EPA 6010	Molybdenum (Mo), Total	3.1	mg/Kg	0.01	12-30-20 DS
	Nickel (Ni), Total	26	mg/Kg	0.01	12-30-20 DS
	Zinc (Zn), Total	85	mg/Kg	0.01	12-30-20 DS
	Selenium (Se), Total	0.7	mg/Kg	0.10	12-30-20 DS
	Silver (Ag), Total	< 0.23	mg/Kg	0.23	12-27-20 *
EPA 3050B	Digestion/Preparation for Analysis		1.0157-100		12-30-20 SR

* Analysis performed by Pace Analytical [#E84809].

THORNTON LABORATORIES
Steve Fickett, III