

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Buffalo Wild Wings	Facility Type Food Service Establishment	
Licensee Name Abbster Enterprises, LLC	Facility Telephone # 304 264-9453	
Facility Address 796 Foxcroft Avenue, Suite 203 Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 12/05/2018	Total Time Spent 3.00

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Cold Drawer Prep	
Front prep-bottom	
Chili/chesse Hot hold	
Beer Walkin	
Bar Coolers	
Walk-in	
Chicken hot hold drawers	
Server cold well	
Back prep near walk in	
cold fryer drawer	
Wing Cooler	
Fry Hot Hold	
Hot pass over	

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
250SanitizerBuck etsDishmachineB arDishMachine3B aySink	ChemicalChemic alChemicalChemi cal				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations

Total # 3

Repeated # 4

4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): Shelves of walk in cooler need cleaned, mold

4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): Lemon slicer stored not clean, food debris on blades

6-501.111 - CONTROLLING PESTS

This is a critical violation

OBSERVATION: Flies observed around drain near dish room

ObservedNon-CriticalViolations

Total # 12

Repeated # 4

4-501.12 - CUTTING SURFACES

OBSERVATION: All cutting boards in kitchen need replaced or resurfaced

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Clean dish cart near drain needs repaired, wheels falling apart

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Gasket on freezer near take out area needs, repaired or replaced, ripped

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Clean dish cart next to drain needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Walls throughout reastaurant need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floor of walk in cooler in kitchen needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: (*CORRECTED DURING INSPECTION*): Freezer near take out are needs cleaned on the outside

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Grill hoods need cleaned, grease dripping from several areas

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Floor drains throughout restaurant need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Floors throughout restaurant need cleaned, debris pushed into crevices and corners by brooms

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Mop sink area needs cleaned, splash back from soda dumping

SF - 07 - Smoking areas established closer than allowed to entrances, exits, or fresh air intakes

OBSERVATION: Cigarette butts observed closer than 20 feet to back door

Inspection Outcome

Comments

Disclaimer

Person in Charge



Samantha Gilkerson

Sanitarian



Luke Hartley