

ENTERPRISE SERVICES, LLC  
 PO Box 180994  
 Fort Smith, AR 72918  
 email info@cartridgeanneal.com - Phone 479-629-5566

ANNEAL-RITE  
 CARTRIDGE CASE HOLDER SELECTION LIST  
**\*Indicates Custom Order Holder needed**  
 METRIC CASE information follows inch listings  
 Below data reflect our diligent research, no accuracy  
 guarantee is expressed or implied.

CASE	Case Diameter	Case Length	Anneal-Rite Holder #
.17 Acley Hornet	0.350	1.400	3
.17 Bumglebee	0.408	0.920	4
.17 Mach IV	0.378	1.400	3
.17 Remington	0.378	1.796	3
.17 Rem. Fireball	0.378	1.410	3
.19 Calhoon	0.350	1.400	3
.19-223 Calhoon	0.375	1.770	3
.20 Practical	0.378	1.760	3
.204 Ruger	0.378	1.850	3
.218 Bee	0.408	1.345	1
.219 Wasp	0.506	1.813	2
.219 Zipper	0.506	1.938	2
.22 Benchrest Rem.	0.473	1.520	1
.22 Cheetah MK 1	0.473	1.986	1
.22 Cheetah MK II	0.469	2.020	1
.22 Hornet	0.350	1.080	4
.22 Hornet Inp.-Niedner	0.360	1.400	4
.22 K Hornet 35 Deg	0.350	1.403	4
.22 K Hornet - 40 deg.	0.350	1.389	4
.22 K Hornet Varint	0.350	1.380	4
.22 K.S.S.	0.473	1.505	1
.22 Lindahl Chucker (1)	0.422	1.700	1
.22 Lindahl Chucker (2)	0.506	1.700	2
.22 Long Snapper	0.350	1.040	4
.22 Max. Lovell	0.380	1.635	3
.22 Niedner Mag. Rimmed	0.506	1.840	2
.22 Niedner Mag. Rimless	0.422	1.900	1
.22 PPC	0.445	1.235	1
.22 R-2	0.376	1.635	3
.22 rem. Jet	0.439	1.288	5
.22 Russain 5.6 X 39 AKA 6MM Russian	0.443	1.516	1
.22 Savage Hi-Power	0.506	2.050	2
.22 Short Krag	0.545	1.910	*
.22-243	0.473	2.045	1
.22-250 Rem.	0.473	1.912	1
.22-250 Rem. Improved	0.473	1.892	1
.22-303 Varmint-R	0.540	2.031	2
.22-3000	0.380	1.625	3
.22-06 Short	0.473	1.728	1
.22/6mm	0.473	2.233	1
.22/6-40	0.350	1.025	4

<b>CASE</b>	<b>Case Diameter</b>	<b>Case Length</b>	<b>Anneal-Rite Holder #</b>
.22/30-30 Ackley	0.499	2.000	2
.220 Howell	0.443	2.400	1
.220 Jaybird	0.473	2.000	1
.220 Russian ( 6mm PPC )	0.444	1.523	1
.220 Swift	0.473	2.205	1
.220 Weatherby Rocket	0.473	2.205	1
.220 Wotkyns-Wilson Arrow	0.473	2.205	1
.221 Rem. Fireball	0.378	1.400	4
.222 Remington	0.378	1.700	3
.222 Remington Mag.	0.378	1.850	3
.232 Rem. Ackley Imp. 40 deg.	0.380	1.760	3
.223 Rem. / 5.56 X 45	0.378	1.760	3
.223 WSSM	0.535	1.670	2
.224 Clark	0.473	2.237	1
.224 Donaldson Ace	0.473	1.805	1
.224 Weatherby Magnum	0.430	1.925	1
.225 Winchester	0.473	1.930	1
.228 Ackley Mag.	0.473	2.250	1
.240 Cobra	0.473	2.205	1
.240 Cobra (FK Elliot)	0.473	2.205	1
.240 Gibbs	0.470	2.502	1
.240 Howell	0.455	2.600	1
.240 Weatherby Mag.	0.472	2.496	1
.240 WSSM	0.535	1.670	8
.243 Win.	0.473	2.045	1
.244 Gipson	0.471	2.186	1
2R Lovell	0.376	1.635	3
.25 Gibbs	0.473	2.205	1
.25 Hornet	0.350	1.380	3
.25 Blueberry	0.506	2.050	2
.25 Krag Improved	0.545	2.300	2
.25 Niedner	0.473	2.475	1
.25 Remington	0.422	2.050	1
.25 WSSM	0.555	1.670	8
.25-06 Remington	0.473	2.185	1
.25-20 WCF	0.408	1.330	5
.25-222 Copperhead	0.378	1.695	1
.25-35 Tomcat	0.506	2.025	2
.25-35 Winchester	0.506	2.043	2
.25-36 Marlin	0.502	2.130	2
.25-225 WIN.	0.473	1.930	1
.25-284 Win.	0.501	2.170	2
.250 Howell	0.455	2.225	1
.25-3000 Ackley Improved	0.473	1.912	1
.25-3000 Improved 30 deg.	0.473	1.900	1
.250-3000 Svage	0.473	1.912	1
.256 Newton	0.473	2.450	1
.256 Winchester Mag.	0.440	1.281	1
.256 Kimber	0.378	1.820	3
.257 Mag. Revolver	0.350	1.300	3
.257 Roberts	0.473	2.233	1
.257 Roberts Improved	0.473	2.203	1

<b>CASE</b>	<b>Case Diameter</b>	<b>Case Length</b>	<b>Anneal-Rite Holder #</b>
.257 Weatherby Magnum	0.534	2.560	2
.260 Howell	0.455	2.225	1
.260 Remington / 6.5-08 A-Square	0.467	2.025	1
.263 Express	0.473	2.040	1
.264 Winchester Magnum	0.532	2.500	2
.270 Gibbs	0.473	2.500	1
.270 Howell	0.455	2.600	1
.270 Redding Short Action	0.473	2.035	1
.270 REN	0.350	1.290	3
.270 Titus Savage	0.470	1.880	1
.270 Weatherby Magnum	0.534	2.550	2
.270 Winchester	0.473	2.157	1
.270 Winchester Short Mag.	0.535	2.100	2
.270-308 Win.	0.473	2.015	1
.276 Pedersen	0.450	2.023	1
.280 Ackley	0.473	2.525	1
.280 Howell	0.455	2.600	1
.280 Remington	0.473	2.540	1
.280 Ross	0.560	2.611	8
.284 Winchester	0.501	2.170	2
.30 American	0.497	2.028	2
.30 Gibbs	0.473	2.460	1
.30 Johnson Special	0.473	1.640	1
.30 M1 Carbine	0.360	1.290	4
.30 Mauser	0.393	0.990	5
.30 Herrett	0.506	1.605	8
.30 Newton	0.525	2.520	2
.30 Remington	0.422	2.050	1
.30 Streaker	0.506	1.469	*
.30-06 Ackley Improved - 40 deg.	0.473	2.494	1
.30-06 Springfield	0.473	2.494	1
.30-20 Hoffman	0.408	1.348	1
.30-30 Ackley Improved	0.506	2.000	2
.30-30 Winchester	0.506	2.040	2
.30-40 Improved	0.545	2.314	2
.30-40 Krag	0.545	2.314	2
.30-78 Single Shot	0.506	1.750	2
.30-284	0.500	2.170	2
.30-378 Weatherby	0.603	2.913	9
.300 Dakota	0.545	2.550	2
.300 H&H Mag.	0.532	2.474	2
.300 Howell	0.455	2.600	1
.300 Lapua Mag.	0.587	2.724	9
.300 RCM	0.532	2.110	2
.300 Remington SAMU	0.534	2.015	2
.300 RUM	0.550	3.600	8
.300 Savage	0.473	1.650	1
.300 Weatherby Mag.	0.532	2.504	2
.300 BLK AAC	0.375	1.368	4
.300 Whisper	0.378	1.400	4
.300 Winchester Mag.	0.532	2.356	2

<b>CASE</b>	<b>Case Diameter</b>	<b>Case Length</b>	<b>Anneal-Rite Holder #</b>
.300 Winchester Short Mag.	0.535	2.100	2
.303 British	0.540	2.222	8
.303 Savage	0.505	2.015	2
.307 Winchester	0.506	2.015	2
.308 Norma Mag.	0.530	2.560	2
.308 Winchester	0.473	2.015	1
.308 X 1 1/2	0.473	1.500	1
.309 JDJ Remington	0.514	2.225	2
.310 Martini Cadet	0.410	1.120	1
.312 Express	0.512	2.170	2
.32 H & R Mag.	0.375	1.075	4
.32 Long Colt	0.318	0.916	4
.32 Remington	0.422	2.050	1
.32 S & W long	0.375	0.920	4
.32 Winchester Special	0.506	2.040	2
.32-20 Winchester	0.408	1.315	3
.32-40	0.506	2.130	2
.32-44 S & W	0.410	0.980	4
.320 Howell	0.455	2.600	1
.325 WSSM	0.555	2.100	2
.33 Winchester	0.610	2.105	9
.33-308	0.473	2.015	1
.330 Dakota	0.545	2.540	2
.338 Whisper	0.469	1.499	5
.338 Whisper II	0.469	1.499	5
.338 A & H	0.545	2.550	2
.338 Abe Express	0.541	2.765	2
.338 Federal	0.473	2.015	1
.338 JDJ #2	0.514	2.225	2
.338 Lapua Mag.	0.587	2.724	9
.338 Marlin Express	0.553	1.890	8
.338 RCM	0.532	2.015	2
.338 Win. Mag.	0.532	2.170	2
.338 -06	0.473	2.494	1
.338-06 Improved (40 Deg.)	0.473	2.470	1
.338-06 RCBS	0.470	2.470	1
.338-74 Keith	0.526	2.915	2
.338-270 HGT	0.473	2.490	1
.338-284 Canadian KCG	0.473	2.170	1
.338-378 Weatherby	0.6035	2.913	9
.338 Spectre	0.4200	1.250	5
.340 Howell	0.455	2.600	1
.340 Weatherby Mag.	0.531	2.825	2
.348 WCF Imp.	0.610	2.180	9
.348 Winchster	0.610	2.255	9
.35 Greevy Express	0.600	2.100	9
.35 Newton	0.525	2.520	2
.35 Remington	0.460	1.920	1
.35 Whelen	0.473	2.494	1
.35 Winchester	0.543	2.415	2
.350 Howell	0.455	2.600	2
.350 Maine Guide	0.498	2.125	2
.350 Remington Mag.	0.532	2.170	2

CASE	Case Diameter	Case Length	Anneal-Rite Holder #
.351 Winchester SLR	0.410	1.380	3
.356 Winchester	0.506	2.015	2
.357 Auto Mag	0.473	1.298	1
.357 Herrett	0.506	1.765	2
.357 Magnum	0.440	1.290	5
.357 Remington Maximum	0.440	1.605	5
.357 SIG	0.424	0.865	*
.357/44 Bain & Davis	0.514	1.280	6
.358 JDJ	0.514	2.230	2
.358 Norma Mag.	0.530	2.519	2
.358 STA Magnum	0.532	2.845	2
.358 Winchester	0.473	2.015	1
.37 Rimmed	0.545	2.245	2
.375 Dakota	0.545	2.570	2
.375 Esptein	0.532	2.605	2
.375 Express	0.511	2.230	2
.375 hawk/Scovill	0.470	2.440	1
.375 H&H Magnum	0.532	2.850	2
.375 Whelen Improved	0.466	2.47	1
.375 Improved	0.532	2.830	2
.375 JDJ	0.510	2.248	2
.375 Jurras	0.650	1.750	*
.375 Remington Ultra Mag.	0.534	2.850	2
.375 Ruger	0.532	2.580	2
.375 Super Mag	0.506	1.610	8
.375 Van Horn	0.583	2.635	9
.375 Weatherby Mag.	0.532	2.860	8
.375 Whisper	0.472		1 ?
.375 Winchester	0.496	2.020	2
.375/06	0.466	2.455	1
.376 Steyr	0.494	2.350	2
.378 Weatherby Mag.	0.603	2.908	9
.38 Long Colt	0.445	1.031	5
.38 S & W	0.440	0.775	5
.38 Special	0.440	1.155	5
.38 Super Automatic	0.406	0.900	5
.38/40 Win.	0.525	1.305	*
.38-44 S&W	0.435	1.480	6
.38-45	0.480	0.890	6
.38-55 Winchester or Ballard	0.506	2.085	2
.38-56 Improved	0.600	2.070	9
.38-56 WCF	0.605	2.100	9
.380 Howell	0.455	2.600	1
.40 S&W	0.424	0.850	5
.40-65 Winchester	0.605	2.100	9
.40-70 Sharps	0.540	2.500	2
.40-82 Winchester	0.604	2.400	9
.400 H&H Magnum	0.532	2.864	2
.400 Jeffrey Nitro Express	0.613	3.000	9
.404 Jeffrey's Rimless Nitro Exp.	0.545	2.875	2
.405 Winchester	0.543	2.580	2
.41 Action Express	0.435	0.866	5

<b>CASE</b>	<b>Case Diameter</b>	<b>Case Length</b>	<b>Anneal-Rite Holder #</b>
.41 Avenger	0.480	0.950	5
.41 Long Colt D.A.	0.431	1.120	5
.41 Magnum	0.492	1.290	6
.41 Magnum Shot Cartridge	0.490	1.750	6
.41 Swiss	0.630	1.600	*
.411 JDJ	0.514	2.235	2
.416 Alaskan	0.610	2.255	9
.416 Barnes	0.595	2.112	9
.416 Dakota	0.545	2.850	2
.416 Howell	0.540	2.500	2
.416 Jurras	0.650	1.750	*
.416 Remington Magnum	0.532	2.850	8
.416 Rigby	0.590	2.900	9
.416 Ruger	0.532	2.570	8
.416 Taylor	0.532	2.500	8
.416 Weatherby Magnum	0.579	2.913	9
.416 Winchester Express	0.540	2.500	8
.416-338	0.532	2.525	8
.423 Van Horn	0.545	2.845	8
.430 JDJ	0.514	2.115	2
.43 Spanish	0.629	2.255	10
.43 Mauser (11.15 X 60R)	0.590	2.376	9
.44 Auto Mag.	0.470	1.298	6
.44 Colt	0.492	1.110	6
.44 Remington Magnum	0.514	1.285	6
.44 S&W American	0.500	0.880	6
.44 S&W Russian	0.515	0.970	6
.44 S&W Special	0.514	1.160	6
.44-06	0.473	1.285	5
.44-40 44 WCF 44 Winchester	0.525	1.305	6
.444 Marlin	0.514	2.225	8
.445 Super Magnum	0.510	1.610	*
.450 Rigby	0.590	2.894	9
.450 Rigby Nitro Express	0.624	3.250	*
.45 ACP	0.480	0.898	7
.45 ACP Frankford Arsenal 4-06	0.470	0.917	7
.45 Auto Rim	0.516	0.898	6
.45 Colt	0.512	1.285	6
.45 GAP	0.476	0.760	*
.45 S&W (Schofield)	0.520	1.109	6
.45 Winchester Magnum	0.480	1.198	5
.45-70 Govt.	0.608	2.105	9
.45-90 WCF	0.608	2.400	9
.45-100	0.608	2.600	9
.45-110	0.608	2.875	9
.45-120	0.608	3.250	9
.450 Alaskan	0.610	2.145	9
.450 Marlin	0.532	2.100	2
.450 Revolver	0.510	0.693	*
.454 Casull	0.512	1.383	6
.455 Colt-Cly and Webley Mk I	0.530	0.886	6
.458 Canadian	0.544	2.830	2

CASE	Case Diameter	Case Length	Anneal-Rite Holder #
.458 Lott	0.532	2.800	2
.458 RCBS	0.595	2.750	9
.458 Winchestr Mag.	0.532	2.500	2
.458 Socom	0.541	1.575	*
.458 X 2"	0.532	2.000	2
.458 Whisper	0.532 ?		*
.460 Jurras	0.620	1.750	*
.460 S&W Mag.	0.520	1.800	2
.460 Van Horn	0.582	2.500	9
.460 Weatherby Mag.	0.604	2.913	9
.465 Holland & Holland	0.582	2.894	9
.470 Capstick	0.532	2.850	2
.470 Nitro Express	0.655	3.250	10
.475 Jurras	0.620	1.750	10
.475 Linebaugh	0.540	1.400	2
.475 Nitro Express No. 2 3.5"	0.675	3.500	10
.476 Nitro Express	0.643	3.000	10
.480 Ruger	0.542	1.285	2
.50 AE	0.543	1.285	2
.50 Alaskan	0.610	2.100	9
.50 Browning Machine Gun	0.804	3.910	10
.50-70 DGW	0.663	1.750	*
.50-70 Govt.	0.660	1.750	*
.50-90 Sharps	0.663	2.500	10
.50-70 Original	0.668	1.750	*
.50-140	0.652	3.250	10
.500 Jurras	0.650	1.650	10
.500 S&W Magnum	0.560	1.625	10
.500-450 Carbine	0.654	1.500	10
.500 Nitro Express	0.660	3.010	10
.500 No. 2 Express	0.726	2.810	10
.500/450 Nitro Express	0.644	3.250	10
.500 Beowuf	0.535	1.650	8
.500 Whisper	0.579		*
.500 Phantom	0.614		*
.510 Whisper	0.578		*
.505 Gibbs	0.640	3.150	10
.577 Nitro Express	0.750	3.000	10
.577-.450 Martini-Henry	0.760	2.330	10
.577/.500 Mag. Nitro Express	0.717	3.130	10
.600 Nitro Express	0.800	3.000	10
.700 Nitro Express	0.890	3.500	*

<b>METRIC CARTRIDGES</b>			<b>Anneal-Rite</b>
<b>CASE</b>	<b>DIA.</b>	<b>LEN.</b>	<b>Holder #</b>
4.6 x 36 Heckler & Koch	0.340	1.420	3
5.45 X 39 M74	0.394	1.555	3
5.56 Nato	0.378	1.760	3
5.6 X 35R Vierling	0.348	1.397	3
5.6 X 50 Magnum	0.378	1.968	3
5.6 X 50R Magnum	0.429	1.968	1
5.6 X 57 RWS	0.470	2.232	1
6 MM Norma Benchrest	0.470	1.560	1
6 mm Benchrest Rem. / 6mm BR	0.473	1.520	1
6 mm International	0.473	1.531	1
6 mm Pivi Magnum	0.510	2.167	2
6 MM PPC	0.445	1.503	1
6 mm Remington	0.472	2.233	1
6 mm S.M. Wasp	0.473	1.690	1
6 mm Swift	0.473	2.205	1
6 mm TCU	0.378	1.750	3
6 mm Lee Navy	0.448	2.350	1
6 X 39	0.473	1.528	1
6 X 45 (6mm/ .223)	0.378	1.760	3
6 X 47 23 Deg. Shoulder	0.378	1.850	3
6 X 47 Improved 35 deg. Shoulder	0.378	1.850	3
6 X 50 S&H	0.378	1.969	3
6 - .222	0.378	1.700	3
6 - 250	0.470	1.912	1
6 - .284	0.500	2.170	2
6.3 X 53R Finnish	0.567	2.096	8
6.35 X 47	0.378	1.850	3
6.35 X 59	0.473	2.323	1
6.5 Benchrest Remington	0.473	1.520	1
6.5 Grendel	0.440	1.520	1
6.5 Jap Service	0.471	2.000	1
6.5 JDJ	0.473	1.900	1
6.5 X 54 Mannlicher-Schoenauer	0.454	2.112	1
6.5 Redding S.A.	0.473	2.035	1
6.5 Remington Mag.	0.532	2.171	2
6.5 TCU	0.378	1.749	3
6.5 X 47 Lapua	0.476	1.850	1
6.5 X 50 Arisaka	0.477	1.984	1
6.5 X 52 Carcano	0.450	2.067	1
6.5 X 53R (.256 Mannlicher)	0.527	2.110	2
6.5 X 55 Swedish	0.480	2.165	1
6.5 X 55 SKAN	0.481	2.194	1
6.5 X 57	0.470	2.232	1
6.5 X 57R	0.524	2.232	2
6.5 x 64 Brenneke	0.473	2.540	1
6.5 X 65 RWS	0.470	2.560	1
6.5 X 68 Schuler	0.520	2.660	2
6.5-06	0.473	2.494	1
6.5-.284 Norma	0.500	2.170	2
6.5-284 Winchester	0.501	2.170	2
6.5 Whisper	0.375	1.360	4
6.8 SPC	0.422	1.686	1
7 BR Remington	0.473	1.520	1



<b>METRIC CARTRIDGES CASE</b>	<b>DIA.</b>	<b>LEN.</b>	<b>Anneal-Rite Holder #</b>
7 Dakota	0.545	2.500	2
7 IHMSA International	0.473	1.566	1
7 International Rimmed	0.506	2.039	2
7 Mashburn Magnum	0.532	2.635	2
7 Mauser (7 X 57)	0.473	2.235	1
7 Mauser Rimmed	0.532	2.244	2
7 Remington Magnum	0.532	2.500	2
7 Remington SAUM	0.534	2.035	2
7 RUM	0.550	2.850	8
7 SGLC	0.473	2.024	1
7 Shooting Times Western (7STW)	0.532	2.850	2
7 TCU	0.378	1.760	3
7 TNT	0.473	1.775	1
7 Weatherby Magnum	0.532	2.550	2
7 Winchester SM	0.555	2.100	8
7 X 33 Sako	0.393	1.311	3
7 X 45 Ingram	0.378	1.760	3
7 X 49 GJW	0.378	1.929	3
7 X 54 Finnish	0.480	2.126	1
7 X 61 Sharpe & Hart Super	0.532	2.394	2
7 X 64 Brenneke	0.470	2.520	1
7 X 65R	0.524	2.559	2
7 - 08 Remington	0.473	2.035	1
7 - 30 Waters	0.506	2.040	2
7 - 300 Weatherby	0.531	2.825	2
7.35 X 52 Carcano	0.448	2.027	1
7.50X 55 Schmidt-Rubin	0.498	2.190	2
7.5 X 54 MAS	0.486	2.126	1
7.61 Norma	0.532	2.402	2
7.65 X 25 Tokarev	0.392	0.984	5
7.62 X 39 - Soviet	0.447	1.528	1
7.62 X 54R - Russian & Finnish	0.567	2.106	8
7.62 Johnson	0.590	2.030	9
7.63 Mauser	0.393	0.990	*
7.65 Long (French)	0.335	0.776	*
7.65 Mauser	0.473	2.100	1
7.65 Parabellum (.30 Luger)	0.394	0.850	*
7.65 X 53	0.474	2.110	1
7.7 X 54 Jap Arisaka	0.476	2.284	1
7.92 X 33 Kurz	0.470	1.299	5

8 IMHSA International	0.473	1.866	1
8 Nambu	0.413	0.840	7
8 mm - 06	0.473	2.484	1
8 - .338	0.532	2.185	2
8 X 50 Lebel	0.621	1.980	*
8 X 52R Siamese Mauser	0.561	2.045	9
8 X 56 R	0.554	2.200	8
8 X 57 JRS Mauser	0.524	2.244	8
8mm Mauser (7.92 Mauser)( 8X57JS)	0.473	2.240	1
8 X 57R/360	0.485	2.235	1
8 X 60S Mauser	0.470	2.362	1
8 X 68S	0.511	2.657	2
8 X 72R	0.486	2.834	1
8.15 X 46R	0.486	1.831	1
8.2 X 53R Finnish	0.567	2.106	8
9 Bergmann Bayard	0.394	0.905	5
9 Jap Revolver Type 26	0.435	0.862	5
9 Markov	0.392	0.713	*
9 Parabellum	0.394	0.754	*
9 Steyer	0.382	0.913	*
9 Winchester Magnum	0.394	1.160	4
9 X 21	0.392	0.832	4
9 X 23 Winchester	0.394	0.900	4
9 X 56 Mannlicher-Schoenauer	0.469	2.217	1
9 X 39 Russian	0.477	1.527	1
9.3 X 57	0.471	2.224	1
9.3 X 72R	0.430	2.835	1
9.3 X 74R	0.526	2.925	2
9.5 X 47R	0.583	1.850	9
9.8 Automatic Colt	0.402	0.912	5
10 Automatic	0.425	0.992	5
10.4 X 38R (.41 Swiss)	0.630	1.600	*
10.6 X 51 (.40 X 2" & .416 X 2")	0.532	2.000	2
10.75 X 68 Mauser	0.495	2.677	2
11.15 X 60R - Mauser	0.590	2.376	9
11.2 X 72 Schuler	0.536	2.800	2
12.7 X 99 Nato (50 BMG)	0.804	3.910	10
12.7 Vychlop X 55	0.583	2.100	9