



ALUMINUM

BLINDS

Effective March 7, 2016 (Revised 6/22/17)

design simplified™

TABLE OF CONTENTS

Features And Options

- Features & Benefits 2
- Color Chart. 3

Pricing Information

- Price Chart and Option Charges. 4-10

Product Information

- Controls. 11
- Cord and Ladder Specifications. 11
- Mounting Requirements. 11
- Tilt Wand Lengths. 11
- Ladder Placement Chart 11
- Stack-Up Chart. 11
- Offset Stacking Chart 11
- Product Specifications. 12-13
- Cordless Lift & Lock™ Bottomrail Color Chart 14
- Product Components 15-20

Oversize Common Carrier Delivery

All orders with any quantity of blinds over 102" in width are considered oversize and require common carrier delivery. Therefore, a net charge of \$75 per order will be assessed.

FEATURES & BENEFITS



Value/Basic 1" Blinds:

- Spring-tempered .006 gauge slats - offered in a popular variety of colors. (Value offered in 6 top-selling colors)
- Heavy-duty standard headrail with crashproof cordlock and cast metal slip-clutch tilter – ensures smooth, reliable operation.
- Comes standard with a two-slat valance.

Traditional 1" Blinds:

- Spring-tempered .006 and .008 gauge slats – offered in best-selling styles and colors.
- Heavy-duty standard headrail with crash-proof cordlock and cast metal slip-clutch tilter – ensures smooth, reliable operation.
- Two-slat channel valance – covers the headrail and brackets and adds a finished look.

Deluxe 1" Blinds:

- Spring-tempered .008 gauge slats - available in a full selection of decorative colors and styles.
- Heavy-duty headrail with built-in valance - adds contemporary appeal.
- LightsOut room-darkening feature – blocks out unwanted light and increases privacy.
- 18mm ladder spacing - provides maximum slat overlap to ensure a tight closure.
- Crash-proof cordlock and cast metal slip-clutch tilter - provide smooth, reliable operation.

Macro 2" Blinds:

- Spring-tempered .008 gauge slats offered in popular colors.
- Heavy-duty standard headrail with crashproof cordlock and cast metal slip-clutch tilter – ensures smooth, reliable operation.
- Channel valance – covers the headrail and brackets and adds a finished look.

All Aluminum Blinds:

- Spring-tempered slats – resist kinks and dents, they bounce back.
- Dust-resistant finish repels dust and makes cleaning easier.
- Lockseam bottomrail provides added durability and resists bowing.
- Cord Connector separates under pressure and easily snaps together again.
- Cordless Lift & Lock upgrade provides cord free lifting for enhanced child & pet safety.
- Limited Lifetime Warranty ensures your customers' satisfaction.



Aluminum Blinds with
Cordless Lift & Lock™ are
Best For Kids certified
when ordered with wand tilt

Effective 3/7/16

COLOR CHART

	Deluxe Collection	Traditional Collection		Value Collection	Basic Collection	Macro Collection
COLOR NAME	1" .008 GAUGE	1" .006 GAUGE	1" .008 GAUGE	1" .006 GAUGE	1" .006 GAUGE	2" .008 GAUGE
ALABASTER	D8002	T6002	T8002	V6002	B6002	M2002
ANTIQUE	D8973	T6973	T8973		B6973	M2973
ANTIQUE PERFORATED	D8973P		T8973P			
ASH	D8913					
BEIGE	D8186	T6186	T8186		B6186	M2186
BISCUIT	D8315					
BISQUE	D8269	T6269	T8269		B6269	M2269
BLACK	D8048	T6048	T8048		B6048	M2048
BLACK PERFORATED	D8048P		T8048P			
BRIGHT ALUMINUM	D8190	T6190	T8190		B6190	M2190
BRUSHED ALUMINUM	D8065	T6065	T8065	V6065	B6065	
BRUSHED ALUMINUM PERFORATED	D8065P		T8065P			
BRUSHED NICKEL TEXTURE	D8262		T8262			
BURGUNDY	D8188					
CANVAS	D8830	T6830	T8830		B6830	M2830
CHALK WHITE	D8885	T6885	T8885		B6885	M2885
CHAR BROWN	D8064	T6064	T8064	V6064	B6064	M2064
CHAR BROWN MATTE	D8254					
CLASSIC RED	D8916					
CLAY	D8180	T6180	T8180		B6180	
COBALT BLUE	D8280					
COBBLESTONE	D8318	T6318	T8318		B6318	
COUNTRY BEIGE	D8319					
EGGSHELL	D8173				B6173	M2173
EVENING SNOW	D8385					
FAWN	D8205	T6205	T8205		B6205	M2205
FOREST	D8413	T6413	T8413		B6413	
GRAPHITE	D8983					
GRAYSTONE	D8748	T6748	T8748		B6748	M2748
KAOLIN PEARL	D8711	T6711	T8711		B6711	
LIGHT CAFFE	D8914					
LINEN	D8270				B6270	M2270
MERCURY	D8276				B6276	
OPAL	D8001	T6001	T8001		B6001	
PARCHMENT	D8402					
PEARL	D8974	T6974	T8974		B6974	M2974
PEWTER GRAY	D8405				B6405	
PLASTER	D8127	T6127	T8127	V6127	B6127	
PUMICE	D8203					
PURE WHITE	D8125	T6125	T8125	V6125	B6125	M2125
QUARTZ	D8018	T6018	T8018		B6018	M2018
RIVER LOG	D8917					
SEASHELL	D8795	T6795	T8795		B6795	
SIERRA	D8820	T6820	T8820		B6820	
SNOW GLOSS	D8110	T6110	T8110	V6110	B6110	M2110
SNOW GLOSS PERFORATED	D8110P		T8110P			
SOFT TAUPE	D8361					
SPRIG	D8919					
TALC	D8981				B6981	
TUSK	D8268	T6268	T8268		B6268	
VANILLA	D8350	T6350	T8350		B6350	M2350

ORDERING KEY

Style	Code
1"	V6+Color #

• Value 1" (V6)

WIDTH TO:	12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	144"
HEIGHT TO:																				
42"	\$30	35	36	38	40	48	49	51	52	55	63	65	71	76	86	97	108	116	120	128
48"	31	35	37	39	42	49	52	53	55	58	66	68	74	80	90	102	112	121	125	133
54"	31	37	38	40	43	51	52	54	56	58	67	69	75	81	92	104	115	124	128	136
60"	32	37	39	41	44	52	54	55	57	60	68	71	77	84	94	106	118	127	132	142
66"	34	40	42	44	47	55	57	58	60	63	72	75	81	88	99	111	123	133	139	148
72"	35	41	43	45	48	56	58	60	62	65	74	76	83	90	101	114	126	138	143	152
78"	36	42	44	47	50	58	60	62	64	67	76	79	86	93	105	118	130	142	148	157
84"	36	43	45	47	51	59	61	63	66	69	78	81	88	96	107	120	133	146	151	161
90"	37	44	46	48	52	60	63	65	67	71	80	83	90	98	110	123	137	149	155	165
96"	37	44	47	49	53	61	64	66	68	72	81	85	92	100	112	126	139	152	158	169
102"	37	45	48	50	54	62	65	67	70	74	83	86	94	102	115	129	143	156	162	173
108"	38	46	48	51	55	64	66	69	71	75	85	88	96	104	117	131	146	159	166	177
114"	38	46	49	52	56	65	68	70	73	77	87	90	98	107	120	134	149	163	169	181
120"	39	47	50	53	57	66	69	71	74	79	89	92	100	109	122	137	152	166	173	185
126"	39	48	51	54	58	67	70	73	76	80	90	94	102	111	125	140	155	169	177	189

Finished Dimensions	Outside (OB) Mount				Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Standard Returns	Headrail Width	Blind Height	Slat Width
1" Aluminum Blind – Box Bracket	Ordered Width	Ordered Height	Ordered Width	No Returns	-1/2"	Ordered Height	-1/2"

NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: EXTRA CHARGE	OPTIONS: NO EXTRA CHARGE
• Cordless Lift & Lock add \$40 each	• 2 On 1 Headrailprice as separate blinds • 3 On 1 Headrail.....price as separate blinds (3 On 1 Headrail not available with Cordless Lift & Lock) • Controls – either LR, RL or grouped (Standard only) • Hold-Down Brackets (not available with Cordless Lift & Lock) • Extension Brackets • Spacer Blocks • Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift & Lock) • Special Wand and Cord Length

SIZE SPECIFICATIONS - Value .006 Gauge		
	Standard Cordlock	Cordless Lift & Lock™
Slat width	1"	1"
Minimum width (NET)	8"	10-1/2"
Minimum height	6"	12"
Maximum width of a single blind	144"	120"
Maximum height	126"	84"
Maximum width with two on one headrail	144"	144"
Maximum width with three on one headrail	144"	n/a
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	
Maximum square feet, single blind	133 sq. ft.	133 sq. ft.

ORDERING KEY

Style	Code
1"	B6+Color #

• Basic 1" (B6)

WIDTH TO:	12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	144"
HEIGHT TO:																				
42"	\$31	37	40	42	45	52	54	56	58	61	70	72	78	85	95	108	120	129	134	143
48"	32	39	41	43	46	55	58	60	62	65	74	76	83	90	101	114	126	136	141	150
54"	33	40	42	45	48	56	59	61	63	66	75	78	85	92	104	117	130	140	146	155
60"	34	41	44	46	50	58	60	63	65	69	78	81	88	96	107	121	134	145	151	163
66"	36	44	47	49	53	61	64	66	69	73	82	86	93	101	113	127	141	152	160	171
72"	37	45	48	51	55	63	66	69	71	75	85	88	96	104	117	131	145	159	166	177
78"	38	47	50	53	57	66	69	71	74	79	88	92	99	108	121	136	151	165	172	184
84"	38	48	51	54	58	67	70	73	76	81	91	95	102	112	125	141	156	170	178	190
90"	39	49	52	55	60	69	72	75	79	83	94	98	105	115	129	145	160	175	183	196
96"	40	50	53	57	61	70	74	77	80	85	96	100	108	118	132	148	164	179	188	201
102"	40	51	54	58	63	72	76	79	83	88	98	103	111	121	136	153	169	184	193	207
108"	41	52	56	59	64	74	78	81	85	90	101	106	114	125	140	157	174	189	199	213
114"	41	53	57	61	66	76	79	83	87	92	104	108	117	128	144	161	178	195	204	219
120"	42	54	58	62	67	77	81	85	89	95	106	111	120	131	148	165	183	200	210	225
126"	42	55	59	63	69	79	83	87	91	97	109	114	123	135	151	169	188	205	215	231

Finished Dimensions	Outside (OB) Mount				Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Standard Returns	Headrail Width	Blind Height	Slat Width
1" Aluminum Blind – Box Bracket	Ordered Width	Ordered Height	Ordered Width	No Returns	-1/2"	Ordered Height	-1/2"

NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: EXTRA CHARGE

- Cordless Lift & Lock..... add \$40 each

OPTIONS: NO EXTRA CHARGE

- 2 On 1 Headrailprice as separate blinds
- 3 On 1 Headrail.....price as separate blinds
(3 On 1 Headrail not available with Cordless Lift & Lock)
- Controls – either LR, RL or grouped (Standard only)
- Hold-Down Brackets (not available with Cordless Lift & Lock)
- Extension Brackets
- Spacer Blocks
- Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift & Lock)
- Special Wand and Cord Length

SIZE SPECIFICATIONS - Basic .006 Gauge

	Standard Cordlock	Cordless Lift & Lock™
Slat width	1"	1"
Minimum width (NET)	8"	10-1/2"
Minimum height	6"	12"
Maximum width of a single blind	144"	120"
Maximum height	126"	84"
Maximum width with two on one headrail	144"	144"
Maximum width with three on one headrail	144"	n/a
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	
Maximum square feet, single blind	133 sq. ft.	133 sq. ft.

ORDERING KEY

Style

Code

1" .006 Gauge

T6+Color #

• Traditional 1" Aluminum Blinds with 2-Slat Channel Valance .006 Gauge (T6)

WIDTH TO:	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	142"	152"
HEIGHT TO:																					
42"	\$56	59	61	64	67	70	74	77	80	84	89	94	97	112	142	152	163	172	181	190	199
48"	57	60	62	65	68	72	75	78	82	86	92	96	100	115	146	156	168	178	187	197	206
54"	59	61	64	67	70	74	77	81	85	89	95	100	104	118	151	161	173	184	193	204	213
60"	60	62	65	68	71	75	79	83	87	91	97	102	106	122	155	166	178	189	199	210	220
66"	61	63	66	69	73	77	81	84	89	93	100	105	109	125	159	171	183	195	205	217	227
72"	63	66	69	72	76	80	84	88	92	97	104	109	114	130	165	177	191	202	213	225	236
78"	76	79	82	86	91	97	102	106	111	117	126	132	138	157	169	182	196	208	219	231	243
84"	79	83	86	90	95	101	106	111	116	122	131	138	143	163	176	189	203	216	227	240	252
90"	80	84	88	92	97	103	108	113	118	125	134	141	147	167	180	194	208	221	233	247	259
96"	81	85	89	93	98	105	110	115	121	128	137	144	150	170	184	198	213	227	239	253	266
102"	82	86	90	95	100	106	112	117	123	130	140	147	153	174	189	203	218	232	245	259	272
108"	83	88	92	96	102	108	114	119	126	133	142	150	156	178	193	207	224	238	251	266	279
114"	85	89	93	98	103	110	116	122	128	135	145	153	160	182	197	212	229	243	257	272	286
120"	85	90	94	99	105	112	118	123	130	137	148	156	163	185	201	216	233	248	262	278	292
126"	87	91	95	100	106	114	120	126	132	140	151	159	166	189	205	221	238	253	268	284	299

Finished Dimensions	Outside (OB) Mount				Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Standard Returns	Headrail Width	Blind Height	Slat Width
1" Aluminum Blind – Box Bracket	Ordered Width	Ordered Height	Ordered Width	2-1/8"	-1/2"	Ordered Height	-1/2"

NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: EXTRA CHARGE	OPTIONS: NO EXTRA CHARGE
Cordless Lift & Lock..... add \$40 each	2 On 1 Headrailprice as separate blinds 3 On 1 Headrail.....price as separate blinds (3 On 1 Headrail not available with Cordless Lift & Lock) - Controls – either LR, RL or grouped (Standard only) - Hold-Down Brackets (not available with Cordless Lift & Lock) - Extension Brackets - Spacer Blocks - Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift & Lock) - Special Wand and Cord Length

SIZE SPECIFICATIONS - Traditional .006 Gauge		
	Standard Cordlock	Cordless Lift & Lock™
Slat width	1"	1"
Minimum width (NET)	8"	10-1/2"
Minimum height	6"	12"
Maximum width of a single blind	152"	120"
Maximum height	126"	84"
Maximum width with two on one headrail	152"	142"
Maximum width with three on one headrail	152"	n/a
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	
Maximum square feet, single blind	133 sq. ft.	133 sq. ft.

ORDERING KEY

Style

Code

1" .008 Gauge

T8+Color #

• Traditional 1" Aluminum Blinds with 2-Slat Channel Valance .008 Gauge (T8)

WIDTH TO:	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	142"	152"
HEIGHT TO:																					
42"	\$57	60	62	65	68	72	76	79	83	87	92	97	101	115	147	157	169	179	188	198	207
48"	58	61	63	66	70	74	78	81	85	89	95	100	104	119	151	162	174	185	195	205	215
54"	60	63	65	68	72	76	80	83	87	92	98	103	107	123	157	168	181	192	202	213	223
60"	61	64	66	70	73	78	82	85	90	95	101	106	111	126	161	173	186	198	208	220	231
66"	62	65	68	71	75	80	84	87	92	97	104	109	114	130	166	178	192	204	215	227	238
72"	65	68	71	74	78	83	87	91	96	101	108	114	118	135	173	185	200	212	224	236	248
78"	78	81	85	89	94	100	105	110	116	122	131	138	144	164	177	191	205	218	230	244	256
84"	81	85	89	93	98	105	110	115	121	128	137	144	150	170	184	198	213	227	239	253	266
90"	82	86	90	95	100	107	112	117	123	130	140	147	154	175	189	203	219	233	246	260	273
96"	84	88	92	96	102	109	114	120	126	133	143	150	157	179	194	208	225	239	253	267	281
102"	85	89	93	98	104	111	117	122	129	136	146	154	161	183	198	214	230	245	259	275	289
108"	86	90	95	100	106	113	119	125	131	139	149	157	165	187	203	219	236	251	266	282	296
114"	87	92	96	101	107	115	121	127	134	142	153	161	168	191	208	224	242	258	272	289	304
120"	88	93	98	103	109	117	123	129	136	144	155	164	171	195	212	228	247	263	278	295	310
126"	89	94	99	104	111	119	125	132	139	147	158	167	175	199	216	234	252	269	285	302	318

Finished Dimensions	Outside (OB) Mount				Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Standard Returns	Headrail Width	Blind Height	Slat Width
1" Aluminum Blind – Box Bracket	Ordered Width	Ordered Height	Ordered Width	2-1/8"	-1/2"	Ordered Height	-1/2"

NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: EXTRA CHARGE

- Cordless Lift & Lock..... add \$40 each

OPTIONS: NO EXTRA CHARGE

- 2 On 1 Headrailprice as separate blinds
- 3 On 1 Headrail.....price as separate blinds
(3 On 1 Headrail not available with Cordless Lift & Lock)
- Controls – either LR, RL or grouped (Standard only)
- Hold-Down Brackets (not available with Cordless Lift & Lock)
- Extension Brackets
- Spacer Blocks
- Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift & Lock)
- Special Wand and Cord Length

SIZE SPECIFICATIONS - Traditional .008 Gauge

	Standard Cordlock	Cordless Lift & Lock™
Slat width	1"	1"
Minimum width (NET)	8"	10-1/2"
Minimum height	6"	12"
Maximum width of a single blind	152"	120"
Maximum height	126"	84"
Maximum width with two on one headrail	152"	142"
Maximum width with three on one headrail	152"	n/a
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	
Maximum square feet, single blind	133 sq. ft.	133 sq. ft.

ORDERING KEY

Style	Code
1"	D8+Color #

• Deluxe 1" with Traditional Routes (D8)

WIDTH TO:	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	142"
HEIGHT TO:																				
42"	\$60	62	64	66	69	72	75	78	80	84	91	94	98	112	145	154	165	175	183	192
48"	61	63	65	68	71	74	77	80	83	86	94	98	101	116	151	160	172	183	191	200
54"	63	65	67	70	73	77	80	83	86	90	97	102	105	120	157	167	180	191	200	210
60"	64	66	69	72	75	79	82	85	88	93	101	105	109	125	163	174	187	199	208	219
66"	65	68	70	73	76	81	84	88	91	96	104	109	113	129	169	180	194	206	219	230
72"	67	70	72	75	79	83	87	91	94	99	107	113	117	133	175	187	201	217	228	240
78"	83	87	90	94	99	104	109	114	118	124	135	142	147	168	181	193	211	225	236	248
84"	85	88	92	96	100	107	112	116	121	127	138	145	151	172	185	198	217	231	243	256
90"	88	92	96	100	105	111	117	122	127	133	145	152	158	180	194	209	226	241	253	267
96"	90	94	98	102	107	114	120	125	130	137	149	156	162	185	201	216	233	249	261	276
102"	91	95	99	104	110	116	122	128	133	140	152	160	167	190	207	222	240	256	269	284
108"	93	97	101	106	112	119	125	131	136	144	156	164	171	197	213	228	247	264	278	293
114"	94	98	102	108	114	122	129	135	141	150	162	172	179	206	224	240	260	279	293	311
120"	95	100	104	110	117	124	132	138	144	153	166	176	183	212	229	247	267	286	303	320
126"	97	101	107	112	119	128	135	141	147	157	171	180	191	217	236	254	275	294	311	329

Finished Dimensions	Outside (OB) Mount			Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Headrail Width	Blind Height	Slat Width
1" Aluminum Blind – Hidden Bracket	+1/4"	Ordered Height	Ordered Width	-1/4"	Ordered Height	-1/2"

NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: EXTRA CHARGE	OPTIONS: NO EXTRA CHARGE
Cordless Lift & Lock..... add \$40 each	2 On 1 Headrailprice as separate blinds 3 On 1 Headrail.....price as separate blinds (3 On 1 Headrail not available with Cordless Lift & Lock) - Controls – either LR, RL or grouped (Standard only) - Hold-Down Brackets (not available with Cordless Lift & Lock) - Extension Brackets - Spacer Blocks - Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift & Lock) - Special Wand and Cord Length

SIZE SPECIFICATIONS - Deluxe .008 Gauge, Traditional Routes		
	Standard Cordlock	Cordless Lift & Lock™
Slat width	1"	1"
Minimum width (NET)	8"	10-1/2"
Minimum height	6"	12"
Maximum width of a single blind	142"	120"
Maximum height	126"	84"
Maximum width with two on one headrail	142"	142"
Maximum width with three on one headrail	142"	n/a
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	
Maximum square feet, single blind	124 sq. ft.	133 sq. ft.

ORDERING KEY

<u>Style</u>	<u>Code</u>
1"	D8+Color #

• Deluxe 1" with LightsOut (D8)

WIDTH TO:	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	142"
HEIGHT TO:																				
42"	\$61	63	65	68	71	74	78	80	83	87	94	98	102	117	152	162	173	184	193	202
48"	63	65	67	70	73	77	80	83	86	91	98	103	106	122	159	169	182	194	203	213
54"	65	67	69	72	76	80	83	87	90	94	102	107	111	127	166	177	191	203	213	224
60"	66	69	71	74	78	82	86	90	93	98	106	111	116	132	173	185	199	212	223	235
66"	67	70	73	76	80	85	89	92	96	101	110	115	120	137	180	192	207	221	235	247
72"	69	72	75	79	83	88	92	96	100	105	114	120	125	143	187	201	217	234	246	259
78"	86	90	94	99	104	110	116	121	126	133	144	151	158	180	194	208	227	242	255	269
84"	88	92	96	101	106	113	119	124	130	137	149	156	163	186	201	216	235	252	265	280
90"	92	97	101	106	111	118	125	130	136	143	156	164	171	194	210	227	246	263	277	292
96"	94	98	103	108	114	121	128	133	139	147	160	168	176	200	218	235	254	271	286	302
102"	96	100	105	110	117	124	131	137	143	152	165	174	181	206	226	242	262	281	296	313
108"	97	102	107	113	119	127	134	141	147	156	169	178	186	214	232	249	270	289	305	323
114"	99	104	110	116	122	132	139	146	153	162	177	187	196	226	245	264	287	307	325	345
120"	100	105	112	118	125	134	142	150	157	166	181	192	201	233	252	272	294	317	334	355
126"	102	109	114	120	129	138	145	154	161	172	186	197	209	239	260	280	304	326	346	367

Finished Dimensions	Outside (OB) Mount			Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Headrail Width	Blind Height	Slat Width
1" Aluminum Blind – Hidden Bracket	+1/4"	Ordered Height	Ordered Width	-1/4"	Ordered Height	-1/2"

NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: NO EXTRA CHARGE

- 2 On 1 Headrailprice as separate blinds
- 3 On 1 Headrail.....price as separate blinds
- Controls – either LR, RL or grouped (Standard only)
- Hold-Down Brackets
- Extension Brackets
- Spacer Blocks
- Tile Cut-Out – max. 5-1/2" each side
- Special Wand and Cord Length

SIZE SPECIFICATIONS - Deluxe .008 Gauge, Routeless

	Standard Cordlock
Slat width	1"
Minimum width (NET)	8"
Minimum height	6"
Maximum width of a single blind	142"
Maximum height	126"
Maximum width with two on one headrail	142"
Maximum width with three on one headrail	142"
Blind with tilter only – net width	8" to 10-3/8"
Blind must have split controls – net width	10-1/2" to 18"
Blind with controls in any position – net width	18-1/8" or more
Maximum square feet, single blind	124 sq. ft.

ORDERING KEY

 Style
 2"

 Code
 M2+Color #

• Macro 2" with Channel Valance (M2)

WIDTH TO:	12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	144"
HEIGHT TO:																				
42"	\$59	70	73	77	82	85	89	95	98	103	108	112	121	167	178	200	211	234	245	252
48"	60	71	75	79	84	88	91	98	102	107	111	116	126	173	184	207	219	243	254	262
54"	62	73	77	81	87	91	95	101	105	111	116	121	130	180	192	216	228	253	265	274
60"	62	75	79	83	89	93	97	104	108	114	119	124	134	185	197	221	234	260	272	282
66"	65	78	82	87	93	97	101	109	113	119	124	130	140	193	206	231	245	271	284	295
72"	66	79	84	88	95	99	104	111	115	122	127	133	143	198	212	237	251	278	292	303
78"	84	102	108	113	121	127	133	142	148	156	163	171	184	207	222	248	262	290	304	316
84"	86	104	110	116	124	130	136	146	152	160	168	176	189	213	228	255	270	299	314	327
90"	86	105	112	118	126	132	139	149	155	164	172	179	193	218	234	261	277	306	322	335
96"	89	110	116	123	132	139	146	157	163	173	182	191	205	233	249	279	296	327	345	360
102"	90	112	119	125	135	142	150	160	167	178	186	196	210	239	257	287	305	336	355	371
108"	91	114	121	129	138	145	153	164	172	182	191	200	216	244	263	293	312	345	364	380
114"	93	116	123	131	141	149	156	167	176	186	196	205	221	250	269	301	321	354	373	391
120"	95	118	126	134	144	152	160	173	180	191	201	210	227	257	277	308	328	363	383	401
126"	96	120	129	137	147	156	163	176	184	196	205	216	233	263	284	317	338	372	393	412

Finished Dimensions	Outside (OB) Mount				Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Standard Returns	Headrail Width	Blind Height	Slat Width
2" Aluminum Blind – Box Bracket	-1/4"	Ordered Height	Ordered Width	2-7/8"	-3/4"	Ordered Height	-1/2"

NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: EXTRA CHARGE

- Cordless Lift & Lock..... add \$40 each

OPTIONS: NO EXTRA CHARGE

- 2 On 1 Headrailprice as separate blinds
- 3 On 1 Headrail.....price as separate blinds
(3 On 1 Headrail not available with Cordless Lift & Lock)
- Controls – either LR, RL or grouped (Standard only)
- Hold-Down Brackets
- Extension Brackets
- Spacer Blocks
- Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift & Lock)
- Special Wand and Cord Length

SIZE SPECIFICATIONS - 2" Macro, Traditional Routes

	Standard Cordlock	Cordless Lift & Lock™
Slat width	2"	2"
Minimum width (NET)	8"	10-1/2"
Minimum height	12"	12"
Maximum width of a single blind	144"	144"
Maximum height	126"	84"
Maximum width with two on one headrail	192"	144"
Maximum width with three on one headrail	192"	n/a
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	
Maximum square feet, single blind	144 sq. ft.	133 sq. ft.

SIZE SPECIFICATIONS - 2" Macro, Routeless

	Standard Cordlock
Slat width	2"
Minimum width (NET)	8"
Minimum height	12"
Maximum width of a single blind	144"
Maximum height	126"
Maximum width with two on one headrail	192"
Maximum width with three on one headrail	192"
Blind with tilter only – net width	8" to 10-3/8"
Blind must have split controls – net width	10-1/2" to 18"
Blind with controls in any position – net width	18-1/8" or more
Maximum square feet, single blind	144 sq. ft.

FEATURES AND OPTIONS

CONTROLS

Standard Cordlock	Width (NET)
Tilt only (does not lift)	8" to 10-3/8"
Split (Lift Cord L, Wand R)	10-1/2" to 18"
Any position (LR, RL, Grouped)	18-1/8" or more

Lift & Lock	Width (NET)
Center tilt only	10-1/2" to 12-3/8"
Left or Right tilt (Center tilt n/a)	12-1/2" or more

Note: Lift function is controlled by the bottomrail for Cordless Lift & Lock

CORD AND LADDER

- Color coordinated with slats
- Cord length is approximately 1/2 the height of the blind unless otherwise specified.
- Lift cord features a color-coordinated cord connector that separates under pressure. It easily snaps together again.

TILT WAND

Clear wand. Wand length is standard, see chart below, or select one of the other lengths available and specify that length when ordering.*

All 1" Blinds

Wand Length	Blind Height
12"	12" to 22"
20"	22-1/8" to 37"
30"	37-1/8" to 52"
40"	52-1/8" to 67"
50"	67-1/8" to 82"
60"	82-1/8" to 144"

*Optional Lengths: 70", 78", 90", or 120"

2" Blinds

Wand Length**	Blind Height
12"	12" to 24"
20"	24-1/8" to 36"
30"	36-1/8" to 48"
40"	48-1/8" to 60"
50"	60-1/8" to 75"
60"	75-1/8" to 90"
70"	90-1/8" to 105"
78"	105-1/8" to 117"
90"	117-1/8" to 126"

*Optional Length: 120"

** Also applies to optional Cord Tilt

MOUNTING REQUIREMENTS

	Inside (IB) Mount		Outside (OB) Mount
	Minimum Required Depth	Minimum Required Depth Flush Mount	Minimum Required Mounting Surface
Value/Basic 1"	7/8"	1-1/4"	5/8"
Traditional 1"	1-3/8"	2-1/4"	1-3/8"
Deluxe 1"	7/8"	1-3/4"	5/8"
Macro 2"	1-1/8"	3-3/8"	1-3/4"

Center Support Brackets – All Blinds

Width	# of Brackets
48" - 84"	1
84-1/8" - 120"	2
Over 120"	3

LADDER PLACEMENT

The following charts show the number of ladders based on blind width.

1" Blinds

Finished Width	# of Ladders
Up to 36"	2
36-1/8" to 60"	3
60-1/8" to 84"	4
84-1/8" to 108"	5
108-1/8" to 132"	6
132-1/8" to 152"	7

2" Blinds

Finished Width	# of Ladders
Up to 46-1/2"	2
46-5/8" to 80-1/2"	3
80-5/8" to 114-1/2"	4
114-5/8" to 144"	5

STACKING

Add the selected style to the Blind Stack


Headrail/Bottomrail	1" Blinds
Value/Basic	1-1/2"
Traditional	1-1/2"
Deluxe	2"
+	+
Each 12" of Blind Height	3/8"

Blind Height	2" Blinds (approx)
36"	4-1/2"
48"	4-3/4"
60"	5"
72"	5-1/4"
84"	5-1/2"
96"	5-3/4"
108"	6"
120"	6-1/4"
126"	6-1/2"

For Lift & Lock add an additional 3/4" to the total.

DELUXE 1" BLIND OFFSET STACKING

Length of Offset	Amount of Offset
12"	1/4"
24"	7/16"
36"	9/16"
48"	11/16"
60"	3/4"
72"	13/16"
84"	13/16"
96"	7/8"
108"	7/8"
120"	7/8"



PRODUCT SPECIFICATIONS

	Value	Basic	Traditional	
FEATURES	1" .006 GAUGE	1" .006 GAUGE	1" .006 GAUGE	1" .008 GAUGE
# of Colors	6	31	26	31
Slat Gauge	0.006	0.006	0.006	0.008
Dust-Resistant Finish	Yes	Yes	Yes	Yes
Headrail Size	1" X 1"	1" X 1"	1" X 1-1/2"	1" X 1-1/2"
Headrail Gauge	0.024	0.024	0.024	0.024
Bottomrail - Standard	Lockseam	Lockseam	Lockseam	Lockseam
Bottomrail - Lift & Lock	The cordless Lift & Lock™ operating system comes with a coordinating aluminum bottomrail. Please refer to the Lift & Lock Bottomrail Color listing for the coordinating rail color.			
Lightsout Feature	N/A	N/A	N/A	N/A
Bracket Style	Box	Box	Box	Box
Cord Size	1.4 mm	1.4 mm	1.4 mm	1.4 mm
Ladder Spacing	23 mm	22 mm	22 mm	22 mm
Wand	Clear, Standard	Clear, Standard	Clear, Standard	Clear, Standard
Cord Tilter	N/A	N/A	N/A	N/A
Valance Style	2 Slats in Clips	2 Slats in Clips	2 Slat Channel Valance	2 Slat Channel Valance
Headrail End Stiffener	Yes	Yes	Yes	Yes
Cord Connector	Colored	Colored	Colored	Colored
OPTIONS				
Cordless Lift & Lock™	Yes	Yes	Yes	Yes
2 or 3 on 1 Headrail* - 3 on 1 headrail not available with Cordless Lift & Lock	Yes	Yes	Yes	Yes
Control Positions (LR, RL, Grouped)	Yes	Yes	Yes	Yes
Extension Brackets	Yes	Yes	Yes	Yes
Hold-down Brackets - not available with 1" Cordless Lift & Lock	Yes	Yes	Yes	Yes
Spacer Blocks	Yes	Yes	Yes	Yes
Tile Cut-out - not available with Cordless Lift & Lock	Yes	Yes	Yes	Yes
SIZE SPECIFICATIONS				
Slat width	1"	1"	1"	1"
Standard Lift Cords				
Minimum width (NET)	8"	8"	8"	8"
Minimum height	6"	6"	6"	6"
Maximum width of a single blind	144"	144"	152"	152"
Maximum height	126"	126"	126"	126"
Maximum width with 2 or 3 on 1 headrail	144"	144"	152"	152"
Maximum width end mount	48"	48"	48"	48"
Blind with tilter only – net width	8" to 10-3/8"	8" to 10-3/8"	8" to 10-3/8"	8" to 10-3/8"
Blind must have split controls – net width	10-1/2" to 18"	10-1/2" to 18"	10-1/2" to 18"	10-1/2" to 18"
Blind can have controls in any position – net width	18-1/8" to 144"	18-1/8" to 144"	18-1/8" to 152"	18-1/8" to 152"
Maximum square feet, single blind	133 sq. ft.	133 sq. ft.	133 sq. ft.	133 sq. ft.
Cordless Lift & Lock™				
Minimum width (NET)	10-1/2"	10-1/2"	10-1/2"	10-1/2"
Maximum width of a single blind	120"	120"	120"	120"
Minimum height	12"	12"	12"	12"
Maximum height	84"	84"	84"	84"
Maximum width Cordless Lift & Lock w/ 2 on 1	144"	144"	142"	142"
Maximum width end mount	N/A	N/A	N/A	N/A
Center tilt only – NET width	10-1/2" to 12-3/8"	10-1/2" to 12-3/8"	10-1/2" to 12-3/8"	10-1/2" to 12-3/8"
Left or Right tilt only - NET width	12-1/2" or more	12-1/2" or more	12-1/2" or more	12-1/2" or more
Maximum square feet, single blind	133 sq. ft.	133 sq. ft.	133 sq. ft.	133 sq. ft.

* 2 or 3 Blinds On 1 Headrail – a crating surcharge may be assessed, see General Information section for shipping related surcharges

PRODUCT SPECIFICATIONS

	Deluxe	Macro
FEATURES	1" .008 GAUGE	2" .008 GAUGE
# of Colors	51	18
Slat Gauge	0.008	0.008
Dust Resistant Finish	Yes	Yes
Headrail Size	1-1/4" X 1-1/2"	2-1/4" X 1-1/2"
Headrail Gauge	0.024	0.024
Bottomrail - Standard	Lockseam	Lockseam
Bottomrail - Lift & Lock	The cordless Lift & Lock™ operating system comes with a coordinating aluminum bottomrail. Please refer to the Lift & Lock Bottomrail Color listing for the coordinating rail color.	
Lightsout Feature - not available with Cordless Lift & Lock	Available	Available
Bracket Style	Hidden	Box
Cord Size	1.4 mm	1.4 mm
Ladder Spacing	22 mm	42 mm
Wand Tilt	Clear, Standard	Clear, Standard
Valance Style	Built-in	Channel Valance
Headrail End Stiffener	n/a	Yes
Cord Connector	Colored	Colored
OPTIONS		
Cordless Lift & Lock™	Yes	Yes
2 or 3 on 1 Headrail* - 3 on 1 headrail not available with Cordless Lift & Lock	Yes	Yes
Control Positions (LR, RL, Grouped)	Yes	Yes
Cord Tilt	N/A	Yes
Extension Brackets	Yes	Yes
Hold-down Brackets - not available with 1" Cordless Lift & Lock	Yes	Yes
Spacer Blocks	Yes	Yes
Tile Cut-out - not available with Cordless Lift & Lock	Yes	Yes
SIZE SPECIFICATIONS		
Slat width	1"	2"
Standard Lift Cords		
Minimum width (NET)	8"	8"
Minimum height	6"	12"
Maximum width of a single blind	142"	144"
Maximum height	126"	126"
Maximum width with 2 or 3 on 1 headrail	142"	192"
Blind with tilter only – net width	8" to 10-3/8"	8" to 10-3/8"
Blind must have split controls – net width	10-1/2" to 18"	10-1/2" to 18"
Blind can have controls in any position – net width	18-1/8" to 142"	18-1/8" to 144"
Maximum square feet, single blind	124 sq. ft.	144 sq. ft.
Cordless Lift & Lock™		
Minimum width (NET)	10-1/2"	10-1/2"
Minimum height	12"	12"
Maximum width of a single blind	120"	144"
Maximum height	84"	84"
Maximum width 2 on 1 headrail	142"	144"
Maximum square feet, single blind	124 sq. ft.	144 sq. ft.
Center tilt only – NET width	10-1/2" to 12-3/8"	10-1/2" to 12-3/8"
Left or Right tilt only - NET width	12-1/2" or more	12-1/2" or more
Maximum square feet, single blind	124 sq. ft.	144 sq. ft.

* 2 or 3 Blinds On 1 Headrail – a crating surcharge may be assessed, see General Information section for shipping related surcharges

CORDLESS LIFT & LOCK™ BOTTOMRAIL COLOR CHART




The cordless Lift & Lock™ operating system comes with a coordinating aluminum bottomrail in the color listed below. There are **more slat** colors **than** available **rail** colors, please review the rail colors listed below when ordering. Rail colors listed can be found in the Aluminum sample deck.

NOTE: Due to color availability in each size rail, there are cases where the 1" and 2" slats in the same color will have different color bottomrails.


BEST FOR KIDS	Deluxe Collection	Traditional Collection		Value Collection	Basic Collection	All 1" Styles		Macro Collection	All 2" Blinds	
						Cordless Lift & Lock Bottomrail			Cordless Lift & Lock Bottomrail	
COLOR NAME	1" .008 GAUGE	1" .006 GAUGE	1" .008 GAUGE	1" .006 GAUGE	1" .006 GAUGE	Color	Color #	2" .008 GAUGE	Color	Color #
Alabaster	D8002	T6002	T8002	V6002	B6002	Alabaster	002	M2002	Alabaster	002
Antique	D8973	T6973	T8973		B6973	Alabaster	002	M2973	Antique	973
Antique Perforated	D8973P		T8973P			Alabaster	002			
Ash	D8913					Mercury	276			
Beige	D8186	T6186	T8186		B6186	Alabaster	002	M2186	Alabaster	002
Biscuit	D8315					Alabaster	002			
Bisque	D8269	T6269	T8269		B6269	Plaster	127	M2269	Antique	973
Black	D8048	T6048	T8048		B6048	Black	048	M2048	Black	048
Black Perforated	D8048P		T8048P			Black	048			
Bright Aluminum	D8190	T6190	T8190		B6190	Brushed Aluminum	065	M2190	Brushed Aluminum	065
Brushed Aluminum	D8065	T6065	T8065	V6065	B6065	Brushed Aluminum	065			
Brushed Aluminum Perforated	D8065P		T8065P			Brushed Aluminum	065			
Brushed Nickel Texture	D8262		T8262			Brushed Aluminum	065			
Burgundy	D8188					Alabaster	002			
Canvas	D8830	T6830	T8830		B6830	Alabaster	002	M2830	Alabaster	002
Chalk White	D8885	T6885	T8885		B6885	Pure White	125	M2885	Snow Gloss	110
Char Brown	D8064	T6064	T8064	V6064	B6064	Char Brown	064	M2064	Char Brown	064
Char Brown Matte	D8254					Char Brown	064			
Classic Red	D8916					Alabaster	002			
Clay	D8180	T6180	T8180		B6180	Graystone	748			
Cobalt Blue	D8280					Mercury	276			
Cobblestone	D8318	T6318	T8318		B6318	Graystone	748			
Country Beige	D8319					Plaster	127			
Eggshell	D8173				B6173	Alabaster	002	M2173	Alabaster	002
Evening Snow	D8385					Plaster	127			
Fawn	D8205	T6205	T8205		B6205	Alabaster	002	M2205	Alabaster	002
Forest	D8413	T6413	T8413		B6413	Alabaster	002			
Graphite	D8983					Black	048			
Graystone	D8748	T6748	T8748		B6748	Graystone	748	M2748	Brushed Aluminum	065
Kaolin Pearl	D8711	T6711	T8711		B6711	Plaster	127			
Light Caffe	D8914					Mercury	276			
Linen	D8270				B6270	Plaster	127	M2270	Antique	973
Mercury	D8276				B6276	Mercury	276			
Opal	D8001	T6001	T8001		B6001	Pure White	125			
Parchment	D8402					Alabaster	002			
Pearl	D8974	T6974	T8974		B6974	Plaster	127	M2974	Pearl	974
Pewter Gray	D8405				B6405	Mercury	276			
Plaster	D8127	T6127	T8127	V6127	B6127	Plaster	127			
Pumice	D8203					Alabaster	002			
Pure White	D8125	T6125	T8125	V6125	B6125	Pure White	125	M2125	Snow Gloss	110
Quartz	D8018	T6018	T8018		B6018	Snow Gloss	110	M2018	Snow Gloss	110
River Log	D8917					Char Brown	064			
Seashell	D8795	T6795	T8795		B6795	Pure White	125			
Sierra	D8820	T6820	T8820		B6820	Black	048			
Snow Gloss	D8110	T6110	T8110	V6110	B6110	Snow Gloss	110	M2110	Snow Gloss	110
Snow Gloss Perforated	D8110P		T8110P			Snow Gloss	110			
Soft Taupe	D8361					Char Brown	064			
Sprig	D8919					Alabaster	002			
Talc	D8981				B6981	Pure White	125			
Tusk	D8268	T6268	T8268		B6268	Plaster	127			
Vanilla	D8350	T6350	T8350		B6350	Alabaster	002	M2350	Alabaster	002

NOTE: Bottomrail colors are pre-selected. Hardware color override is not available.


PRODUCT COMPONENTS – 1" VALUE/BASIC BLIND




PRODUCT COMPONENTS – 1" TRADITIONAL BLIND



PRODUCT COMPONENTS – 1" DELUXE BLIND




PRODUCT COMPONENTS – ALL 1" CORDLESS LIFT & LOCK™



Pocket/Ferrule Clear (Part #3200156000C)
Included in headrail for skew adjustment

NOTE: Components shown are for the 1" Lift & Lock bottomrail. With the exception of the pocket & ferrule, all headrail components are the same as standard blinds.



PRODUCT COMPONENTS – 2" MACRO BLIND



PRODUCT COMPONENTS – 2" MACRO WITH CORDLESS LIFT & LOCK™



*when ordered with wand tilt



Hold Down Brackets for 2" Macro
Cordless Lift & Lock
Sill - 3/8" (Part #KIT2009)
Jamb - 3/4" (Part #KIT2010)



Cord Skew Adjuster (Part #7300501000)
Included in headrail for skew adjustment

NOTE: Components shown are for the 2" Lift & Lock bottomrail. With the exception of the skew adjuster, all headrail components are the same as standard blinds.