

**West Virginia Department of Health  
& Human Resources  
Berkeley County Health Department**

No image found with name: Berkeley.png. Image files needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>	
Facility Name Tiki's	Facility Type Food Service Establishment
Licensee Name Wendy Keller	Facility Telephone # 304
Facility Address 7247 Winchester Ave Inwood , WV	Licensee Address ,

<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 10/03/2017	Total Time Spent 1.92

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Sandwich cooler	41
Salad cooler	40
Beer cooler	41
Supior 3 door cooler	39
Walk in cooler	39
Small bar cooler	41

<b>Food Temperatures</b>	
Description	Temperature (Fahrenheit)
Cheese sauce	36`

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysink	chem		300		

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

**Observed Critical Violations**

**Total # 8**

**Repeated # 4**

**4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS**

**This is a critical violation**

**OBSERVATION: (CORRECTED DURING INSPECTION):** Can opener including the blade needs cleaned

**4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS**

**This is a critical violation**

**REPEAT OBSERVATION (CORRECTED DURING INSPECTION):** Several sharp knives and tongs stored unclean

**4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS**

**This is a critical violation**

**REPEAT OBSERVATION (CORRECTED DURING INSPECTION):** Walk-in cooler shelves need cleaned

**4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS**

**This is a critical violation**

**REPEAT OBSERVATION** Ice machine needs cleaned, mold

**4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS**

**This is a critical violation**

**REPEAT OBSERVATION (CORRECTED DURING INSPECTION):** Drink gun in front part of bar needs cleaned

**5-204.11 - HANDWASHING FACILITIES - CONVENIENT USE**

**This is a critical violation**

**OBSERVATION: (CORRECTED DURING INSPECTION):** Using the prep area hand sink to dry equipment, blocked, can not be used to dry hands

**6-501.111 - CONTROLLING PESTS**

**This is a critical violation**

**REPEAT OBSERVATION** Mouse feces found along the perimeter of the bar and back storage room area

**6-501.111(C)\* - APPROVED METHODS OF CONTROLLING PESTS**

**This is a critical violation**

**OBSERVATION: (CORRECTED DURING INSPECTION):** Can not use snap traps in the units, can only be placed by CPO

**Observed Non-Critical Violations**

**Total # 13**

**Repeated # 4**

**2-402.11 - HAIR RESTRAINTS**

**OBSERVATION:** Employee noted working in food preparation/cooking area without a hair restraint.

**3-305.12 - FOOD STORED IN PROHIBITED AREAS.**

**OBSERVATION:** Containers of salt and sugar needs to be stored off the floor by 6 inches

**4-502.11 - GOOD REPAIR AND CALIBRATION**

**OBSERVATION:** Floor freezers need defrosted.

**4-601.11(B) - COOKING EQUIPMENT AND UTENSILS**

**REPEAT OBSERVATION** Sides of fryer and grills need cleaned

**4-601.11(C) - NON-FOOD CONTACT SURFACES**

**OBSERVATION:** Inside the black carryout and cracker containers need cleaned

**4-601.11(C) - NON-FOOD CONTACT SURFACES**

**OBSERVATION:** Outside of the vegetable container(white) in the walk in cooler needs cleaned

**4-601.11(C) - NON-FOOD CONTACT SURFACES**

**OBSERVATION:** Charbroiler table needs cleaned

**4-601.11(C) - NON-FOOD CONTACT SURFACES**

**OBSERVATION:** Shelf above the prep table needs cleaned

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Vent needs repaired in the drystock ceiling, falling down

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Broken and cracked ceiling tiles need replaced

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**REPEAT OBSERVATION** Tile floor needs repaired in several areas of the unit.

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**REPEAT OBSERVATION** Floors need cleaned under and behind equipment in the bar area

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**REPEAT OBSERVATION** Floor drains need cleaned.

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge



**angie Flatness**

Sanitarian



**Glenn GCO Ondick**