



Octospense TS-10

Defoamer

CHEMICAL NAME: Polydimethylsiloxane and silica blend

PHYSICAL FORM: Aqueous nonionic emulsion

PRODUCT SPECIFICATIONS

METHODS

Solids, %	10.0 – 11.0	WI-SCC-040
pH	7.0 – 9.0	WI-PHC-010
Viscosity, cps.	500 – 3000	WI-VDC-070

PRODUCT DESCRIPTION:

Octospense TS-10 is compatible to most wet processing uses. Use either full strength or cut with water before adding, whichever gives the best dispersion into the foaming system. The eventual concentration can be established which is the most economical and efficient for a given system. Octospense TS-10 is most effective when used as a preventative against foam formation; therefore, it is best to add TS-10 to the system early in the procedure.

There are no volatile organic compounds in this product.

STORAGE AND HANDLING:

Containers should be kept tightly closed; avoid direct sources of heat or sunlight when possible. Once a drum has been opened, it is important not to introduce bacteria into the drum. Make sure the part drum is used quickly and that all stock is rotated on a first-in, first-out basis. Protect from freezing 40 – 90 deg F. Contents should be stirred using mechanical agitation prior to use. Shelf life expected one year from date of manufacture provided the material is stored at proper temperatures and containers remain tightly closed.

02/14;07/11;09/28/95

The information provided herein is believed to be reliable; however, no guarantees are made or liability assumed. Tiarco Chemical makes no claims or warranties concerning the suitability of the product for a particular use or purpose.

1300 Tiarco Dr. SW; Dalton, GA 30720 USA; Tele: 706-270-5959; Fax: 706-277-9039