

West Virginia Department of Health & Human Resources

Berkeley County Health Department



Public Health
Prevent. Promote. Protect.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Kings New York Pizza	Facility Type Food Service Establishment	
Licensee Name Dominic Colandrea	Facility Telephone # 304 274-2100	
Facility Address 44 Worchester Ave Falling Waters , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 05/30/2017	Total Time Spent 2.25

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk in cooler	39
Daily cooler	39
Salad cooler	40
kitchen cooler	40
Pizza cooler	39
Sandwich cooler	39
Dessert cooler	41
Bulk soda cooler	38
Small beer cooler bar	38

Food Temperatures	
Description	Temperature (Fahrenheit)
Sauce	172
Meatballs	146

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
GrillbucketDishmachineBar bucketfrontcounterbucket	chemicalchemc hemchemical		50-10010 050-100	ppm	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations

Total # 4

Repeated # 3

3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING

This is a critical violation

REPEAT OBSERVATION (CORRECTED DURING INSPECTION): No date marking on the desserts, must have date when made night before or earlier.

4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS

This is a critical violation

OBSERVATION: Walk in cooler shelves need cleaned

4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): Dough scale needs cleaned

6-501.111 - CONTROLLING PESTS

This is a critical violation

OBSERVATION: Flies observed in the kitchen

Observed Non-Critical Violations

Total # 8

Repeated # 3

4-501.12 - CUTTING SURFACES

OBSERVATION: Cuttingboards need bleached

4-601.11(B) - COOKING EQUIPMENT AND UTENSILS

REPEAT OBSERVATION Top of the pizza oven needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Mixer base needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Speed rack needs cleaned

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Shekving needs repaired, rust

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Caulking needs repaired in the dish area, mold

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Intake vents need cleaned, dust.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Filters need cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge



sal parziale

Sanitarian



Glenn GCO Ondick