

FUNCTION LIST (2)

Category	Icon	P SERIES																			
		Combination	PLA-(Z)RP35/50/60/71/100/125/140BA										PEAD-RP35/50/60/71/100/125/140JA(L)Q								
			Indoor unit	Outdoor unit	PUHZ -SHW	PUHZ -(Z)RP	PUHZ -P	SUZ -KA	MXZ -3D	MXZ -4D	MXZ -5D	MXZ -6C	MXZ -8B	PUHZ -SHW	PUHZ -(Z)RP	PUHZ -P	SUZ -KA	MXZ -3D	MXZ -4D	MXZ -5D	MXZ -6C
Technology	DC Inverter		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	Joint Lap DC Motor			35-71		●	●	●						35-71		●	●	●			
	Magnetic Flux Vector Sine Wave Drive		●	●	●							●	●	●		●	●	●		●	
	Reluctance DC Rotary Compressor				100-140				83	●	●				100-140			83	●	●	
	Highly Efficient DC Scroll Compressor		●	100-250	200/250							●	●	100-250	200/250					●	
	Heating Caulking (Compressor)			35-71		●	●	72						35-71		●	●	72			
	DC Fan Motor		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	Vector-Wave Eco Inverter		●	●	●							●	●	●	●					●	
	PAM(Pulse Amplitude Modulation)		●	35-140	100-140	●	●	●	●	●	●	●	●	35-140	100-140	●	●	●	●	●	
	Power Receiver and Twin LEV Control		●	●			●	●	●	●	●	●	●	●			●	●	●	●	
	Grooved Piping		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Energy Saving	Felt Temperature Control (i-see Sensor)																				
	AREA Temperature Monitor		Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt										
	Econo Cool Energy-saving Feature																				
	'I-Feel' Control																				
	Demand Function		Opt	Opt	Opt						Opt	Opt	Opt	Opt					Opt		
Attractive	Pure White		●	●	●	●	●	●	●	●	●	●									
	Auto Vane		●	●	●	●	●	●	●	●	●	●									
Air Quality	Plasma Quad																				
	Fresh-air Intake		●	●	●	●	●	●	●	●	●										
	Anti-allergy Enzyme Filter																				
	High-efficiency Filter		Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt										
	Catechin Filter																				
	Oil Mist Filter																				
	Long-life Filter		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Filter Check Signal		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●			
Air Distribution	Horizontal Vane		●	●	●	●	●	●	●	●	●										
	Vertical Vane																				
	High Ceiling Mode		●	●	●	●	●	●	●	●	●										
	Low Ceiling Mode		●	●	●	●	●	●	●	●	●										
	Auto Fan Speed Mode		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Convenience	On/off Operation Timer		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
	"i save" Mode																				
	Auto Changeover		●	●	●	●	●*1	●*1	●*1	●*1	●*1	●	●	●	●	●	●	●	●		
	Auto Restart		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
	Low-temperature Cooling		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
	Low-noise Operation (Outdoor Unit)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
	Ampere Limit Adjustment		112/140	60-140V/200/250				83	●	●	●	●	112/140	60-140V/200/250			83	●	●		
	Operation Lock						●	●	●	●	●										
	Built-in Weekly Timer Function																				
Rotation, Back-up and 2nd Stage Cut-in Functions		Opt	Opt	Opt							Opt	Opt	Opt								
System Control	PAR-31MAA Control *3		Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt		
	PAC-YT52CRA Control *3		Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt		
	Centralised On/Off Control *3		Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt		
	System Group Control *3		●	●	●	Opt	Opt	Opt	Opt	Opt	Opt	●	●	●	Opt	Opt	Opt	Opt	Opt		
	M-NET Connection *3		Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt		
	COMPO *4		●	71-250	●							●	71-250	●							
Installation	MXZ Connection						●*2	●*2	●*2	●*2	●*2				●*2	●*2	●*2	●*2	●*2		
	Cleaning-free Pipe Reuse		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
	Reuse of Existing Wiring		Opt	Opt	Opt							Opt	Opt	Opt							
	Wiring/Piping Correction Function						●	●	●	●	●				●	●	●	●	●		
	Drain Pump		●	●	●	●	●	●	●	●	●	●*5	●*5	●*5	●*5	●*5	●*5	●*5	●*5		
	Pump Down Switch		●	●	●							●	●	●							
Maintenance	Flare Connection		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
	Quick Clean Body																				
	Self-Diagnosis Function (Check Code Display)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
Failure Recall Function		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		

*1 When multiple indoor units connected to an MXZ outdoor unit are running at the same time, simultaneous cooling and heating is not possible.
 *2 For the possible connectivity of MXZ outdoor units and indoor units, please refer to the list on page 95 for details.
 *3 Please refer to "System Control" on pages 27-28 for details.

*4 Please refer to page 16 for details.
 *5 PEAD-RP JALQ are not equipped with a drain pump.

