

FINAL STUDY REPORT

STUDY TITLE

AOAC Use-Dilution Method

Test Organism:

Listeria monocytogenes (ATCC 19111)

PRODUCT IDENTITY

Halosol UL06 and UL07

DATA REQUIREMENTS

U.S. EPA 40 CFR Part 158
"Data Requirements for Registration"
Pesticide Assessment Guidelines - Subdivision G, 91-2 (i)

AUTHOR

Joshua Luedtke, M.S. Study Director

STUDY COMPLETION DATE

March 18, 2010

PERFORMING LABORATORY

ATS Labs 1285 Corporate Center Drive, Suite 110 Eagan, MN 55121

SPONSOR

Ohneka Corp. 1442 Osprey Drive, Unit #1 Ancaster, Ontario L9G 4V5 CANADA

SPONSOR REPRESENTATIVE

Clarentis LLC 191 NE Boad Haven Road Belfair, WA 98528

PROJECT NUMBER

A09174

Page 1 of 23

Protocol Number: RUV01021910.UD.2

Ohneka Corp. Page 2 of 23



STATEMENT OF NO DATA CONFIDENTIALITY CLAIMS

No claim of confidentiality is made for any information contained in this study on the basis of its falling within the scope of FIFRA Section 10 (d) (1) (A), (B), or (C).

Company:	Ohneka Corp.	
Company Agent:		
	Title	
		Date:
	Signature	

Protocol Number: RUV01021910.UD.2

Ohneka Corp. Page 3 of 23



GOOD LABORATORY PRACTICE STATEMENT

The study referenced in this report was conducted in compliance with U.S. Environmental Protection Agency Good Laboratory Practice (GLP) regulations set forth in 40 CFR Part 160.

The studies not performed by or under the direction of ATS Labs are exempt from this Good Laboratory Practice Statement and include: characterization and stability of the compound(s).

Submitter:		Date:
Sponsor:		Date:
Study Director:	Joshua Juedos Joshua Luedtke, M.S.	Date: 3- ₁ 8-70

Ohneka Corp. Page 4 of 23

Protocol Number: RUV01021910.UD.2



QUALITY ASSURANCE UNIT SUMMARY

Study: AOAC Use-Dilution Method

The objective of the Quality Assurance Unit is to monitor the conduct and reporting of non-clinical laboratory studies. These studies have been performed under Good Laboratory Practice regulations (40 CFR Part 160) and in accordance to standard operating procedures and standard protocols. The Quality Assurance Unit maintains copies of study protocols and standard operating procedures and has inspected this study on the dates listed below. Studies are inspected at time intervals to assure the integrity of the study.

Phase Inspected	Date of Phase Inspection	Date Reported to Study Director	Date Reported to Management
Critical Phase Audit	March 12, 2010	March 12, 2010	March 19 2010
Final Report	March 17, 2010	March 18, 2010	March 18, 2010

The findings of these inspections have been reported to management and the Study Director.

Quality Assurance Auditor:

Date: 3/18/10



TABLE OF CONTENTS

Title Page	1
Statement of No Data Confidentiality Claims	2
Good Laboratory Practice Statement	3
Quality Assurance Unit Summary	4
Table of Contents	5
Study Personnel	. 6
General Study Information	7
Test Substance Identity	7
Study Dates	7
Objective	7
Summary of Results	8
Test Materials	٤
Test Method	. 9
Test Controls	10
Study Acceptance Criteria	11
Protocol Changes	11
Data Analysis	11
Study Retention	12
References	12
Results	13
Analysis	13
Study Conclusion	13
Table 1: Control Results	14
Table 2: Carrier Population Control Results	14
Table 3: Neutralization Confirmation Control Results	14
Table 4: Test Results	15
Test Protocol	16

Protocol Number: RUV01021910.UD.2

Ohneka Corp. Page 6 of 23



STUDY PERSONNEL

STUDY DIRECTOR:

Joshua Luedtke, M.S.

Professional personnel involved:

Amy S. Jeske, B.S. Scott R. Steinagel, B.S.

Jill Ruhme, B.S.

Erin Hawkinson, B.S. Jessica Underwood, B.S.

Christine Chan, B.S.

- Manager, Microbiology Operations

- Manager, Microbiology Laboratory Operations

- Research Scientist I

- Research Assistant I

- Research Assistant I

- Research Assistant I

Ohneka Corp. Page 7 of 23

Protocol Number: RUV01021910.UD.2

ATSLABS

STUDY REPORT

GENERAL STUDY INFORMATION

Study Title:

AOAC Use-Dilution Method

Project Number:

A09174

Protocol Number:

RUV01021910.UD.2

Sponsor:

Ohneka Corp.

1442 Osprey Drive, Unit #1 Ancaster, Ontario L9G 4V5

CANADA

Sponsor

Clarentis LLC

Representative:

191 NE Boad Haven Road

Belfair, WA 98528

Test Facility:

ATS Labs

1285 Corporate Center Drive, Suite 110

Eagan, MN 55121

TEST SUBSTANCE IDENTITY

Test Substance Name:

Halosol

Lot/Batch(s):

UL06 and UL07

Test Substance Characterization

Test substance characterization as to content, stability, etc., (40 CFR, Part 160, Subpart F [160.105]) is the responsibility of the Sponsor.

STUDY DATES

Date Sample Received:

March 12, 2010

Study Initiation Date:

March 8, 2010

Experimental Start Date:

March 12, 2010

Experimental End Date:

March 15, 2010

Study Completion Date:

March 18, 2010

OBJECTIVE

The objective of this study was to determine the efficacy of the Sponsor's product following the AOAC Use-Dilution Method in compliance with the U.S. Environmental Protection Agency requirements set forth in the Pesticide Assessment Guidelines and methods approved by Health Canada.

Protocol Number: RUV01021910.UD.2

Ohneka Corp. Page 8 of 23



SUMMARY OF RESULTS

Test Substance:

Halosol (UL06 and UL07)

Dilution:

Ready to use (RTU)

Test Organism:

Listeria monocytogenes (ATCC 19111)

Exposure Time:

10 minutes

Exposure Temperature: $20 \pm 1^{\circ}\text{C}$ (20.0°C)

Organic Soil Load:

5% fetal bovine serum

Efficacy Result:

Halosol demonstrated efficacy of both lots against Listeria monocytogenes, and therefore, meets the requirements set forth by the U.S. EPA and Health Canada for disinfectant label claims following a 10 minute exposure time at 20 ± 1°C (20.0°C) in the presence of a 5% fetal bovine serum organic soil

load.

TEST MATERIALS

Test System/Growth Media

Test Organism	ATCC#	Growth Medium	Incubation Parameters
Listeria monocytogenes	19111	Brain Heart Infusion Broth	35-37°C, aerobic

The microorganism used in this study was obtained from the American Type Culture Collection (ATCC), Manassas, Virginia.

Recovery Media

Neutralizing Subculture Medium: Letheen Broth + 0.2% Sodium Thiosulfate (primary)

Brain Heart Infusion Broth (secondary)

Agar Plate Medium:

Tryptic Soy + 5% Sheep Blood Agar (BAP)

Reagents

Organic Soil Load Description:

5% fetal bovine serum (FBS)

Carriers

Stainless steel penicylinders were pre-soaked overnight in 1.0 N NaOH, washed in water until rinse water was neutral to phenolphthalein, and autoclaved in 0.1% asparagine.

Ohneka Corp. Page 9 of 23



TEST METHOD

Preparation of Test Substance

The test substance was ready to use (RTU), as received from the Sponsor. The test substance was homogenous as determined by visual observation.

Ten (10.0) mL aliquots of the test substance were transferred to sterile 25 x 150 mm tubes, placed in a $20 \pm 1^{\circ}$ C (20.0°C) water bath and allowed to equilibrate for \geq 10 minutes.

Preparation of Test Organism

From a stock slant, an initial tube of culture broth was inoculated. From this initial broth suspension a minimum of three daily transfers were performed on consecutive days prior to use in testing procedure. The appropriate growth medium was subcultured using a daily transfer (more than 3, but less than 30 transfers) of the test organism.

A 48-54 hour broth culture incubated at 35-37°C was prepared. The test culture was thoroughly mixed and allowed to stand for ≥10 minutes prior to use.

Addition of Organic Soil Load

A 1.30 mL aliquot of FBS was added to 24.7 mL of broth culture to yield a 5% fetal bovine serum soil load.

Contamination of Carriers

Sterile penicylinders were immersed for 15 minutes in a 48-54 hour old broth culture of the test organism, at a ratio of 1 carrier per 1.0 mL broth. The penicylinders were then dried on filter paper in a sterile Petri dish at 35-37°C for 40 minutes at a 44% relative humidity.

Exposure Conditions

For each test substance, 10 contaminated and dried carriers were individually transferred by hook needle at staggered intervals to individual tubes containing 10.0 mL of the test substance and exposed for 10 minutes at $20 \pm 1^{\circ}$ C (20.0°C).

Test System Recovery

Following the Sponsor specified exposure time, each medicated carrier was then transferred by hook needle at identical staggered intervals to 10 mL of Letheen Broth + 0.2% Sodium Thiosulfate. Carriers were transferred from primary subculture tubes into individual secondary subculture tubes containing 10 mL of Brain Heart Infusion Broth >30 minutes after subculture of the first carrier.

Incubation and Observation

The neutralized subculture tubes and plates were incubated for 45 hours at 35-37°C. Subcultures were stored at 2-8°C for 1 day prior to examination. Following incubation and storage, the subcultures were visually examined for the presence or absence of visible growth.

Ohneka Corp. Page 10 of 23



TEST CONTROLS

Purity Control

A "streak plate for isolation" was performed on the organism culture and following incubation examined in order to confirm the presence of a pure culture. The acceptance criterion for this study control is a pure culture demonstrating colony morphology typical of the test organism.

Organic Soil Sterility Control

The serum used for soil load was cultured, incubated, and visually examined for lack of growth. The acceptance criterion for this study control is lack of growth.

Carrier Sterility Control

A representative uninoculated carrier was added to the neutralizing subculture medium. The subculture medium containing the carrier was incubated and examined for growth. The acceptance criterion for this study control is lack of growth.

Neutralizing Subculture Medium Sterility Control

A representative sample of uninoculated neutralizing subculture medium was incubated and visually examined. The acceptance criterion for this study control is lack of growth.

Viability Control

A representative inoculated carrier was added to the subculture medium. The subculture medium containing the carrier was incubated and visually examined for growth. The acceptance criterion for this study control is growth.

Neutralization Confirmation Control

The neutralization of the test substance was confirmed by exposing sterile carriers (representing not less than 10% of the total number of test carriers) to the test substance and transferring them to primary subculture tubes containing 10 mL of neutralizing subculture medium. Carriers were then transferred from primary subculture tubes into individual secondary subculture tubes ≥30 minutes following the primary transfer. The subculture tubes containing the exposed carriers were inoculated with ≤100 colony forming units (CFU) of the test organism, incubated under test conditions and visually examined for the presence of growth. This control was performed with multiple replicates using different dilutions of the test organism. A standardized spread plate procedure was run concurrently in order to enumerate the number of CFU actually added. The control result was reported using data from the most appropriate dilution.

The acceptance criterion for this study control is growth after inoculation with ≤100 CFU.

Carrier Population Control

Inoculated carriers were added at a ratio of 1 carrier to 10 mL neutralizing broth and vortex mixed. Appropriate serial ten-fold dilutions were prepared and aliquots were spread plated on agar plate medium, and incubated. Following incubation, the resulting colonies were enumerated and the CFU/carrier calculated. The acceptance criterion for this study control is a minimum of 1.0×10^4 CFU/carrier.

Ohneka Corp. Page 11 of 23



STUDY ACCEPTANCE CRITERIA

Test Substance Performance Criteria

The EPA efficacy performance requirements for label claims state that the test substance must kill the microorganisms on 10 out of the 10 inoculated carriers.

Health Canada performance requirements for label claims state that the test substance must kill the microorganism on 10 out of the 10 inoculated carriers.

Control Acceptance Criteria

The study controls must perform according to the criteria detailed in the study controls description section.

PROTOCOL CHANGES

Protocol Amendments:

No protocol amendments were required for this study.

Protocol Deviations:

No protocol deviations occurred during this study.

DATA ANALYSIS

Calculation

Carrier Population Control Calculation:

CFU/carrier = (average number colonies/plate @ dilution) x (dilution factor) x (volume neutralizer) (number of carriers tested) x (volume plated)

The carrier population was calculated and reported using data from the most appropriate dilution.

Statistical Analysis

None used.

Ohneka Corp. Page 12 of 23



STUDY RETENTION

Record Retention

All of the original raw data developed exclusively for this study shall be archived at ATS Labs, 1285 Corporate Center Drive, Suite 110, Eagan, MN 55121. The original data includes, but is not limited to, the following:

- 1. All handwritten raw data for control and test substances including, but not limited to, notebooks, data forms and calculations.
- 2. Any protocol amendments/deviation notifications.
- 3. All measured data used in formulating the final report.
- 4. Memoranda, specifications, and other study specific correspondence relating to interpretation and evaluation of data, other than those documents contained in the final study report.
- 5. Original signed protocol.
- 6. Certified copy of final study report.
- 7. Study-specific SOP deviations made during the study.

Test Substance Retention

The test substance will be discarded following study completion per Sponsor approved protocol. It is the responsibility of the Sponsor to retain a sample of the test material.

REFERENCES

- 1. Association of Official Analytical Chemists (AOAC), 1990. Use-Dilution Tests, p. 135-137. *In* Official Methods of Analysis of the AOAC, Fifteenth Edition.
- 2. Association of Official Analytical Chemists (AOAC), 1990. Germicidal and Detergent Sanitizing Action of Disinfectants, p. 139 [Preparation of Synthetic Hard Water]. *In* Official Methods of Analysis of the AOAC, Fifteenth Edition.
- 3. U.S. Environmental Protection Agency, Registration Division, Office of Pesticide Programs, 1982. Efficacy Data Requirements, Disinfectants for Use on Hard Surfaces, DIS/TSS-1.
- 4. U.S. Environmental Protection Agency, Registration Division, Office of Pesticide Programs, 1979. Efficacy Data Requirements, Supplemental Recommendations, DIS/TSS-2.
- 5. U.S. Environmental Protection Agency, Registration Division, Office of Pesticide Programs, 1982. Subseries 91A: Public Health Uses. *In* Pesticide Assessment Guidelines Subdivision G (Product Performance).
- 6. Assessment of Efficacy of Antimicrobial Agents for Use on Environmental Surfaces and Medical Devices, CAN/CGSB-2. 161-97, August 1997.
- 7. Guidance Document: Disinfectant Drugs, Health Products and Food Branch, Health Canada, 10/29/2007.

Protocol Number: RUV01021910.UD.2

Ohneka Corp. Page 13 of 23



RESULTS

For Control and Neutralization Results, see Tables 1-3.

All data measurements/controls including the culture purity, viability, organic soil sterility, neutralizing subculture medium sterility, carrier sterility, neutralization confirmation, and carrier population were within acceptance criteria.

For Test Results, see Table 4.

ANALYSIS

Halosol (UL06 and UL07), ready to use, demonstrated no growth of *Listeria monocytogenes* (ATCC 19111) in any of the 10 primary subculture tubes and no growth in any of the 10 secondary subculture tubes following a 10 minute exposure time at $20 \pm 1^{\circ}$ C (20.0°C) in the presence of a 5% fetal bovine serum organic soil load.

STUDY CONCLUSION

Under the conditions of this investigation, in the presence of a 5% fetal bovine serum organic soil load, Halosol (UL06 and UL07), ready to use, demonstrated efficacy against *Listeria monocytogenes* as required by the U.S. EPA and Health Canada for disinfectant label claims following a 10 minute exposure time at $20 \pm 1^{\circ}$ C (20.0°C).

In the opinion of the Study Director, there were no circumstances that may have adversely affected the quality or integrity of the data.

The use of the ATS Labs name, logo or any other representation of ATS Labs without the written approval of ATS Labs is prohibited. In addition, ATS Labs may not be referred to in any form of promotional materials, press releases, advertising or similar materials (whether by print, broadcast, communication or electronic means) without the express written permission of ATS Labs.

Ohneka Corp. Page 14 of 23



TABLE 1: CONTROL RESULTS

The following results from controls confirmed study validity:

Type of Control		Results Listeria monocytogenes (ATCC 19111)	
Purity Control	and the forest successive	Pure	
Viability Control		Growth	
Organic Soil Sterility Control		No Growth	
N	1°	No Growth	
Neutralizing Subculture Medium Sterility Control	2°	No Growth	
Carrier Sterility Control		No Growth	

^{1°} Primary Subculture Media

TABLE 2: CARRIER POPULATION CONTROL RESULTS

Test Organism	Date Performed	Result
Listeria monocytogenes (ATCC 19111)	3/12/10	4.5 x 10 ⁶ CFU/carrier

CFU = Colony Forming Unit

TABLE 3: NEUTRALIZATION CONFIRMATION CONTROL RESULTS

Test Substance	Test Organism	Date	Average Inoculum	Numl Subcultu	
		Performed	(CFU/mL)	Tested	Positive
Halosol, UL06	Listeria	2/42/40	14	1	1
Halosol, UL07	monocytogenes (ATCC 19111)	3/12/10	14	1	1

CFU = Colony Forming Unit

^{2°} Secondary Subculture Media

Protocol Number: RUV01021910.UD.2

Ohneka Corp. Page 15 of 23



TABLE 4: TEST RESULTS

		Date		Number o	f Carriers
Test Substance	Test Organism	Performed	Sample Dilution*	Exposed	Showing Growth**
Halosol, UL06	Listeria			1°=10	1°=0
, , , , , , , , , , , , , , , , , , , ,	monocytogenes	3/12/10	RTU	2°=10	2°=0
Halosoi III 07	Halosol, UL07 (ATCC 19111)		I KIO	1°=10	1°=0
Halosol, OLO7 (ATCC 19111)				2°=10	2°=0

^{*} RTU = Ready to use** Number of carriers showing growth of the test organism.


^{1°} Primary Subculture

^{2°} Secondary Subculture

Protocol Number: RUV01021910.UD.2

Ohneka Corp. Page 16 of 23





ATS & LABS

PROTOCOL AOAC Use-Dilution Method

EXACT COPY
INITIALS So. DATE 3-18-10

Test Organism:

Listeria monocytogenes (ATCC 19111)

PROTOCOL NUMBER

RUV01021910.UD.2

PREPARED FOR

Ohneka Corp. 1442 Osprey Drive, Unit #1 Ancaster, Ontario L9G 4V5 CANADA

SPONSOR REPRESENTATIVE

Clarentis LLC 191 NE Boad Haven Road Belfair, WA 98528

PERFORMING LABORATORY

ATS Labs 1285 Corporate Center Drive, Suite 110 Eagan, MN 55121

PREPARED BY

Amy S. Jeske, B.S. Manager, Microbiology Operations

DATE

February 19, 2010

Revised Date: February 24, 2010

PROPRIETARY INFORMATION

THIS DOCUMENT IS THE PROPERTY OF AND CONTAINS PROPRIETARY INFORMATION OF ATS LABS. NEITHER THIS DOCUMENT, NOR INFORMATION CONTAINED HEREIN IS TO BE REPRODUCED OR DISCLOSED TO OTHERS, IN WHOLE OR IN PART, NOR USED FOR ANY PURPOSE OTHER THAN THE PERFORMANCE OF THIS WORK ON BEHALF OF THE SPONSOR, WITHOUT PRIOR WRITTEN PERMISSION OF ATS LABS.

Template: 210-6C

Page 1 of 8

1285 Corporate Center Drive, Suite 110 • Eagan, MN 55121 • 877.287.8378 • 651.379.5510 • Fax: 651.379.5549

Protocol Number: RUV01021910.UD.2

Ohneka Corp. Page 17 of 23



Protocol Number: RUV01021910.UD.2

Revised Date: February 24, 2010

Ohneka Corp.

ATS LABS

Page 2 of 8

AOAC Use-Dilution Method

SPONSOR:

Ohneka Corp.

1442 Osprey Drive, Unit #1 Ancaster, Ontario L9G 4V5

CANADA

SPONSOR

Clarentis LLC

REPRESENTATIVE:

191 NE Boad Haven Road

Belfair, WA 98528

TEST FACILITY:

ATS Labs

1285 Corporate Center Drive, Suite 110

Eagan, MN 55121

PURPOSE

The purpose of this study is to determine the efficacy of the sponsor's product following the AOAC Use Dilution Method in compliance with the U.S. Environmental Protection Agency requirements set forth in the Pesticide Assessment Guidelines and methods approved by Health Canada.

SUBSTANCE CHARACTERIZATION

Test substance characterization as to content, stability, etc., (40 CFR, Part 160, Subpart F [160.105]) is the responsibility of the Sponsor. The test substance shall be characterized by the Sponsor prior to the experimental start date of this study. Pertinent information, which may affect the outcome of this study, shall be communicated in writing to the Study Director upon sample submission to ATS Labs.

SCHEDULING AND DISCLAIMER OF WARRANTY

Experimental start dates are generally scheduled on a first-come/first-serve basis once ATS Labs receives the Sponsor approved/completed protocol, signed fee schedule and corresponding test substance(s). Based on all required materials being received at this time, the proposed experimental start date is March 12, 2010. Verbal results may be given upon completion of the study with a written report to follow on the proposed completion date of April 2, 2010. To expedite scheduling, please be sure all required paperwork and test substance documentation is complete/accurate upon arrival at ATS Labs.

If a test must be repeated, or a portion of it, due to failure by ATS Labs to adhere to specified procedures, it will be repeated free of charge. If a test must be repeated, or a portion of it, due to failure of internal controls, it will be repeated free of charge. "Methods Development" fees shall be assessed, however, if the test substance and/or test system require modifications due to complexity and difficulty of testing.

If the Sponsor requests a repeat test, they will be charged for an additional test.

Neither the name of ATS Labs or any of its employees are to be used in advertising or other promotion without written consent from ATS Labs.

The Sponsor is responsible for any rejection of the final report by the regulatory agencies concerning report format, pagination, etc. To prevent rejection, Sponsor should carefully review the ATS Labs final report and notify ATS Labs of any perceived deficiencies in these areas before submission of the report to the regulatory agency. ATS Labs will make reasonable changes deemed necessary by the Sponsor, without altering the technical data.

JUSTIFICATION FOR SELECTION OF THE TEST SYSTEM

The U.S. Environmental Protection Agency and Health Canada require that a specific bacterial claim for a test substance intended for use on hard surfaces be supported by appropriate scientific data demonstrating the efficacy of the test substance against the claimed bacteria. This is accomplished in the laboratory by treating the target bacteria with the disinfectant (test substance) under conditions which simulate as closely as possible the actual conditions under which the test substance is designed to be used. For disinfectant products intended for use on hard surfaces (dry, inanimate environmental surfaces), a carrier method is used in the generation of the supporting data. The experimental design in this protocol meets these requirements.

-Proprietary Information -

Protocol Number: RUV01021910.UD.2

Ohneka Corp. Page 18 of 23



Protocol Number: RUV01021910.UD.2

Ohneka Corp.

ATS & LABS

Revised Date: February 24, 2010

Page 3 of 8

TEST PRINCIPLE

A film of bacterial cells dried on a surface of stainless steel carriers is exposed to the test substance for a specified contact time. After exposure, the carriers are transferred to vessels containing neutralizing subculture media and assayed for survivors. Appropriate viability, carrier population and neutralization controls are performed. The current version of Standard Operating Procedure CGT-4400 reflects the methods which shall be used in this study.

TEST METHOD

Test Organism	ATCC#	Growth Medium	Incubation Parameters
Listeria monocytogenes	19111	Brain Heart Infusion Broth	35-37°C, aerobic

The test organism to be used in this study was obtained from the American Type Culture Collection (ATCC), Manassas, VA.

Carriers

Carriers will be screened according to AOAC Official Method of Analysis and any carrier positive for growth will be discarded. Only penicylinders showing no growth may be used. Stainless steel penicylinders will be pre-soaked overnight in 1.0N NaOH, washed in water until neutral and autoclaved in 0.1% asparagine.

Preparation of Test Organism

From a stock slant, an initial tube of culture broth will be inoculated. This culture is termed the "initial broth suspension." From this initial broth suspension, a minimum of three daily transfers will be performed on consecutive days prior to use in testing procedure. For each test organism, the appropriate growth medium will be subcultured using a daily transfer (more than 3, but less than 30 transfers) of the test organism.

A 48-54 hour broth culture incubated at the parameters listed above will be prepared.

The test cultures will be thoroughly mixed and allowed to stand for ≥10 minutes prior to use.

An organic soil load may be added to the test culture per Sponsor's request.

Contamination of Carriers

The penicylinders will be transferred to the culture and immersed for 15 minutes in a prepared suspension at a ratio of 1 carrier per 1.0 mL culture. The inoculated carriers will be dried on filter paper in a sterile petri dish at 35-37°C for 40 minutes. The drying conditions (temperature and humidity) will be appropriate for the test organism. The actual drying conditions will be clearly documented.

Preparation of Test Substance

The test substance(s) to be assayed will be used as directed by the Sponsor. If a dilution of the test substance is requested by the Sponsor, the diluted test substance(s) shall be used within three hours of preparation. Ten (10) mL of the test substance at its use-dilution will be aliquoted into the required number of sterile 25 x 150 mm tubes. The tubes will be placed into a waterbath at the specified exposure temperature, and allow to equilibrate for \geq 10 minutes prior to testing.

Exposure Conditions

Each contaminated and dried carrier will be placed into a separate tube containing 10 mL of the test substance at its use-dilution for the desired exposure time and temperature.

Test System Recovery

Following the Sponsor specified exposure period each medicated carrier will be transferred by hook needle at staggered intervals to 10 mL of neutralizing broth. If necessary, carriers will be transferred into individual secondary subculture tubes containing 10 mL neutralizing broth ≥30 minutes after subculture of first carrier.

-Proprietary Information -

Protocol Number: RUV01021910.UD.2

Ohneka Corp. Page 19 of 23



Protocol Number: RUV01021910.UD 2

Ohneka Corp.

ATS®LABS

Revised Date: February 24, 2010

Page 4 of 8

Incubation and Observation

All subculture tubes and plates will be incubated for 48±4 hours at 35-37°C (or other appropriate time/temperatures).

Following incubation, the subculture tubes will be visually examined for growth. If necessary, the subcultures may be placed at 2-8°C for up to three days prior to examination.

Representative subculture tubes showing growth will be subcultured, stained and/or biochemically assayed to confirm or rule out the presence of the test organism.

STUDY CONTROLS

Purity Control

A "streak plate for isolation" will be performed on the organism culture and following incubation examined in order to confirm the presence of a pure culture. The acceptance criterion for this study control is a pure culture demonstrating colony morphology typical of the test organism.

Organic Soil Sterility Control

The serum used for soil load will be cultured, incubated, and visually examined for lack of growth. The acceptance criterion for this study control is lack of growth.

Carrier Sterility Control

A representative uninoculated carrier will be added to the neutralizing subculture medium. The subculture medium containing the carrier will be incubated and examined for growth. The acceptance criterion for this study control is lack of growth.

Neutralizing Subculture Medium Sterility Control

A representative sample of uninoculated neutralizing subculture medium will be incubated and visually examined. The acceptance criterion for this study control is lack of growth.

Viability Control

A representative inoculated carrier will be added to the subculture medium. The subculture medium containing the carrier will be incubated and visually examined for growth. The acceptance criterion for this study control is growth.

Neutralization Confirmation Control

The neutralization of the test substance will be confirmed by exposing sterile carriers (representing not less than 10% of the total number of test carriers) to the test substance and transferring them to primary subcultures containing 10 mL of neutralizing subculture medium. If performed in the test procedure, carriers will then be transferred from primary subcultures into individual secondary subcultures ≥30 minutes following the primary transfer. The subcultures containing the exposed carriers will be inoculated with ≤100 colony forming units (CFU) of each test organism, incubated under test conditions and visually examined for the presence of growth. This control will be performed with multiple replicates using different dilutions of the test organism. A standardized spread plate procedure will be run concurrently in order to enumerate the number of CFU actually added. The control result will be reported using data from the most appropriate dilution.

The acceptance criterion for this study control is growth following inoculation with ≤100 CFU.

Ten percent of the subcultures containing carriers showing no growth will be inoculated with ≤100 CFU of each test organism and incubated. This control will be performed with multiple replicates representing different dilutions of the test organism. A standardized spread plate procedure will be run concurrently in order to enumerate the number of CFU actually added. The control result will be reported using data from the most appropriate dilution.

The acceptance criterion for this study control is growth following inoculation with ≤100 CFU.

- Proprietary Information -

Protocol Number: RUV01021910.UD.2

Ohneka Corp. Page 20 of 23



Protocol Number: RUV01021910.UD.2

Revised Date: February 24, 2010

Ohneka Corp. Page 5 of 8 **ATS & LABS**

Carrier Population Control

Inoculated carriers will be added at a ratio of 1 carrier to 10 mL neutralizing broth and vortex mixed. Appropriate serial ten-fold dilutions will be prepared and the aliquots spread plated on agar plate medium, and incubated. Following incubation, the resulting colonies will be enumerated and the CFU/carrier calculated. The acceptance criterion for this study control is a minimum of 1.0×10^4 CFU/carrier.

PROCEDURE FOR IDENTIFICATION OF THE TEST SYSTEM

ATS Labs maintains Standard Operating Procedures (SOPs) relative to efficacy testing studies. Efficacy testing is performed in strict adherence to these SOPs which have been constructed to cover all aspects of the work including, but not limited to, receipt, log-in, and tracking of biological reagents including bacterial strains for purposes of identification, receipt and use of chemical reagents. These procedures are designed to document each step of efficacy testing studies. Appropriate references to medium batch number, etc. are documented in the raw data collected during the course of each study.

Additionally, each efficacy test is assigned a unique Project Number when the protocol for the study is initiated by the Study Director. This number is used for identification of the test subculture tubes, etc. during the course of the test. Test subculture tubes are also labeled with reference to the test organism, experimental start date, and test product. Microscopic and/or macroscopic evaluations of positive subcultures are performed in order to confirm the identity of the test organism. These measures are designed to document the identity of the test system.

METHOD FOR CONTROL OF BIAS: NA

STUDY ACCEPTANCE CRITERIA

Test Substance Performance Criteria

The EPA efficacy performance requirements for label claims state that the test substance must kill the microorganism on 10 out of the 10 inoculated carriers.

Health Canada performance requirements for label claims state that the test substance must kill the microorganism on 10 out of the 10 inoculated carriers.

Control Acceptance Criteria

The study controls must perform according to the criteria detailed in the study controls description section.

REPORT

The report will include, but not be limited to, identification of the sample, date received, initiation and completion dates, identification of the bacterial strains used, description of media and reagents, description of the methods employed, tabulated results and conclusion as it relates to the purpose of the test, and all other items required by 40 CFR Part 160.185.

PROTOCOL CHANGES

If it becomes necessary to make changes in the approved protocol, the revision and reasons for changes will be documented, reported to the Sponsor and will become a part of the permanent file for that study. Similarly, the Sponsor will be notified as soon as possible whenever an event occurs that may have an effect on the validity of the study.

Standard operating procedures used in this study will be the correct effective revision at the time of the work. Any minor changes to SOPs (for this study) or methods used will be documented in the raw data and approved by the Study Director.

PRODUCT DISPOSITION

It is the responsibility of the Sponsor to retain a sample of the test substance. All unused test substance will be discarded following study completion unless otherwise indicated by Sponsor.

-Proprietary Information -

1285 Corporate Center Drive, Suite 110 • Eagan, MN 55121 • 877.287.8378 • 651.379.5510 • Fax: 651.379.5549

Protocol Number: RUV01021910.UD.2

Ohneka Corp. Page 21 of 23



Protocol Number: RUV01021910.UD.2

Revised Date: February 24, 2010

Ohneka Corp.

Page 6 of 8

ATSLABS

RECORD RETENTION

Study Specific Documents

All of the original raw data developed exclusively for this study shall be archived at ATS Labs. These original data include, but are not limited to, the following:

- All handwritten raw data for control and test substances including, but not limited to, notebooks, data forms and calculations.
- 2. Any protocol amendments/deviation notifications.
- 3. All measured data used in formulating the final report.
- 4. Memoranda, specifications, and other study specific correspondence relating to interpretation and evaluation of data, other than those documents contained in the final study report.
- 5. Original signed protocol.
- 6. Certified copy of final study report.
- 7. Study-specific SOP deviations made during the study.

Facility Specific Documents

The following records shall also be archived at ATS Labs. These documents include, but are not limited to, the following:

- SOPs which pertain to the study conducted.
- Non study-specific SOP deviations made during the course of this study which may affect the results obtained during this study.
- 3. Methods which were used or referenced in the study conducted.
- 4. QA reports for each QA inspection with comments.
- Facility Records: Temperature Logs (ambient, incubator, etc.), Instrument Logs, Calibration and Maintenance Records.
- 6. Current curriculum vitae, training records, and job descriptions for all personnel involved in the study.

REFERENCES

- Association of Official Analytical Chemists (AOAC), 1990. Use-Dilution Tests, p. 135-137. In Official Methods of Analysis of the AOAC, Fifteenth Edition.
- Association of Official Analytical Chemists (AOAC), 1990. Germicidal and Detergent Sanitizing Action of Disinfectants, p. 139 [Preparation of Synthetic Hard Water]. In Official Methods of Analysis of the AOAC, Fifteenth Edition.
- 3. U.S. Environmental Protection Agency, Registration Division, Office of Pesticide Programs, 1982. Efficacy Data Requirements, Disinfectants for Use on Hard Surfaces, DIS/TSS-1.
- 4. U.S. Environmental Protection Agency, Registration Division, Office of Pesticide Programs, 1979. Efficacy Data Requirements, Supplemental Recommendations, DIS/TSS-2.
- 5. U.S. Environmental Protection Agency, Registration Division, Office of Pesticide Programs, 1982. Subseries 91A: Public Health Uses. *In* Pesticide Assessment Guidelines Subdivision G (Product Performance).
- Assessment of Efficacy of Antimicrobial Agents for Use on Environmental Surfaces and Medical Devices, CAN/CGSB-2.161-97, August 1997.
- 7. Guidance Document: Disinfectant Drugs, Health Products and Food Branch, Health Canada, 10/29/2007.

DATA ANALYSIS

Calculations

Carrier Population Control Calculation:

CFU/carrier = (average number colonies/plate @ dilution) x (dilution factor) x (volume neutralizer) (number of carriers tested) x (volume plated)

The carrier population is calculated and reported using data from the most appropriate dilution(s).

Statistical Analysis

None used.

Proprietary Information -

1285 Carporate Center Drive, Suite 110 • Eagan, MN 55121 • 877.287.8378 • 651.379.5510 • Fax: 651.379.5549

Protocol Number: RUV01021910.UD.2

Ohneka Corp. Page 22 of 23



Mar 04 10 03:29p

REA ULTRAVAPOR

19053043067

p.4

Protocol Number: RUV01021910.UD.2	Ohneka Corp. \(\sim \sim \sim \sim \sim \sim \sim \sim
Revised Date: February 24, 2010	Page 7 of 8
Sponsor (Date/Initial): 3/4	rs. including >60 day old batch - exactly as it should appear on final report):
Halosol (i	x Added per email 3.4.10
Specify ≥60 day old batch: NA	Tot. 3.5.10
Expiration Date: NA	·
	☐ Peracetic acid ☐ Peroxide ☑ OtherHOCi n (upon submission to ATS Labs):500 ppm
Neutralization/Subculture Broth:	☑ ATS Labs' Discretion. By checking, the Sponsor authorizes ATS Labs, at their discretion, to perform neutralization confirmation assays at the Sponsor's expense prior to testing to determine the most appropriate neutralizer. (See Fee Schedule).
Storage Conditions: If Room Temperature If 2-8°C If Other:	
Hazards: ☑ None known: Use Standard □ Material Safety Data Sheet, □ As Follows:	Attached for each product
(example: 1 oz/gallon) Deionized Water (Filter or Autocl AOAC Synthetic Hard Water)	efined as + (amount of test substance) + (amount of diluent) Autoclave Sterilized) ave Sterilized) er:PPM
	be made unless otherwise requested by the Sponsor
Test Organism: <u>Listeria monocytor</u>	<u>jenes (ATCC 19111)</u>
Carrier Number: 10 per batch	- 0011 %
Exposure Time: 10	Minutes Exposure Temperature: 20±1 °C
Organic Soil Load: ☑ Minimum 5% Organic Soil ☑ No Organic Soil Load Requ ☑ Other:	ured
	- Proprietary Information -
1285 Corporate Center Drive	e, Suite 110 • Eagan, MN 55121 • 877.287.8378 • 651.379.5510 • Fax: 651.379.5549

Protocol Number: RUV01021910.UD.2

Ohneka Corp. Page 23 of 23



Mar 04 10 03:29p

REA ULTRAVAPOR

19053043067

p.5

Protocol Number: RUV01021910.UD.2	Ohneka Corp. // I S **** L/ \DS
Revised Date: February 24, 2010	Page 8 of 8
TEST SUBSTANCE SHIPMENT STATUS	
The book used in one or more previous studies at ATS	Labs.
Has been shipped to ATS Labs (but has not been used)	in a pievious study.
Date shipped to ATS Labs:	Sent via overnight delivery? Yes No
Will be shipped to ATS Labs. Date of expected receipt at ATS Labs: 3/	12/10
Sender (if other than Sponsor):	
COMPLIANCE	orp per sen) and in accordance to
Study to be performed under EPA Good Laboratory Practic standard operating procedures. Yes No.(Non-GLP Study)	be regulations (40 CFR Fait 100) and it does not be
PROTOCOL MODIFICATIONS	
(17 - 17 - 1	·
 Approved without modification Approved with modification - Supplemental Information F 	Form Attached - 🖾 Yes 🚨 No
APPROVAL SIGNATURES	
SPONSOR:	
	TITLE: Vice President
NAME: Trevor Moore	
	DATE: 3410
SIGNATURE:	
CHONE: 005 304 5069/34 FAX: 905-304-3	067 EMAIL: tmoore@ultravapor.com
PHONE: 903-304-3000X0+	
For confidentiality purposes, study information will be rele protocol (above) unless other individuals are specifically	April a lima a
Other individuals authorized to receive information r	
Other mornage against	
ATS LABS:	
ATS LABS.	
NAME: Joshua Luedthe Study Director	
Study Director	
	DATE: 3-8-/0
SIGNATURE: Joshua Justos Study Director	
	Information –