

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Pizza Hut-Viking Way (#23562)	Facility Type Food Service Establishment	
Licensee Name ADF Mid Atlantic LLC	Facility Telephone # 304 263-8828	
Facility Address 205 S Viking Way Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 05/22/2018	Total Time Spent 1.55

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Pepsi Cooler	40
Pizza Prep	39
Left side	39
Right side	40
Hot box	195
Walkin	40
Salad Prep	40
Wing Cooler	39

Food Temperatures	
Description	Temperature (Fahrenheit)
Sauce for dipping	89

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
FrontBucketDish machine3BaySink	ChemicalChemicalChemicalChemical		50-10010 0100		
BackBucketPrepB ucketDishmachine	calChemicalheat				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 1 Repeated # 6</p> <p>4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS This is a critical violation REPEAT OBSERVATION Walk in cooler shelves need cleaned, old food stuffs stuck to the racks</p>

ObservedNon-CriticalViolations

Total # 8

Repeated # 6

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Shelf in the pizza box area need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Gaskets need cleaned in several coolers and freezers

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Tops of all high equipment need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Stainless steel shelves in the cashier/ pizza box area needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Sauce dry stock shelves need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Several vents need cleaned in the unit.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Pizza hoods and filters need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Ceilings need cleaned in several areas of the kitchen

Inspection Outcome

Comments

Disclaimer

Person in Charge



Samantha Barber

Sanitarian



Glenn GCO Ondick