








# MRKH & Friends: The Journey of Disclosure with MRKH

Sunday, October 4, 2020 1:45 pm to 4:30 pm



Time (EDT)	Session
1:30	Participants login to waiting room
1:45	Waiting room opens
2:00	<b>Welcome</b> — Amy C. Lossie, PhD and Christina Ruth Martin, cofounders Beautiful You MRKH Foundation
2:05	Agenda — Erinn C. Webb, MA, RDT, Emcee
2:10	Who's at the Table? — Erinn C. Webb and Susan Carroll, PhD
2:35	Rima's MRKH Mockumentary — Rima Zigaitis and Friends
2:45	Disclosure: More than One Perspective (AKA Badia's Bubbles)  — Badia Atcherson and Erinn C. Webb
3:15	Sharing our Stories — Erinn C. Webb
3:30	Five Facets of Disclosure — Sunni Anne Ball
4:00	Wrap up — Amy C. Lossie
4:10	After Hours Hangout with the Presenters
4:30	Adjourn





INTERESTED

AVOIDANT

FEARFUL

FRUSTRATED

THE JOURNEY TO WELLNESS JUMBO FEELINGS CHART - @parmey-to.

JUDGEMENTAL

IRRITATED

SARCASTIC

## What part of YOU is at the table right now?



What worry do you have about you or someone close to you disclosing MRKH?

What do you want to tell that worry from another part of you? What do you want to say to yourself about that worry?



# Transitioning to Adult Gynecology Care

A Guide For Young Women With MRKH



# Talking to Your Partner About MRKH

Most young women with MRKH will at some point find themselves faced with the decision of whether, when, and how to tell a romantic partner about their MRKH. The decision to tell your partner about your diagnosis is entirely your own, and there is no set rule which fits for all women, in all circumstances. Sharing anything intimate with a partner should be based on trust, communication, caring, and the possibility of a future together, but not all romantic and sexual encounters will have all of these components. It is up to you to use your good judgment to determine whether this is the right thing to do, and when.

#### To tell or not to tell?

Whether or not you tell your partner will depend on a number of factors. First and foremost, it is important that your partner can be trusted with your personal information and has demonstrated that he or she is generally supportive of you on an emotional level. Sharing this information may cause you to feel vulnerable and you'll want to know that your partner will be respectful of your feelings. If you are in a relationship with someone with whom you may consider raising a child with in the future, you might choose to have a conversation sooner rather than later about your MRKH so that you can talk about your fertility options. Finally, if you and your partner are considering a sexual relationship, and you have not chosen to create a vagina yet (either with dilation or surgery), it will be important for your partner to be aware of your anatomy so that he or she does not accidentally cause you pain or discomfort. If you have created a vagina, remember that your partner will not feel anything different, so you will have the choice whether or not to discuss your diagnosis.

#### When is the right time?

While there is no right or wrong time to have this conversation, you may want to consider the level of trust and intimacy that you and your partner have developed before deciding to share your diagnosis. Some women may choose to share this information early on in a relationship

because it feels too difficult to keep it to themselves, while other women may choose to wait months or even years before they feel ready to share this very personal information. Only you can decide when you feel comfortable telling your partner about your MRKH, and you are the best judge of when your partner is ready to hear it. As much as your MRKH impacts you, it will also be important to recognize that it will impact your partner too, and they may need some time to adjust to what you have told them. They also may have a lot of questions about what you have shared, so consider telling them at a time when you feel you are ready to answer any questions that may come up.

#### How do I do it?

Again, the best way to share this information with your partner depends on you and your level of comfort. Some women may choose to share everything about their MRKH right up front, while others may choose to gradually disclose more information over time. For example, if you haven't created a vagina via dilation or surgery, you may wish to tell your partner that you were born with an incomplete vagina early on but then wait before you discuss the impact of your diagnosis on your future fertility. Alternatively, some women may feel more comfortable sharing that they have an absent uterus but wish to wait before telling their partner that they were born with an incomplete vagina. Keep in mind that if you have not had treatment, a sexual partner may need to know this information to avoid unintentionally causing you pain. If you think it would be helpful, you might consider printing information about MRKH (from our website www.youngwomenshealth.org) for your partner to read.

Finally, remember that you are not alone in this. It can be extremely helpful to talk with other women who have MRKH to hear about when and how they have had similar conversations with their partners. Your health care team is also available to answer any questions you might have or help you talk through your decision. In the end, the most important aspect of this decision is that you feel comfortable and confident having this conversation with your partner. Keep in mind that sexuality is only one part of a well-rounded and healthy relationship, and sharing this information with your partner can lead to a richer, deeper, and more intimate connection where you both can be open to talking about your feelings, desires, and needs. Your partner will likely feel honored that you trusted them enough to share this information, and you will probably breathe a sigh of relief at no longer feeling like this is something you have to keep secret.

#### What if it doesn't go well?

While these guidelines can help make the process of sharing your diagnosis with a partner go more smoothly, it can be difficult to predict how this conversation will unfold. There may be some situations where, despite your best efforts, the discussion does not go as planned. Remember that your partner's initial reaction is coming from a place of surprise and maybe even shock, and the feelings and thoughts they express right away may not be the same as those they experience after they've had some time to process the information. After all, you have had time to prepare exactly what you want to say to your partner but they have not had any time to prepare their response, so it's important to give them some time and space to take in what you've shared with them and organize their thoughts about it. It takes a certain level of maturity for an adult to understand and process medical information. Unfortunately you may come in contact with some people who are judgmental or have not had experience dealing with medical issues and therefore their reaction may not be supportive or fair. If you find that your partner makes you feel bad or is not able to be supportive of you and your MRKH, know that you are worthy of far more than what that partner has to offer. You deserve to be with a partner who loves you and accepts you for who you are in every respect and you WILL find that person. In the meantime, you have access to a community of women who share your diagnosis and who will be there for you as you process feelings about MRKH at different points in vour life.

For Parents - Take a breath; decisions can wait.

How can you foster an environment that gives your child or the child you care for some control of their diagnosis? What have other parents and caregivers done? How can I find that information?

One example from a remarkable Dad is that he lets his child control who knows about the diagnosis. He comes from a large family and no one outside of his wife knows because his child does not want their grandparents, aunts and uncles to know.

Your Ic	deas:
---------	-------

#### STARTING A CONVERSATION

Consider the questions listed below:

1. How can you start a conversation with your child?

One example is to use this as a way to start the conversation. Sometimes, those who are affected with MRKH are not comfortable talking about MRKH with their parents, but they are much more comfortable writing down their thoughts and feelings.

2. Have you asked them what they want?



	detailing inflooding an winkin blaghosis. Starting the Conversation
3.	Have you tried multiple methods—writing, in person, different days?  What may lead to a slammed door one day may be met with a willingness to talk on another day. Keep trying, even when met with anger. Let them know that your door is always open. Let them know that you love them, no matter what. Anger directed at you is typical. Try not to show anger towards any emotion that they show or fail to show you. It's difficult to put an expectation on how exactly to navigate this sensitive and transformative time in their life. Also, this may take time—weeks, months. It may not be something they are ready to discuss. Remember, this diagnosis is traumatic for both of you, but it is important to remember to focus on what they are feeling during these discussions. What is their time frame for discussion?
4.	Do you want to broach the subject weekly? Bi-weekly? Monthly? What works for you?
5.	What are your fears?
6.	What do you need help with as your navigate this with your family?
7.	If you are married or have a partner, what do you need from them?

8. How can they help?



9. Can you identify a safe place to ask questions and get the help you need?	
Other thoughts:	



#### FOR THOSE DIAGNOSED WITH MRKH:

Take the time you need. You do not need to make a decision right now. Expect to be angry, sad, shocked, depressed, confused.

1. What are your thoughts, feelings about MRKH? Do you want to share this information with your parents? Why or why not?

#### Write them down; whatever they are

Are you angry? Sad? Feeling isolated or alone? Happy? In shock? Feel that you lack control of your body? Depressed? Withdrawn? Do you want to lash out at anyone? Who? Why?

#### 2. Who do you want to know about MRKH?

- Siblings and/or step-siblings
- Your friends
- Aunts and Uncles
- Grandparents
- Your parent's friends
- Clergy/pastors

It's perfectly acceptable to say no to all or to say yes to some and no to others. This should be your decision, and if you let your parents know your thoughts, feelings and decisions, they can best represent your wishes.



	Getting Through an MRKH Diagnosis: Starting the Conversation
3.	What decisions do you think <u>you</u> should be able to make?
4.	What decisions do you want input from your parents?

5. What do you think you need to help you through this diagnosis?





## Full Privacy to Full Disclosure

Disclosing your MRKH diagnosis is a personal decision. How, when, or why you disclose your MRKH diagnosis to someone depends on so many factors. It may depend on where you are in your MRKH journey, how you feel about disclosing, the situation you are currently in, who you are talking to, your background, and so much more. There is no 'right way' or 'wrong way' to tell someone about your MRKH diagnosis. In fact, you don't have to tell anyone at all.

Remember: It is your decision. Only disclose the information you are comfortable sharing and when the time is right for you.

Directions: How to Prepare for Possible Situations and Responses that are Right for You

- Review a few sample responses below.
- Then use the worksheet at the end to help prepare yourself for various situations.

Situation	Full Privacy	Moderate Privacy	Full Disclosure
Do you have a tampon or sanitary pad that I can use?	No, I don't. I'm sorry.	No, I'm not on my period right now.  No, but I bet [insert name] does.  Yes, I do. Here you go. (Some MRKHers have choose to carry such items.)	No, I don't. I don't have periods.  I don't have a uterus, so I don't get periods.
What kind of birth control or protection do you use?  Are you on the pill?	Let's talk about that later. I have to go right now.  I'm not comfortable talking about that.  I'd rather not talk about that.	No, I'm not on the pill.  I'm not ready to be intimate with anyone right now.  I'm waiting until marriage to be intimate or have sex.	I don't use birth control because I can't get pregnant. I do use condoms to prevent to prevent sexually transmitted infections (STIs).



		I think condoms are an appropriate birth control.  I always use a condom and/or dental Dam to prevent sexually transmitted infections (STIs).	I have MRKH so that means I don't have a uterus and I can't get pregnant. So I don't use birth control.
When are you going to have a baby?	I'm not comfortable with this conversation.  I'm not having this conversation right now.  That's private.  That can be a really hurtful question.  I didn't know you were so interested in my sex life.	I/we haven't decided whether we want children or not.  I'm not/we're not ready.  It's not the right time for me/us right now.  It's complicated.  Whenever God decides it's time for me/us.  When I decide, I'll be sure to let you know.	I don't want to have children.  I am/we are currently [fill in the blank with what you are actually doing]  Explain what MRKH and what your options are to be a parent if that is what you wish.

## Things to Consider in Different Situations

Baby Showers and Pregnancy announcements:

- Baby showers and pregnancy announcements can often be difficult or painful
- It's okay to decline the invitation and not attend.
- It's okay to be happy and sad at the same time. And then to take time to be alone.
- Attend but don't participate in the games "I'll let someone else win the prizes."
- Send a gift, but don't attend the actual event.
- Focus on the celebration and love you have for the other person.



Remember this day is not about you. It's difficult to hold two conflicting
emotions so by focusing on the positive emotions for the other person, it will
help you step away from your sadness.

#### Parenthood/Motherhood/Fertility Options:

- Not being considerate of other people's situations (Note: This can happen within MRKH communities, too)
  - o Remember not everyone has the same family goals as you.
  - There will be awkward questions and moments, even within our community.
- Talking about your children too much
  - o This is sometimes a problem within the community, forgetting about other's situations during our own happiness.
  - o Judging other people's choices in fertility, parenthood, etc.
- Personal choice in what is right for you and or for available for you:
  - o Uterine transplant
  - o Gestational Carrier
  - Adoption
  - o No children by choice



## Going to the Doctor

Response Examples for Disclosure with Various Healthcare Professionals

**Remember:** Remember not every healthcare professional needs to know about your MRKH diagnosis. Use your own judgement and consider if any procedures will be performed.

Question you may be asked by many healthcare professionals:

- When was your last period?
- Could you be pregnant?

Type of Doctor or Healthcare Professional	Full Privacy	Moderate Privacy	Full Disclosure
Primary Care Physician	Can you tell me why you need to know that?  You don't really need to know that information for my treatment today.	I'd be happy to write that down on the chart/form for you.  I'll only talk about that with my doctor.  I'm happy to tell my nurse.  Please make a note in my file or chart so I don't have to answer this every time.	I have Mullerian Agenesis (Note: Medical professionals are likely to understand this terminology more so than MRKH).  Its ICD Code Q51.0. Please look it up. (This code is likely only valid in the States.)
Dentist	You don't really need to know that information for my treatment today.	I've had a hysterectomy.	I have Mullerian Agenesis.  Its ICD Code Q51.0. Please look it up.
Psychologist/Therapist	Unless you are seeing a mental health professional in part because of an MRKH diagnosis there is no reason to disclose.	Again, unless it directly pertains to your treatment/therapy there is no reason to disclose.	I have Mullerian Agenesis, (you may have to explain what this is to your psychologist or therapist).



		If topic of family preparation/building comes up consider the following response:  I/we haven't decided whether I/we want children or not.  I am not/we're not ready.  It's not the right time for me/us right now.  It's complicated.  Whenever God decides for me/us.	Upon sharing you may be asked how you feel about your MRKH diagnosis.  Also, how you have dealt with the diagnosis overall. Be prepared to discuss the topic. If you are uncomfortable at any point, remember you con revert to full privacy.
Chiropractor	There is practically no reason a chiropractor would need to know about your MRKH diagnosis  I don't get them.	I'll only talk about that with my doctor.  Can you tell me why you need to know that?  You don't really need to know that information for my treatment today.  Is that necessary information for my treatment today?	Its ICD Code Q51.0. Please look it up. (This code may only work for the States.)  I have Mullerian Agenesis (Note: Medical professionals are likely to understand this terminology more so than MRKH).
Emergency Room/Walk- in Clinic	I don't get them.	I'll only talk about that with my doctor.  Can you tell me why you need to know that?  You don't really need to know	Its ICD Code Q51.0. Please look it up. (This code may only work for the States.) I have Mullerian Agenesis (Note:



that information for my	Medical professionals
treatment today.	are likely to
	understand this than
Is that necessary	MRKH).
information for my	
treatment today?	
I'm happy to talk to my	
nurse about that.	



## Your Personal Response Worksheet

Ask yourself, "What would I say?" Thinking through the situations in advance is one helpful way to prepare for each situation. Consider how you would answer if you were maintaining full privacy, moderate privacy, or ready for full disclosure.

**Directions**: Use the space below to write down your own responses.

1) Do you have a tampon or sanitary pad I can use?

Full Privacy	Moderate Privacy	Full Disclosure
Write your responses here		

2) What kind of birth control or protection do you use? Are you on the pill?

Full Privacy	Moderate Privacy	Full Disclosure
Write your responses here		

3) Are you trying to get pregnant or when are you going to have a baby?

	Full Privacy	Moderate Privacy	Full Disclosure
Wr	ite your responses here		

4) Baby Showers





Write your responses here	



### 5) At the doctor's office:

Primary Care Physician asks, "When was your last period? Is there a possibility you are pregnant?"

<u>ı                                      </u>		
Full Privacy	Moderate Privacy	Full Disclosure
Write your responses here		

### 6) Chiropractor

Full Privacy	Moderate Privacy	Full Disclosure
Write your responses here		

## 7) Psychologist/Therapist

Full Privacy	Moderate Privacy	Full Disclosure
Write your responses here		

### 8) Dentist

Full Privacy	Moderate Privacy	Full Disclosure
Write your responses here		

9) Other situations:

7) Other studions,		
Full Privacy	Moderate Privacy	Full Disclosure



Write your responses here	





## Beautiful You MRKH Foundation, Inc.



Beautiful, just as you are

Creating a supportive community that partners with health care professionals to empower all people with MRKH to feel beautiful, just as they are

#### What is MRKH?

Mayer-Rokitansky-Küster-Hauser (MRKH) Syndrome is a congenital condition characterized by underdevelopment of the female -bodied reproductive tract, with a prevalence of 1 in 5000.

Typically, people born with MRKH have functional ovaries and develop breasts and other secondary sex characteristics. The majority find out they have MRKH due to a lack of a period.

**MRKH Type I** affects the Müllerian tissues (fallopian tubes, uterus, cervix, upper portion of the vaginal canal, and). In some, the uterus develops an endometrial lining that grows during their hormonal cycles. This can be painful and lead to endometriosis.

**MRKH Type II/MURCS** can affect kidney, heart, ear, and vertebral systems. Some have heart defects and hearing loss.

Klippel-Feil & Ehlers-Danlos Syndromes are also seen in people with MRKH. These musculoskeletal syndromes can be accompanied by distinct facial and skeletal features, connective tissue problems, and pain.

#### Mental Health and Wellbeing

MRKH can be a difficult diagnosis. People often experience shock, feelings of loneliness, and isolation. It is common to question gender identity and to have feelings of anger and sadness.

People often seek mental health care when their friends start building families. This can be an isolating and lonely time for people with MRKH. Many have found mental health care to be an important part of their healing process.

#### Sexualiy

Many have a shortened vagina that can lead to painful attempts at intercourse. The choice to or not to lengthen the vagina is a personal one that is best decided by the person who has MRKH. Some choose to create a vaginal canal shortly after diagnosis; some wait until they are much older; and some choose to not undergo any treatment.

Dilation is recommended as a low-risk, first line of treatment by the American College of Gynecology. The person with MRKH gradually stretches the lower portion of the vaginal canal using plastic or silicone dilators. This should be done under the care of a physician, who can teach the individual optimal methods and techniques.

There are multiple surgical methods that can be used to create a vagina, and there is no consensus on what method is best. Each surgeon typically focuses on one type of surgery, and most must

dilate after surgery to avoid complications.

#### **Family Building**

The options to build a family vary depending on where you live, your religious and cultural values, and your personal preferences. As people with MRKH typically have functional ovaries, it is possible to have biological children through in vitro fertilization using a gestational carrier or a uterus transplant. Many have chosen to adopt or foster adopt. Some create a savings account to help with these costs.

#### **Living Your Best Life**

Accepting MRKH is often a grieving process. It's rarely linear, and MRKH can pop up in your head when you least expect it, even when you thought you've accepted it. There are many in the MRKH Community who lead happy and fulfilling lives – with and without children. We wouldn't trade MRKH for anything.


Visit us at:

www.beautifulyoumrkh.org www.beautifulyouwordpress.com www.facebook.com/BYMRKH/ www.twitter.com/BYMRKH www.instagram.com/beautifulyoumrkh

#### Christina Ruth

Executive Director & Vice President

Amy C. Lossie, PhD President and CEO 13301 Clifton Rd. Silver Spring, MD 20904 bymrkh@gmail.com





## **MRKH** Perspectives

I would add the cost of surrogacy and or adoption. We normally do not have families who save funds or do not have the ability to get bank loans of large amounts needed to embark on a journey to having a child. I think just like educating parents to save for a college fund, finding out your daughter has mrkh parents should start an off fund to help once the child is older and decides on a path for them.

Lack of support, emotionally and financially is huge in our community

In the black communities, we are afraid to speak about MRKH. People having babies has caused us to keep our feelings and thoughts to ourselves. Let us face it, the black community deal with a lot of teenage pregnancy. People are surprised when they meet someone over 23, with no children







3

## **MRKH** Perspectives

#### RUSSIAN

MRKH related. Anonymous please. Answer. My culture/ethnicity (Russian culture). People start to raise questions as to why you're not pregnant by like 25 or married and not pregnant. Intertility = you're not a woman. Also means, you failed at your most basic function as a human theing on this planet. Out of any of my russian friends/family, all of my morn and grandmother know. Out of the American friends/family, all of my in-laws know and few close friends. I don't think! could ever bome out. about if for the fear that my morn and grandmother will feel ashamed/ embarrassed, even if I am personally ready, even if this is MY decision and MY body. Culturally, I cannot let my family feel embarrassed for me!

Hi friend. Thank you so much for sharing this with us. I will keep you anonymous.

#### ECUADORIAN

condition. I told him everything. From me not getting my periods to explain the little scars on my pelvis.

He accepted me the way I am, And we are committed to each stiller in a serious relationship. We plan on starting the IVF journey next year; And I am not arriad to share my experiences with MRKH (if it is brought up). However, I haven't fully opened up to some family members ike my grandparents or uncles cousins because I am not ready yel. I'm not sure how they will mad and I only want to cause stress on my grendparents. They are old school and this might be too much for them to cope with. My morn, dad and butters know about my journey with MRKH and they are my best support system. When my family makes comments about my future kido! family like "You will be a great momor" Nicole is next in fine to give grandchildren" (Ecoudorian sayings) it gets to me. But I do respond back with comments like those and say "If it is God's will then let it be".

Lam comfortable with sharing n

#### SRILANKAN


emoarrassing and can be alienating since it's so hard to talk about this with normal girls or even family out his nown of the sound friends. Either it's weird or they take pity, both of which really suck. But what can you really expect? Then it's the fact that in my culture I have to keep it a secret, because only the cursed or only had people can't have children. It's like a punishment from God, and bad luck for any family she'll many into. So I personally had to keep it a secret for so many years and it was so paintful. Then when I told friends they'd tell me I was so fluckly that I didn't have to worry about periods or painful prepanancies. Or brush it off saying you have so many options now, nothing to worry about. The feeling of not being understood is painful.

Then having to tell your significant other of this whole lack of "womanhood" and feeling sad and guilty – at least Idd – but it's because I felt like it was one of those basic requirements for marriage and without it I was depriving the relationship of a basic joy. There are too many emotional battles in this. Often times I feel like people can't understand how all of it feels and



GLOBAL MRKH





**MRKH** Perspectives BRITISH-PAKISTANI, MUSLIM CANADIAN I think pagple often overlook the cultural and religious barriers one can face with MBKH. I come from a culture where speaking about sex, vaginas, infertility etc openly is not common. For the most part I was never able to speak about my vaginal issue with my family, wasn't so bad with the missing warmip part. To this H Jaclyn! I was diagnosed at 14 years old. As a white, straight Canadian woman I think I have a LOT of privilege in disclosing my diagnosist. I am SO happy that this question is being asked. Personally, when connecting with other people with NRKH-I have tried to be aware of how the cultures and subcultures they are apart of may make disclosing the diagnosis more difficult and do my best to empathize. When I was diagnosed I remember my parents being so concerned about keeping it a secret because they were afraid people would take advantage of me sexually in high school or would shame me by questianing my twon gender upon the properties and they are were afraid people would take advantage of me sexually in high school or would shame me by questianing my twon gender or H Jaclyn! I was diagnosed at 14 SWEDISH with the missing warrib part. To this date I've never spoken to my mum or I'm from sweden, was diagnosed 2008, there was no information to be found so I made a wikipedia-page about us. I think the hardest part for others to understand is that it's a lifelong struggle. I love playing with my nice and nephew but afterwards me motionally drained and need time for myself. And it's super hard to not get mad at bad parents anyone in my family about what dilation would actually dilation would actually entail...dreading it it's almost like there's an embarrassment to it. it not being 'normat.' See is something that should happen after marriage, it some cultures using a tampon is trowned upon let alone using a ciliatort. in high school or would shame me by questioning my own gender or sexuality. Thankfully the experiences there had disclosing my diagnosis have been overwhelming positive. Know that is not the case for everyone and my heart goes out to every person who feels like they will be less accepted as a human being if they share this part of themselves. Similarly when it comes to meeting a future spouse, different cultures and religions allow for different things. If 'dating' isn't encouraged the idea of disclosing MRKH to a man is quite daunting because you aren't able to build that comfort first, it's more an arranged family affair. You tear that's what you'll be judged on because the person hasn't had enough... GLOBAL MRKH

Beautiful

## **MRKH** Perspectives

In relationships I also began to disclose this personal information earlier. I wanted the men I was dating to choose if they were ok with handling this journey along with me.

Some worries I carry would be when I am disclosing to someone of a love interest; Do they feel I will be a burden? Can they see themselves handling this situation in the future? Do they fully understand what I am talking about? Do they want to know more? Does this hinder their future of wanting to have children?

- 1) the discussion of how for black women, their pain is not taken seriously specifically during exams
- 2) How culturally being diagnosed with MRKH is different for black women we cannot be as open (cultural competency)
- 3) maybe a call for more black female doctors because my white male doctor was terrible



GLOBAL MRKH



7









My experience with MRKH has been me spending time wondering if other women born with this condition feel like me? I have come to understand that most of us share the same thoughts and feelings. I understand that no matter the culture, we all have a journey, and, in that journey, we experience shame, issues with acceptance, fear, and pain, to name a few. I am growing in understanding that there are no cultural differences in MRKH. MRKH is a condition that we all journey through.



GLOBAL MRKH



## tips from Christina and Amy

#### DISCLOSURE TIP BY AMY



THE FIRST THING I TOLD MY NEW COLLEGE ROOMMATES WAS, "HI, I'M AMY AND I WAS BORN WITHOUT A UTERUS."

SOMETIMES I CLEAR ROOMS AND OTHER TIMES I FIND A CAPTIVATING AUDIENCE THEIR REACTIONS ARE





#### DISCLOSURE TIP BY CHRISTINA



Have an honest conversation with your family as to who you want this vulnerable information shared with (if anyone at all). This is YOUR diagnosis and no one should disclose this highly personal information, but you.





#### Dr. Susan Carroll

#### DISCLOSURE TIP BY SUSAN



lot of pressure to disclose because of social media... It's a very personal decision and a process not an event I'm glad I gave myself the time I needed to do it my way."





## Rima Zigaitis

#### DISCLOSURE TIP BY RIMA



DISCLOSURE IS MY CHOICE

ISAY WHO, ISAY WHEN, I SAY HOW MUCH.





Tips from the team

