









# THE HEART AND SOUL OF EVERY ARGO.

What makes an ARGO an ARGO? The world's enduring amphibious Xtreme Terrain Vehicle (XTV) gives you a rare combination of reliable horsepower, advanced technology and high-quality comfort. You can't find anything on earth that equally compares with an ARGO. Nobody builds this type of extreme vehicle because we have over a 50-year head start with proprietary technology that pushes the boundaries to go where others can't.

# **BIG AND SMALL BLOCK ENGINES**

High-performance 4-cycle, twin cylinder, OHV, low-vibration engines with a quiet muffler deliver clean, dependable power for your ARGO.

600 Series 18HP V-Twin Fan Cooled 650 Series 23HP V-Twin Fan Cooled

800 Series 30HP V-Twin EFI Liquid Cooled





Specifically designed for commercial application. This liquid cooled engine provides the perfect balance of horsepower and torque for the Conquest series.



# 600. 650 AND 700 SERIES ENGINES

The Small Block V-Twin engines are design-engineered to handle the most demanding terrain. Energetic and quick-starting, these powerhouse engines feature a number of advanced technologies and integrated components, while also being lighter and compact.



## 850 AND 950 SERIES ENGINES

Legendary. Respected. Proven. These dependable 4-stroke Big Block™ V-Twin engines are built to never let you down. Our highest horsepower series, these engines also deliver the highest torque ever available in an ARGO XTV.

#### **CONQUEST SERIES**



## **ADMIRAL**

The Admiral transmission uses some very complex gearing, including dual differentials on the output shafts. So when steering, the braking force is not applied to the output shafts but to a steering differential, which translates to a vastly different driving experience.

While steering in high gear, the output shafts rotate at a 3:1 ratio, yielding smoother, gentler steering events. While there is no ability for zero turn in high range, select low range and it operates similarly to a traditional skid steer vehicle offering a zero-radius turn.

#### **AURORA SERIES**



## ADMIRAL with APS

The Admiral with ARGO Progressive Steering (APS) is an innovation in the area of braking force application to the transmission steering differential. By adding a spring element between the handlebars and the brake system we have achieved a progressive dual-rate steering system.

This development combined with the Admiral transmission is a technological milestone giving the ultimate driver experience. Steering events are now effortless and confidence-inspiring, offering the smoothest turning available in an ARGO XTV vehicle. Now an ARGO is as fun and comfortable to drive as any UTV.

#### **FRONTIER SERIES**



# **CLASSIC** with APS

The Classic transmission is our least complex design and operates like a mechanical skid steer, which gives it incredible maneuverability. In order to provide vehicle steering, braking force is applied directly to the output of the appropriate side of the transmission based on the operator steering input. In both high and low range, the Classic transmission provides zero-radius turns to get you in and around extreme terrain.

New for 2020, we've added the ARGO Progressive Steering (APS) to the Frontier with the Classic transmission to achieve a smooth and comfortable drive experience.



ARGO engineers took advantage of the research and development available from parent company Ontario Drive & Gear and came up with a revolutionary transmission for the ARGO XTV. At the heart of every ARGO XTV is a proprietary mechanical transmission that transfers engine power to the wheels on each side of the machine. The latest generation of transmissions are available in Classic or Admiral with your choice of High Torque (HT) or Standard Torque (ST) gear ratios.

**High Torque (HT)** is the ideal option when the majority of ARGO use requires a real workhorse. The right choice for extreme terrain, frequently moving heavy loads, high track use, prolonged operation at high altitude, or continuous slow-speed operation. The HT transmission is capable of reaching speeds of up to 19 mph (30km/h).

**Standard Torque (ST)** is the ideal option to provide a balance between speed and torque. Suitable for all types of terrain, frequently moving moderate loads, moderate track use, or occasional high-altitude use. The ST transmission is capable of reaching speeds of up to 24 mph (39km/h).

# ARGO PROGRESSIVE STEERING (APS)

APS is an innovation in the area of braking force application to the transmission steering differential.


The brakes are an integral part of steering an ARGO. To remove the traditional skid steering jerkiness, we added a spring element between the handlebars and the brake system to achieve a progressive dual-rate steering system. The result is ARGO Progressive Steering (APS).

APS combined with the Admiral and Classic transmissions is a technological milestone for ARGO. This gives the ultimate driver experience. Steering events are now effortless and APS provides confidence-inspiring handling for all riders. This offers improved controllability and the smoothest turning available in an ARGO XTV. It's in a class of its own.

# SKID STEERING JERKINESS - GOING, GOING, GONE WITH APS.

It makes it as fun and comfortable to drive as any UTV.





By adding a spring element between the handlebars and the brake system we achieved a progressive dual-rate steering system.

Steering events are now effortless with an increase of 4x wider range of steering motion, offering the smoothest turning available in an ARGO XTV.



# GO OVER ANY TERRAIN IN COMFORT.

Newcomers can't believe there isn't a traditional suspension system on our XTVs. Riding an ARGO is smooth and comfortable due to six or eight one-of-a-kind tires and rims. These tires can absorb all the shock of extreme terrains with ease.





# AIRLOCK™ RIMS

New and stylish. Introducing aluminum and steel AirLock™ rims. These new ground warriors allow operators to adjust tire pressure to the terrain. The AirLock™ feature keeps the tire firmly fixed to the rim in rugged terrain while providing a 30% smoother ride.

# LOW PRESSURE TIRES

ARGO tires are custom engineered to provide propulsion for the vehicle when used amphibiously or to provide superior traction when off-roading in challenging terrain.







# RUBBER TRACKS

ARGO heavy-duty rubber tracks provide optimum floatation over snow or swamp with minimal ground pressure. Exceptional traction, lightweight and low-rolling resistance. Easily installs around the tires.

# AMPHIBIOUS BODY

The one-piece lower body is the signature ARGO design feature. Its smooth, durable underbody floats over potential snags, stumps and outcrops as well as swamps and water.


# REDUCED UNDERHOOD TEMPERATURE

To ensure comfort for the operator and passengers, heat reflective and absorptive material is integrated into the firewall. A composite exhaust shroud goes one step further and effectively redirects heat while producing a subtle yet pleasing exhaust note from the new exhaust.

# PREMIUM PERFORMANCE.



Top of the line. Top notch. Top of its class. No matter how you describe the Aurora, it tops this year's ARGO lineup. The Aurora is the premium platform for ARGO with its long list of superior technology and must-have features, including impressive EFI horsepower, Admiral transmission with ARGO Progressive Steering (APS), 25" tires with 9" AirLock™ rims, sleek automotive-quality gauges and dual headlights. If you want the ultimate in high performance, the Aurora Series will be your top choice.





Mud lovers, let's get after it! The 2020 Aurora Bigfoot MX8 has stepped up its mud game this year with new 25" XT119 ARGO-only mud tires. All-new innovative chevron treads maximize your power in whatever mud pit or waterway you decide to drive in. These mud magnets will rip through the thickest and stinkiest weekend outdoor retreats. Plus, with ARGO Progressive Steering (APS) you'll have a smoother ride than ever before.




Standard Brushguard and Winch

In-dash Shifting

# THE ALL-NEW VALUE LEADER.



The all-new Frontier Series is here. ARGO's value leader amphibious six- and eight-wheelers now come standard with left-side steering and a cockpit that gives you 20% more room. The bold look and quality features of the Frontier reflect its Aurora lineage, resulting in a perfect blend of style and function. With ARGO Progressive Steering (APS) working in sync with the Classic transmission, steering inputs now produce smooth, confidence-inspiring handling. The new Frontier is ready for any extreme adventure. Are you?










BIG, BRAVE AND BOLD.



Calling all hunters. The Conquest 800 Outfitter is your personal mule for all of your gear. Yes, this bad boy was designed to meet the needs of all those who live for hunting-camp operators, lodge owners, big game guides and fall outdoor enthusiasts. The dependable 30HP Twin Cylinder EFI Liquid Cooled Engine delivers sure starts in all climate conditions, including high altitudes. There's plenty of power to bring the entire crew, guns and gear to places the prey are praying you don't find them.











Off to work they go, and go, and go. There isn't a day the 2020 Conquest Utility XTVs take off. Full of raw power, capacity and dependability make these blue-collar professionals stand up against hard use for traversing the most challenging terrains. Feel free to pack in heavy-duty equipment to tackle the biggest jobs because the multipurpose Admiral transmission provides an ideal combination of smooth steering and all-wheel constant traction. Maximize your work day with the number one XTV in the business.









# MORE FEATURES COME STANDARD.



Why buy an ARGO ATV versus all the other brands? Simple – you get more for your money. Besides class-leading horsepower, incredible torque and electric power steering, the 2020 Xplorer Series is well-equipped with standard features not found on other ATVs. High-quality functional features include improved suspension, Innova tires, steel racks, a multifunction digital gauge, front differential lock and an anti-vibration 2" receiver hitch. ARGO ATVs are available in 1-up riding with the XR series and 2-up riding with the XRT series.













# ARGO XTV ACCESSORIES

**Windshields** – Scratch-resistant acrylic means your windshield can take a beating out in the wild. Fold-over hinge for storage and a mounting location for optional windshield wiper accessory make installation quick and easy.

**Tops** – Make sure you keep yourself covered from sun, rain or snow with our hardtops or convertible tops. These tops provide additional safety and coverage for your cargo from whatever Mother Nature throws at you.






**Tracks** – From extreme duty to general purpose, ARGO heavy-duty rubber and medium-duty plastic tracks are designed to give your ARGO more traction for the most challenging terrain. Durable construction ensures a smooth ride.

**Trailers** – Gear up an ARGO amphibious trailer with all of your power tools, equipment and outdoor gear. You'll have plenty of room to haul your precious cargo no matter the destination or terrain. Available in four- or eight-wheel models.

Available in four- or eight-wheel models.

Visit ARGOxtv.com to view our full lineup of genuine accessories for every ARGO.









**Outboard Motor Mount** – Add a little more speed on the water by attaching an outboard motor to your ARGO. A genuine high-quality mounting bracket makes outboard installation quick and easy.

**ROPS** – For unpredictable and extreme terrain, add additional protection for the ARGO Aurora and Conquest models. Roll Over Protective Structure (ROPS) gives you full vehicle rollover protection.





**Steel Rack** – Organize all of your hunting and outdoor gear with our steel rack. Gain additional stowage for packs and equipment for long hunting trips or weekend excursions.

**Blades** – Maximize the utilization of your ARGO for snow or dirt. This high-quality 80" wide steel blade features multi-angle positions. Requires the power winch for raise and lower operation.

Visit ARGOxtv.com to view our full lineup of genuine accessories for every ARGO.



# FRONTIER 600 6X6


ENGINE	18HP V-TWIN F/C
ALTERNATOR OUTPUT	20 AMPS
TRANSMISSION	CLASSIC w/APS
TIRES	24x10-8 AT115
RIMS	STEEL OFFSET



BRUSHGUARD	OPTIONAL
WINCH	OPTIONAL
FRONT RACK	OPTIONAL
REAR RACK	OPTIONAL
HEADLIGHTS	SINGLE - LOW PROJECTOR BEAM

TAIL LIGHTS	OPTIONA
UPPER BODY PLASTIC	HDP
SEATS - FRONT/REAR	BENCH/SID
LOAD CAPACITY - LAND	595 LB
TOWING CAPACITY	1,200 LB








## FRONTIER 700 6X6

ENGINE	23HP V-TWIN EFI F/C
ALTERNATOR OUT	20 AMPS
TRANSMISSION	CLASSIC w/APS
TIRES	24x10-8 AT115
RIMS	STEEL OFFSET



BRUSHGUARD	)	OPTIONA
WINCH		OPTIONA
FRONT RACK		OPTIONA
REAR RACK		OPTIONA
HEADLIGHTS	SINGLE - LOW	PROJECTOR BEAN







## FRONTIER 700 SCOUT 6X6


ENGINE	23HP V-TWIN EFI F/C
ALTERNATOR OUT	PUT 20 AMPS
TRANSMISSION	CLASSIC w/APS
TIRES	24x10-8 AT115
RIMS	STEEL OFFSET



BRUSHGUARD	STANDARD
WINCH	STANDARD
FRONT RACK	STANDARD
REAR RACK	STANDARD
HEADLIGHTS	SINGLE - LOW PROJECTOR BEAM

TAIL LIGHTS OPTIONAL UPPER BODY PLASTIC HDPE SEATS - FRONT/REAR BENCH/SIDE LOAD CAPACITY - LAND 490 LBS TOWING CAPACITY 1,200 LBS







# FRONTIER 650 8X8

ENGINE	23HP V-TWIN F/C
ALTERNATOR OUTPUT	20 AMPS
TRANSMISSION	CLASSIC w/APS
TIRES	24x10-8 AT115
RIMS	STEEL OFFSET



BRUSHGUARD	OPTIONAL
WINCH	OPTIONAL
FRONT RACK	OPTIONAL
REAR CARGO LINER	OPTIONAL
HEADLIGHTS SINGLE - LOW	PROJECTOR BEAM

TAIL LIGHTS

UPPER BODY PLASTIC


SEATS - FRONT/REAR

LOAD CAPACITY - LAND

TOWING CAPACITY

1,200 LBS







# FRONTIER 700 8X8

ENGINE	23HP V-TWIN EFI F/C
ALTERNATOR OUT	OUT 20 AMPS
TRANSMISSION	CLASSIC w/APS
TIRES	24x10-8 AT115
RIMS	STEEL OFFSET



BRUSHGUARD	OPTIONA
WINCH	OPTIONA
FRONT RACK	OPTIONA
REAR CARGO LINER	OPTIONA
HEADLIGHTS SINGLE - LC	IW PROJECTOR REA

 TAIL LIGHTS
 OPTIONAL


 UPPER BODY PLASTIC
 HDPE

 SEATS - FRONT/REAR
 BENCH/SIDE

 LOAD CAPACITY - LAND
 840 LBS

 TOWING CAPACITY
 1,200 LBS







# FRONTIER 700 SCOUT 8X8


ENGINE	23HP V-TWIN EFI F/C
ALTERNATOR OUT	PUT 20 AMPS
TRANSMISSION	CLASSIC w/APS
TIRES	24x10-8 AT115
RIMS	STEEL OFFSET



BRUSHGUARD	STANDARD
WINCH	STANDARD
FRONT RACK	STANDARD
REAR CARGO LINER	STANDARD
HEADLIGHTS SINGLE - 10	OW PROJECTOR REAM

TAIL LIGHTS	OPTIONAL
UPPER BODY PLASTIC	HDPE
SEATS - FRONT/REAR	BENCH/SIDE
LOAD CAPACITY - LAND	780 LBS
TOWING CAPACITY	1,200 LBS







# AURORA 850 SX 8X8


ENGINE	33H	IP V-TWIN EFI F/C
ALTERNATOR OUT	PUT	50 AMPS
TRANSMISSION		ADMIRAL w/APS
TIRES		25x12-9 XT117
RIMS ST	FFI (	DEESET AIBLOCK™



BRUSHGUARD	OPTIONAL
WINCH	OPTIONAL
FRONT RACK	OPTIONAL
REAR CARGO LINER	OPTIONAL
HEADLIGHTS DUAL - HI/LO	W PROJECTOR BEAM

TAIL LIGHTS	STANDARI
UPPER BODY PLASTIC	PREMIUM HDP
SEATS - FRONT/REAR	BENCH/SID
LOAD CAPACITY	1,100 LB
TOWING CAPACITY	1,800 LB








## **AURORA 850 SX HUNTMASTER 8X8**

ENGINE	33HP V-TWIN EFI F/0
ALTERNATOR OUT	PUT 50 AMPS
TRANSMISSION	ADMIRAL w/APS
TIRES	25x12-9 XT111
RIMS ST	EEL OFFSET AIRLOCK™



BRUSHGUARD	STANDAR
WINCH	STANDAR
FRONT RACK	STANDAR
REAR CARGO LINER	STANDAR
HEADLIGHTS DUAL - HI/LO	W PROJECTOR BEA







## AURORA 850 SX-R 8X8

ENGINE	33HP V-TWIN EFI F/C
ALTERNATOR OUT	TPUT 50 AMPS
TRANSMISSION	ADMIRAL w/APS
TIRES	25x12-9 XT117
RIMS ST	EEL OFFSET AIRLOCK™



BRUSHGUARD	OPTIONAL
WINCH	OPTIONAL
FRONT RACK	OPTIONAL
REAR CARGO LINER	OPTIONAL
HEADLIGHTS DUAL - 111/10	W DDO IECTOD DEAM

TAIL LIGHTS STANDARD
UPPER BODY PLASTIC PREMIUM HDPE
SEATS - FRONT/REAR BENCH/BENCH
LOAD CAPACITY - LAND 870 LBS
TOWING CAPACITY 1,800 LBS







# **AURORA 850 RESPONDER-R 8X8**


ENGINE	33HP V-TWIN EFI F/C
ALTERNATOR OUT	<b>PUT</b> 50 AMPS
TRANSMISSION	ADMIRAL w/APS
TIRES	25x12-9 XT117
RIMS STE	EL OFFSET AIRLOCK™



BRUSHGUARD	OPTIONAL
WINCH	OPTIONAL
FRONT RACK	OPTIONAL
STRETCHER MOUNT	STANDARD
HEADLIGHTS DUAL - HI	/I OW PRO JECTOR REAM

TAIL LIGHTS STANDARD
UPPER BODY PLASTIC PREMIUM HDPE
SEATS - FRONT/REAR SINGLE/SINGLE
LOAD CAPACITY - LAND 785 LBS
TOWING CAPACITY 1,800 LBS







## **AURORA 850 LIMITED 8X8**


ENGINE	33F	IP V-TWIN EFI F/C
ALTERNA	TOR OUTPUT	50 AMPS
TRANSMI	SSION	ADMIRAL w/APS
TIRES		25x12-9 XT117
RIMS	ALUMINUM (	DFFSET AIRLOCK™



LAND WATER	
BRUSHGUARD	OPTIONAL
WINCH	OPTIONAL
FRONT RACK	OPTIONAL
REAR CARGO LINER	OPTIONAL
HEADLIGHTS DUAL - HI/LO	W PROJECTOR BEAM

TAIL LIGHTS STANDARD
UPPER BODY PLASTIC PREMIUM HDPE
SEATS - FRONT/REAR BENCH/BENCH
LOAD CAPACITY - LAND 1,100 LBS
TOWING CAPACITY 1,800 LBS







# AURORA 950 SX 8X8


ENGINE	40HP	V-TWIN	EFI F/C
ALTERNATOR OU	<b>TPUT</b>	5	O AMPS
TRANSMISSION	A	DMIRAL	w/APS
TIRES		25x12-9	XT117
RIMS ST	TEEL OF	FSET AII	RLOCK™



BRUSHGUARD	OPTIONAL
WINCH	OPTIONAL
FRONT RACK	OPTIONAL
REAR CARGO LINER	OPTIONAL
HEADLIGHTS DUAL - HI/LI	DW PROJECTOR BEAM

TAIL LIGHTS	STANDARD
UPPER BODY PLASTIC	PREMIUM HDPE
SEATS - FRONT/REAR	BENCH/SIDE
LOAD CAPACITY - LAND	1,090 LBS
TOWING CAPACITY	1,800 LBS







# **AURORA 950 SX HUNTMASTER 8X8**


ENGINE	40HP V-TWIN EFI F/C		
ALTERNATOR (	TOR OUTPUT 50 AM		
TRANSMISSIO	N	ADMIRAL w/APS	
TIRES		25x12-9 XT117	
RIMS	STEEL	OEESET AIBLOCK™	



BRUSHGUARD	STANDARD
WINCH	STANDARD
FRONT RACK	STANDARD
REAR CARGO LINER	STANDARD
HEADLIGHTS DUAL - HI/LI	OW PROJECTOR BEAM

TAIL LIGHTS	STANDARI
UPPER BODY PLASTIC	PREMIUM HDP
SEATS - FRONT/REAR	BENCH/SID
LOAD CAPACITY - LAND	990 LB
TOWING CAPACITY	1,800 LB







## AURORA 950 SX-R 8X8


ENGINE	40HP V-TWIN EFI F/C
ALTERNATOR OUT	PUT 50 AMPS
TRANSMISSION	ADMIRAL w/APS
TIRES	25x12-9 XT117
RIMS ST	EEL OFFSET AIRLOCK™



BRUSHGUARD	OPTIONA
WINCH	OPTIONA
FRONT RACK	OPTIONA
REAR CARGO LINER	OPTIONA
HEADLIGHTS DUAL - HI/LO	N PROJECTOR BEAL

TAIL LIGHTS STANDARD UPPER BODY PLASTIC PREMIUM HDPE SEATS - FRONT/REAR BENCH/BENCH LOAD CAPACITY - LAND 850 LBS TOWING CAPACITY 1,800 LBS







## **AURORA 950 BIGFOOT MX8**


ENGINE	40H	HP V-TWIN EFI F/0
ALTERN	ATOR OUTPUT	50 AMPS
TRANSM	IISSION	ADMIRAL w/APS
TIRES		25x12-9 XT119
RIMS	MILIMINITA	OFFSET AIRLOCK™



BRUSHGUARD	STANDARD
WINCH	STANDARD
FRONT RACK	OPTIONAL
REAR CARGO LINER	OPTIONAL
HEADLICHTE DUAL	

TAIL LIGHTS STANDARD UPPER BODY PLASTIC PREMIUM HDPE SEATS - FRONT/REAR BENCH/BENCH LOAD CAPACITY - LAND 1,025 LBS TOWING CAPACITY 1,800 LBS







## **CONQUEST 800 OUTFITTER 8X8**


ENGINE	30HP \	/-TWIN E	=I L/C
ALTERNATOR (	DUTPUT	60	AMPS
TRANSMISSIO	N	ADI	MIRAL
TIRES	2	25x12-9 >	(T117
RIMS	STEEL OFF	SET AIRL	OCK™



BRUSHGUARD	STANDARD
WINCH	STANDAR
FRONT RACK	STANDAR
POWER TILT BOX	N/A
ROPS	N/A

**HEADLIGHTS** DUAL - LOW BEAM UPPER BODY PLASTIC PREMIUM HDPE SEATS - FRONT/REAR BENCH/SIDE LOAD CAPACITY - LAND 1,420 LBS TOWING CAPACITY 2,000 LBS








#### **CONQUEST PRO 800 XT 8X8**

ENGINE	30HP	V-TWIN	EFI L/C
ALTERNATOR O	UTPUT	6	O AMPS
TRANSMISSION	l .	А	DMIRAL
TIRES		25x12-9	3 XT117
RIMS	STEEL OF	FSET AII	RLOCK™

BRUSHGUARD	OPTIONAL
WINCH	OPTIONAL
FRONT RACK	OPTIONAL
POWER TILT BOX	OPTIONAL
ROPS	OPTIONAL

**HEADLIGHTS** SINGLE - LOW BEAM UPPER BODY PLASTIC PREMIUM HDPE SEATS - FRONT/REAR BENCH/NONE LOAD CAPACITY - LAND 1,500 LBS TOWING CAPACITY 2,000 LBS








# **CONQUEST PRO 800 XT-L 8X8**


ENGINE	30HP	V-TWIN	EFI L/C
ALTERNATOR O	UTPUT	60	O AMPS
TRANSMISSION	ı	Al	DMIRAL
TIRES		25x12-9	XT117
RIMS	STEEL OF	FSET AIF	RLOCK™

# LAND

BRUSHGUARD	STANDARD
WINCH	STANDARD
FRONT RACK	OPTIONA
POWER TILT BOX	OPTIONA
ROPS	STANDARI

**HEADLIGHTS** SINGLE - LOW BEAM UPPER BODY PLASTIC PREMIUM HDPE SEATS - FRONT/REAR BENCH/NONE LOAD CAPACITY - LAND 1,170 LBS D TOWING CAPACITY 2.000 LBS







## CONQUEST PRO 800 XT-X 8X8


ENGINE	30HP	V-TWIN EFI L/C
ALTERNATOR OU	TPUT	60 AMPS
TRANSMISSION		ADMIRAL
TIRES		25x12-9 XT117
RIMS S	TEEL OF	FSET AIRLOCK™



BRUSHGUARD	STANDARD
WINCH	STANDARD
FRONT RACK	OPTIONAL
POWER TILT BOX	STANDARD
ROPS	STANDARD

HEADLIGHTS SINGLE - LOW BEAM
UPPER BODY PLASTIC PREMIUM HDPE
SEATS - FRONT/REAR BENCH/NONE
LOAD CAPACITY - LAND 1,190 LBS
TOWING CAPACITY 2,000 LBS







## XPLORER XR 500 4X4

ENGINE	500cc 9	SIN	IGLE E	FI L/C
TRANSMISSION	C	٧T	AUTO	MATIC
FRONT DIFFEREN	ITIAL LOC	K	STAN	IDARD
REAR DIFFERENT	IAL LOCK	(		N/A
ELECTRONIC POWI	ER STEERI	NC	3	N/A

FRONT TIRES	AT 25x8-12
REAR TIRES	AT 25x10-12
RIMS	STEEL
FRONT SUSPENSION TRA	<b>VEL</b> 8.7
REAR SUSPENSION TRAV	<b>EL</b> 9.4

 WINCH
 OPTIONAL


 BRUSHGUARD
 OPTIONAL

 RACK - FRONT/REAR
 99 LBS/165 LBS

 REAR HITCH RECEIVER
 2"

 CAPACITY
 ONE RIDER







# XPLORER XR 500 LE 4X4

ENGINE	500cc SING	LE EFI L/C
TRANSMISSION	CVT A	UTOMATIC
FRONT DIFFEREN	TIAL LOCK	STANDARD
REAR DIFFERENT	IAL LOCK	N/A
ELECTRONIC POWE	R STEERING	STANDARD

FRONT TIRES	AT 26x8-14
REAR TIRES	AT 26x10-14
RIMS	ALUMINUM
FRONT SUSPENSION TRAV	<b>EL</b> 8.7'
REAR SUSPENSION TRAVE	<b>L</b> 9.4'

 WINCH
 STANDARD


 BRUSHGUARD
 STANDARD

 RACK - FRONT/REAR
 99 LBS/165 LBS

 REAR HITCH RECEIVER
 2"

 CAPACITY
 ONE RIDER







## XPLORER XRT 500 4X4

ENGINE	500cc SIN	GLE EFI L/C
TRANSMISSION	CVT	AUTOMATIC
FRONT DIFFEREN	TIAL LOCK	STANDARD
REAR DIFFERENT	IAL LOCK	N/A
ELECTRONIC POWE	R STEERING	N/A

FRONT TIRES	AT 25x8-12
REAR TIRES	AT 25x10-12
RIMS	STEEL
FRONT SUSPENSION TRAVI	EL 9.1
REAR SUSPENSION TRAVEL	10.4

 WINCH
 OPTIONAL


 BRUSHGUARD
 OPTIONAL

 RACK - FRONT/REAR
 99 LBS/165 LBS

 REAR HITCH RECEIVER
 2"

 CAPACITY
 TWO RIDERS








#### XPLORER XRT 500 LE 4X4

ENGINE	500	cc SIN	GLE EF	I L/C
TRANSMISSION		CVT	IOTUA	MATIC
FRONT DIFFEREN	TIAL	LOCK	STAN	DARD
REAR DIFFERENTIAL LOCK N/A				
ELECTRONIC POWE	D ST	FERING	STAN	DARD

FRONT TIRES	AT 26x8-1
REAR TIRES	AT 26x10-1
RIMS	ALUMINUN
FRONT SUSPENSION TRAVEL	
REAR SUSPENSION TRAVE	L 10.4

WINCH	STANDARD
BRUSHGUARD	STANDARD
RACK - FRONT/REAR	99 LBS/165 LBS
REAR HITCH RECEIVER 2	
CAPACITY	TWO BIDERS








# XPLORER XRT 1000 LE 4X4

ENGINE	997cc TV	VIN EFI	L/C
TRANSMISSION	CVT	MOTUA	ATIC
FRONT DIFFERENTI	AL LOCK	STANE	ARD
REAR DIFFERENTIA	L LOCK	STANE	ARD
<b>ELECTRONIC POWER</b>	STEERING	STANE	ARD

AT 26x8-14
AT 26x10-14
ALUMINUM
TRAVEL 8.7
RAVEL 9.3

WINCH	STANDARD
BRUSHGUARD	N/A
RACK - FRONT/REAR	99 LBS/165 LBS
REAR HITCH RECEIV	<b>ER</b> 2"
CAPACITY	TWO RIDERS









ARGOxtv.COM

Argo North 363 Rt. 513 Califon, NJ 07830 908-439-3002 www.NJARGO.com Sales, Rentals, Fabricating, Custom Alterations, and Service Center

Some vehicle applications shown are for demonstration purposes, originating from third parties and not available from ARGO. In all cases vehicle load limits have been considered. Always remain seated while in the ARGO. ATVs and XTVs can be hazardous to operate. Improper use can cause severe injury or death. Riders must wear an approved helmet, eye protection, protective clothing and when operating in water always wear a personal floatation device. Use handholds and stay completely inside the vehicle. Each rider must read and understand the operator's manual before riding. Follow all instructions and warnings. Avoid abrupt maneuvers, paved surfaces, hard acceleration when turning, and side hilling; slow down before entering a turn. Never engage in stunt driving. Avoid excessive speeds and be particularly careful on difficult terrain. Never carry a passenger on a single-rider ATV. ATVs are recommended only for users over 16 years old. Never operate on public roads. ATVs and XTVs are designated for off-highway vehicle access only—collisions with cars and trucks can occur. Never drive or ride under the influence of alcohol or drugs. Do not shoot from or lean firearms or bows against the ATV or XTV. ARGO recommends that all riders take an ATV training course. When equipped with tracks, Conquest Series models are not fully amphibious, however water crossing is possible with a fording depth of 26" (660 mm). For safety or training information in the U.S., call the ATV Safety Institute at (800) 887-2887. In Canada, please contact the Canada Safety Council at (613) 739-1535 or see your dealer. Along with concerned conservationists everywhere, ARGO urges you to respect public and private lands. Ride only on designated areas or trails. Preserve your future riding opportunities by showing respect for the environment, local laws and the rights of others when riding. All materials and specifications are subject to change without notice. All specifications, claims and information contained within are based on current knowledge

PART#: 678-020 Printed in Canada 07/2019