

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name Jakki's Too	Facility Type Food Service Establishment	
Licensee Name MOBY IX dba Jakki's Too	Facility Telephone # 304 229-0131	
Facility Address 12761 Winchester Ave Bunker Hill , WV	Licensee Address ,	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 10/18/2018	Total Time Spent 1.25

<i>Equipment Temperatures</i>	
Description Refrigerator	Temperature (Fahrenheit)

<i>Warewashing Info</i>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3-baysink	Chemical				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<i>Observed Critical Violations</i>
Total # 0
Repeated # 2

<i>Observed Non-Critical Violations</i>
Total # 4
Repeated # 2
 6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR OBSERVATION: Ceiling above fan in kitchen needs repaired (water damage).
 6-501.114 - MAINTAINING PREMISES, UNNECESSARY ITEMS AND LITTER REPEAT OBSERVATION Debris behind privacy fence/by back steps needs removed
 6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS OBSERVATION: Ceiling vent covers in bathrooms need cleaned
 6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS REPEAT OBSERVATION Ceiling fan in kitchen needs cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian



Linda Delahanty


Keith Allison