SHOWER DOORS

PRICE LIST USA

EFFECTIVE JULY 1, 2011



Wellness Quality Design Innovation Luxury Comfo Elegance Durability Lifestyle

Network Comfort Gance Durability Lifestyle Visionary Godern Space Wellne

n Luxury Comfort Gance Durability Lifestyle Visionary Godern Space Wellne

gn Innovation Luxury Comfo Elegance Durability Lifestyle Visionary Modern Sp



Table of Contents

DOORS		
SUMMARY: DOORS FEATUR	RES FEMS	13
BATHTUB & TUB SHOW		
Triple Plus 3-panel		
	138309, 138400, 138401,	
	104031	
	138350	
	136302, 136300	
	105477	
	105482 105478	
	105476	
Opulence 2-panel	138919, 138920	28
	105410	
	105411, 105487	
	105495	
	135130, 135630	
3 folding panels	135340	36
ALCOVE CHOWER BOOK	20	
ALCOVE SHOWER DOOL		
	138299, 138293, 138294,	
	138315, 138311	
Cottage Gate 2-panel	138375, 138385	40
	135276, 135280, 135277	
Filigree 2-panel	105490, 105491	42
	105493, 105494 136450, 136451, 136452,	
	136453, 136454, 136455,	
	105489	
Opulence 2-panel	138923, 138925, 138926,	
	105414, 105415, 105488	
	105414, 105415, 105488 138370, 138380	
	138906, 138907	
Vine 2-panel	105496	53
	105483, 105484, 105485,	
	105486	
	136445, 136446, 136447,	
	105420, 105416, 105417,	
	105418	
Pivolok 1-panel	136605, 136615, 136625,	
	136626, 136635, 136645,	
PIVOIOK DEIUXE 1-panel	136425, 136435	60
CORNER SHOWER DOO	RS	
	100563	61
Corinto II round	100564	62
	100565	
	137595, 137596	
	137523, 137524, 137540 137200, 137210, 137220,	
intuition neo-round		
Talen neo-round	137593, 137594, 137566	

DIGITAL VERSION ONLY

Click on the product name or code to go directly to the selected page.


Click on this symbol at the top of every page in order to get back to the Table of Contents.

Illusion neo-angle	137630, 137610, 137650,	
•	137660	
	137240, 137250, 137260	
Silhouette neo-angle	137904, 137901	71
Silhouette Plus neo-angle	137700, 137720, 137710,	
	137730, 137740, 137750	
Vision neo-angle	137690	74
Centric square	137561, 137562, 137563	75

GENERAL INFORMATION	
COLOR CHART 7 TECHNICAL SERVICES 7 RGA/DA REQUEST FORM 8	79
NUMERIC INDEX	38



ENJOY THE EXPERIENCE



Ease, pleasure and style.

That is what the MAAX brand represents to the people who enjoy our bath products' trendsetting designs, innovative features and lasting quality in their homes.

That is also what MAAX means to you – the builders and developers, the plumbers and the contractors, the showroom owners and interior designers.

MAAX offers more than an extensive and award-winning line of bathtubs, showers and shower doors that fill desires from the most simple to the simply luxurious. MAAX gives you the best-in-class service, support and systems you need to make your job easier and your time more productive.

That is why we say when you choose MAAX, you will "Enjoy the Experience."

"Enjoy the Experience" means MAAX puts everything we have, every consideration, into ensuring you not only enjoy the therapeutic and functional benefits our products provide but also the entire experience, from product selection to ordering to delivery to installation.

MAAX is strong yet flexible.

We start with more than 40 years of experience that has taught us that making business better for our customers makes all of us succeed.

Our 8 manufacturing plants and an expansive showroom and distribution network – the largest in the industry in North America – gives us the production and logistical capability to meet needs coast-to-coast and according to your schedule. Our state-of-the-art facilities utilize world-class operational systems with leading robotic and electronic technology that ensures consistent quality and cost-effectiveness, benefits that we seamlessly pass on to you.

MAAX simplifies your work.

So many households enjoy MAAX's wide range of distinctive bath products not just because of their quality but because we make the job of selling, ordering and servicing easier for you.

Our dedicated customer training team offers world-class programs at our facilities and yours to educate you on our latest products, innovations and marketing techniques. We provide tools, printed and digital, that make our products' benefits clear and maintain a dedicated sales force of 300+ people that serve your needs. Three North American-based customer care centers ensure you always receive the inside and after sales support you need with best-in-industry response times and service.

MAAX improves continually.

Just as consumers' tastes change, so do your businesses' needs. That is why MAAX never stops listening.

We seek and gather your input regularly then propose and act on ideas aimed at helping us better tailor products and programs to each of our customer segments. Our ongoing research and customer satisfaction surveying inspires us to regularly develop new ways to enhance every aspect of our business for you.


MAAX innovates constantly.

Staying ahead of the curve is almost second nature to us.

MAAX has two research and development centers in North America tasked with furthering our industry lead in product design, whether the desired effect is strength, simplicity or sophistication. To date, MAAX has more than 80 innovation patents that have not only made our products more pleasurable for consumers, but easier and less costly for you to stock, delivery and install.

By choosing MAAX, you get more than a superior bath product. You get an experience.

An experience we know you will enjoy.



HOW TO USE THIS BOOK

The MAAX Shower Doors price list is here to help you understand our products and easily order them. Inside, you will find information on models, pricing, reference guides, summary tables, warranties and handy customer care forms. In order to help you navigate through the price list, follow these guidelines on how to use this book to its full potential.

Do not hesitate to contact your MAAX representative or Customer Care agent if you have any questions.

We are dedicated to providing you with the best tools possible.

SHOWER DOORS

Because installation type is most important in choosing a shower door, this section is listed by installation type, then in order of shape/type.

Alcove doors for: -Showers

-3 panels

-Tub showers

-2 panels

-Tubs

-1 panel

Corner doors for: -Round showers

-Neo-round showers


-Neo-angle showers

-Square and rectangular showers

TIP: There is a **Reference Guide** at the beginning of the shower doors section for you to easily identify the product that works for you by installation type, shape, opening, finish and panel finish.




PRICE LIST CODES: WHAT DO THEY MEAN?









HOW TO USE THIS BOOK

DIMENSIONS

Structure measurements must be verified against the unit to ensure proper fit. When recommending a door on our fiberglass units, acrylic units or on ceramic installations, wall thickness is measured based on the following information:

Door opening dimensions will differ for ceramic or acrylic walls. The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).

Please note that the thickness of a ceramic wall may vary depending on the following components: gypsum board thickness (1/2 in. to 5/8 in.), cement thickness (1/8 in. to 1/4 in.), ceramic thickness (1/8 in. to 5/16 in.). We cannot guarantee that our recommended doors will fit on every ceramic installation. We recommend you discuss your door selection with the contractor prior to the renovation.

RESOURCES

Product Summary Table

There is a summary table at the beginning of the door section. This easy-to-use table displays product features with just a glance to quickly help you choose the door that best suits your needs.

Warranty

For any questions regarding MAAX warranties, simply flip to the back of this book for all detailed warranty information.

Reference Guide: Doors

BATHTUB & TUB SHOWER DOORS

























BATHTUB & TUB SHOWER DOORS (CONT'D)












ALCOVE SHOWER DOORS














ALCOVE SHOWER DOORS (CONT'D)

























CORNER SHOWER DOORS

























CORNER SHOWER DOORS (CONT'D)





Summary: Doors Features

					ELESS (
					IICKNES				OI	PENI	ING			F	RAI	ME	FIN	IISH					PA	NE	L F	INIS	SH				
NAME	MODEL	FRAMED	REVERSIBLE DOOR	1/4 IN. / 6 MM	5/16 IN. / 8 MM	3/8 IN. / 10 MM	1-PANEL	2-PANEL	3-PANEL	SLIDER	FOI DING PANEL	CENTRAL	LATERAL	MAT SILVER - 170	WHITE - 001	CHROME - 084	NICKEL - 105	SATIN NICKEL - 171	DARK BRONZE - 172	GRAIN - 954	POLYCRYSTAL - 920	COTTAGE GATE - 922	DESIGN #49 - 949	DESIGN #53 - 953	FROSTED VINE - 961	WHITE VINE - 964	HAMMER - 965	RAINDROP - 970	MISTELITE - 981	FROST - 986 MIRROR	PAGE
BATHTUB & TUB SHOWER DO TRIPLE PLUS 3-PANEL	138301	•							•	•			•		•	•	•											•			19
TRIPLE PLUS 3-PANEL	138310	•							•	•			•		•	•	•						•					•		•	19
TRIPLE PLUS 3-PANEL		•							•	•			•		•	•	•											•			19
	138308	•							•	•			•			•	•						•								
TRIPLE PLUS 3-PANEL	138309														•															•	19
TRIPLE PLUS 3-PANEL	138400	•							•	•			•		•	•	•				'		•					•			19
TRIPLE PLUS 3-PANEL	138401	•							•	•			•	I	•	•	•			1			•					•		•	19
TRIPLE PLUS 3-PANEL	138303	•							•	•			•			•	•			•	,		_								19
TRIPLE PLUS 3-PANEL	138304	•							•	•			•	T	•	•	•						•								19
CANVAS 2-PANEL	104031							•		•			•	•						•)										21
COTTAGE GATE 2-PANEL	138350			•				•		•			•			•		•				•									22
DECOR PLUS 2-PANEL	136302	•						•		•			•			•												•			23
DECOR PLUS 2-PANEL	136300	•						•		•			•			•				•								•			23
FILIGREE 2-PANEL	105477	L		•				•		•			•			•		•		•)										24
GONDOLA 2-PANEL	105482					•		•		•			•			•				•											25
LUMINOUS 2-PANEL	105478					•		•		•			•			•		•		•	•										26
MIKA 2-PANEL	105409	•						•		•			•	•													•				27
OPULENCE 2-PANEL	138919	L		•				•		•			•			•	•			•	,										28
OPULENCE 2-PANEL	138920			•				•		•			•			•				•											28
POLAR 2-PANEL	105410	•						•		•			•			•		•										•			29
SESSION 2-PANEL	105411			•				•		•			•			•		•		•											30
SESSION 2-PANEL	105487			•				•		•			•			•			•	•											30
SKY 2-PANEL	136245			•				•		•			•			•		•		•)								•		31
SKY 2-PANEL	138360			•				•		•			•			•		•		•											31
ULTIMA PLUS 2-PANEL	138900							•		•			•			•							•								32
VIBE 2-PANEL	138340							•		•			•			•		•	-	•											33
VINE 2-PANEL	105495			•				•		•			•			•		•								•					34
TUB SHIELD 1-PANEL	135130		•				•			•	•				•	•				•	,									\top	35
TUB SHIELD 1-PANEL	135630		•				•				•					•				•	,										35
3 FOLDING PANELS	135340	•							•							•				•	,										36
ALCOVE SHOWER DOORS																															
TRIPLE PLUS 3-PANEL	138299	•							•	•			•			•	•											•			37
TRIPLE PLUS 3-PANEL	138293	•							•	•			•		•	•	•											•			37
TRIPLE PLUS 3-PANEL	138294	•							•	•			•			•	•											•			37
TRIPLE PLUS 3-PANEL	138290	•							•	•			•		•	•	•			•							•				37
TRIPLE PLUS 3-PANEL	138296	•							•	•			•			•	•											•			37
TRIPLE PLUS 3-PANEL	138297	•							•	•			•			•												•			37
TRIPLE PLUS 3-PANEL	138291	•							•	•			•			•	•			•							•				37



Summary: Doors Features (cont'd)

					ELESS G				OF	PEN	ING	à			FF	RAN	/E I	=INI	ISH					PA	NE.	L F	INI	SH					
щ)EL	FRAMED	REVERSIBLE DOOR	1/4 IN. / 6 MM	5/16 IN. / 8 MM	3/8 IN. / 10 MM	1-PANEL	2-PANEL	3-PANEL	EB 1	OT DINC DANE!	FOLDING PANEL	CENTRAL	LATERAL	MAT SILVER - 170	WHITE - 001	CHROME - 084	NICKEL - 105	SATIN NICKEL - 1/1	GRAIN - 954	CLEAR - 900	POLYCRYSTAL - 920	COTTAGE GATE - 922	DESIGN #49 - 949	DESIGN #53 - 953	FROSTED VINE - 961	WHITE VINE - 964	HAMMER - 965	RAINDROP - 970	MISTELITE - 981	FROST - 986	MIRROR	ш
NAME	MODEL	FRA	REV	1/4	5/16	3/8	1-P⊿	2-P⊿	3-P⊿	SLIDER	PIVOT	֡֝֟֟֝֟֟֝֟֟֝֟֝֟֟֓֟֝֟֟֓֟֟֝֟֓֟֓֟֓֟֓֟֓֓֟֟֓֓֟		<u></u>	MAT	Ĭ.	CHR		SAL	GRA	CLE	POL	COT	DES	DES	FRO	WHI	HAN	RAIN	MIS	FRO	Ī	PAGE
ALCOVE SHOWER DOORS (C																						_											
TRIPLE PLUS 3-PANEL	138313	•							•	•			-	•		•	•	•			•								•				37
TRIPLE PLUS 3-PANEL	138314	•							•	•			-	•			•	•											•				37
TRIPLE PLUS 3-PANEL	138315	•							•	•				•			•	•											•				37
TRIPLE PLUS 3-PANEL	138311	•							•	•				•		•	•	•			•								•				37
COTTAGE GATE 2-PANEL	138375				•			•		•				•			•	-	•				•										40
COTTAGE GATE 2-PANEL	138385				•			•		•				•			•	-	•				•		П					П			40
DECOR PLUS 2-PANEL	135276	•						•		•				•			•												•				41
DECOR PLUS 2-PANEL	135280	•						•		•				•			•				•								•				41
DECOR PLUS 2-PANEL	135277	•						•		•				•			•												•				41
FILIGREE 2-PANEL	105490			•				•		•				•			•	-	•		•												42
FILIGREE 2-PANEL	105491			•				•		•				•			•		•		•												42
GONDOLA 2-PANEL	105493					•		•		•				•			•				•											-	43
GONDOLA 2-PANEL	105494					•		•		•				•			•				•												43
KLEARA 2-PANEL	136450			•				•			•		•					•			•				Н			Н		•		-	44
KLEARA 2-PANEL	136451			•				•			•		•								•									•			44
KLEARA 2-PANEL	136452			•				•			•		•								•									•		-	44
KLEARA 2-PANEL	136453			•				•			•		•								•									•			44
				•				•				-	•																	•		-	
KLEARA 2-PANEL	136454																															-	44
KLEARA 2-PANEL	136455			•				•			•		•					•			•					H				•		-	44
KLEARA 2-PANEL	136456			•				•			•		•					•			•						Ш			•			44
KLEARA 2-PANEL	136457			•				•		•	•	•	•				•	•			•					ļ.,				•		4	44
KLEARA 2-PANEL	136458			•				•		•	•	•	•				•	•			•									•		_	44
LUMINOUS 2-PANEL	105489					•		•		•			- '	•			•	•			•												47
OPULENCE 2-PANEL	138923			•				•		•				•			•	•			•												48
OPULENCE 2-PANEL	138925			•				•		•			-	•			•				•												48
OPULENCE 2-PANEL	138926			•				•		•				•			•	•			•												48
OPULENCE 2-PANEL	138927			•				•		•				•			•				•												48
POLAR 2-PANEL	105413	•						•		•				•			•	•											•				49
POLAR 2-PANEL	105412	•						•		•				•			•	-											•				49
SESSION 2-PANEL	105414			•				•		•			-	•			•	-	•		•												50
SESSION 2-PANEL	105415			•				•		•				•			•	•	•		•												50
SESSION 2-PANEL	105488			•				•		•				•					•		•												50
SKY 2-PANEL	138370				•			•		•				•			•	-	•		•												51
SKY 2-PANEL	138380				•			•		•				•			•	-	•		•												51
ULTIMA PLUS 2-PANEL	138906							•		•				•			•				•			•									52
ULTIMA PLUS 2-PANEL	138907							•		•				•			•				•											-	52
VINE 2-PANEL	105496			•				•		•				•			•	-								•	•						53



Summary: Doors Features (cont'd)

				EDAME	EL EGG CL A	cc																	_								
					ELESS GLA IICKNESS	33		C	PEI	NIN	G			FF	RAN	ΛE	FIN	IISH	1				P	ANE	EL I	FINI	SH	l			
NAME	MODEL	FRAMED	REVERSIBLE DOOR	1/4 IN. / 6 MM	5/16 IN. / 8 MM	3/9 IN. / 10 MIM	1-PANEL	2-PANEL 3-PANEI	SLIDER	PIVOT	FOLDING PANEL	CENTRAL	LATERAL	MAT SILVER - 170	WHITE - 001	CHROME - 084	NICKEL - 105	SATIN NICKEL - 171	DARK BRONZE - 172	GRAIN - 954	CLEAR - 900	COTTAGE GATE - 920	DESIGN #40 - 040	DESIGN #53 - 953	FROSTED VINE - 961	WHITE VINE - 964	HAMMER - 965	RAINDROP - 970	MISTELITE - 981	FROST - 986 MIRROR	PAGE
ALCOVE SHOWER DOORS (COM	VT'D)																														
ALEXA 1-PANEL	105483	L	•		•		•			•						•					•										54
ALEXA 1-PANEL	105484		•		•	•	•			•						•					•										54
ALEXA 1-PANEL	105485		•		•		•			•						•					•										54
ALEXA 1-PANEL	105486		•		•		•			•						•					•										54
KLEARA 1-PANEL	136445		•	•			•			•						•	•				•								•		55
KLEARA 1-PANEL	136446		•	•			•			•						•	•				•								•		55
KLEARA 1-PANEL	136447		•	•			•			•						•	•				•								•		55
KLEARA 1-PANEL	136448		•	•			•			•						•	•				•								•		55
KLEARA 1-PANEL	136449		•	•			•			•						•	•				•								•		55
MADONO 1-PANEL	105420		•	•			•			•						•					•										57
MADONO 1-PANEL	105416		•	•			•			•						•					•			Т							57
MADONO 1-PANEL	105417		•	•			•			•						•					•										57
MADONO 1-PANEL	105418		•	•			•			•						•		Т			•			Т		Т					57
PIVOLOK 1-PANEL	136605	•	•				•			•						•					•							•			58
PIVOLOK 1-PANEL	136615	•	•				•			•					•	•					•		•			Π		•			58
PIVOLOK 1-PANEL	136625	•	•				•			•					•	•					•		•					•			58
PIVOLOK 1-PANEL	136626	•	•				•			•					•	•		Т			•		•	T		Т		•			58
PIVOLOK 1-PANEL	136635	•	•				•			•					•	•					•		•					•			58
PIVOLOK 1-PANEL	136645	•	•				•			•						•					•							•			58
PIVOLOK 1-PANEL	136655	•	•				•			•						•					•							•			58
PIVOLOK 1-PANEL	136656	•	•				•			•						•					•			Т		Т		•			58
PIVOLOK DELUXE 1-PANEL	136425	•	•				•			•					•	•							•				•				60
PIVOLOK DELUXE 1-PANEL	136435	•					•			•						•					•					Т	•				60
CORNER SHOWER DOORS	100100																														
CORINTO I ROUND	100563	•							•				•		•	•					•	•									61
CORINTO II ROUND	100564	•							•			•			•	•	•				•										62
CORINTO III ROUND	100565	•							•			•			•	•					• •	•		Т		Т					63
TULLY ROUND	137595			•					•				•			•	•				•										64
TULLY ROUND	137596			•					•			•				•	•	Т			•		T	Т		Т					64
CONTOURA NEO-ROUND	137523	•							•			•			•	•	•				•							•			65
CONTOURA NEO-ROUND	137524	•							•			•			•	•	•				•					Т		•			65
CONTOURA NEO-ROUND	137540	•							•			•			•	•	•				•							•			65
INTUITION NEO-ROUND	137200			•					•			•				•	•		1		•								•		66
INTUITION NEO-ROUND	137210			•					•			•				•	•				•								•		66
INTUITION NEO-ROUND	137220			•					•			•				•	•				•								•		66
INTUITION NEO-ROUND	137230			•					•			•				•					•								•		66
TALEN NEO-ROUND	137593			•					•			•					•				•									•	68
.alen neo-noond	101030	_		-								-				-	_				-								Ш	-	

Summary: Doors Features (cont'd)


					ELESS GL/ IICKNESS	ASS			OF	PEN	ING			FI	RAI	ME	FIN	IISH	<u>.</u>				PA	NE	L F	INIS	SH				
NAME	MODEL	FRAMED	REVERSIBLE DOOR	1/4 IN. / 6 MM	5/16 IN. / 8 MM	3/8 IN. / 10 MM	1-PANEL	2-PANEL	3-PANEL	SLIDER	FOLDING PANEL	CENTRAL	LATERAL	MAT SILVER - 170	WHITE - 001	CHROME - 084	NICKEL - 105	SATIN NICKEL - 171	DARK BRONZE - 172	GRAIN - 954	POLYCRYSTAL - 920	COTTAGE GATE - 922	DESIGN #49 - 949	DESIGN #53 - 953	FROSTED VINE - 961	WHITE VINE - 964	HAMMER - 965	RAINDROP - 970	MISTELITE - 981	FROST - 986 MIRROR	PAGE
CORNER SHOWER DOORS (C				•						•		•					•			•											00
TALEN NEO-ROUND	137594			-												•															68
TALEN NEO-ROUND	137566			•						•		•				•	•			•									-	•	68
ILLUSION NEO-ANGLE	137630	•								•		•			•	•				•								•			69
ILLUSION NEO-ANGLE	137610	•								•		•			•	•				•								•			69
ILLUSION NEO-ANGLE	137650	•								•		•			•	•				•								•			69
ILLUSION NEO-ANGLE	137660	•								•		•				•				•											69
INTUITION NEO-ANGLE	137240			•						•		•				•	•			•									•		70
INTUITION NEO-ANGLE	137250			•						•		•				•	•			•									•		70
INTUITION NEO-ANGLE	137260			•						•		•				•	•			•									•		70
SILHOUETTE NEO-ANGLE	137904	•	•							-	•				•	•				•				•				•			71
SILHOUETTE NEO-ANGLE	137901	•	•							•	•				•	•				•				•				•			71
SILHOUETTE PLUS NEO-ANGLE	137700	•	•							-	•					•											•				72
SILHOUETTE PLUS NEO-ANGLE	137720	•	•							•	•					•				•							•				72
SILHOUETTE PLUS NEO-ANGLE	137710	•	•							•	•					•				•							•				72
SILHOUETTE PLUS NEO-ANGLE	137730	•	•							•	•					•				•			•				•	•			72
SILHOUETTE PLUS NEO-ANGLE	137740	•	•							•	•					•											•				72
SILHOUETTE PLUS NEO-ANGLE	137750	•	•							•	•					•											•				72
VISION NEO-ANGLE	137690		•			•				•			•			•	•			•											74
CENTRIC SQUARE	137561			•						•		•				•	•			•									•	•	75
CENTRIC SQUARE	137562			•						•		•				•	•			•									-	•	75
CENTRIC SQUARE	137563			•						•		•				•	•			•											75



Tub & Shower Door Systems

TYPES OF OPENING

Whether you choose a sliding or pivot door, all models boast a wide opening for easy access to the shower or tub shower.



* Side of opening is determined by location of the hinges: LEFT HANDLE / RIGHT HINGE = RIGHT OPENING

RIGHT HANDLE / LEFT HINGE = LEFT OPENING

DOOR MEASUREMENTS

3 Folding Panels

Lateral Opening

The following measurements are required to determine the door size.

1-Panel Pivot Right or

Left-Hand Opening*

Note that a small door adjustment allows for minor variation in the width measurements. See product page for door adjustment.

With the door type and measurements in hand, select the door that fits the intended area.

- Use the largest width measurement (A, B or C) to select door model size. Example: A=31 in., B=31 ½ in., C=31 ¼ in. requires a 31 ½ in. door. Note: If there is no model in the required size, select the next higher range or width.
- Select door(s) with sizes equal to or less than the height measurement (D).


Corner Door

- Use the wall measurement (A) to select door model size. Example: A = 32 in. requires a 32 x 32 door.
- Note: For neo-round and neo-angle doors, use the side panel measurement (B) to check if the selected door fits the base.
- Select door(s) with sizes equal to or less than the height measurement (C).













SQUARE

ALCOVE SHOWER

ALCOVE TUB

- A B Width from wall to wall
- Height of the wall from the top of the base to the top of the wall

Note: It is normal for the door to be smaller than the base as the door is positioned at the center of the threshold. A small door adjustment allows for minor variation in width measurements.


NEO-ROUND

(A) Length along the wall from finished wall to the end of the threshold

- Reo-round: Width along the exterior of the threshold from finished wall to the first corner of the base
 - Neo-angle and Square: Width along the exterior of the threshold from finished wall to the end of the straight line
- Height of the wall from the top of the base to the top of the wall.




PERFECT FIT






We offer lateral adjustment systems to ensure the door you select will fit your shower or tub shower opening as best as possible. Whether it is in the wall jambs or in the hinges, adjustment should compensate for out of plumb walls so you will have a worry-free installation experience. MAAX doors can be installed on most of our acrylic and fiberglass products as well as ceramic walls and bases.

WATERTIGHT SEAL



MAAX shower doors are equipped with a number of parts and systems to ensure the optimal watertight performance of your shower door! No effort has been spared to ensure that your shower door is completely watertight: from the multiple seals between the panels or on wall jambs to the single and double deflectors at the bottom of the door and the angled shower threshold that also redirects the water to the inside of the shower. A door's seal also depends on the type of latch used in sliding or pivot doors. Various magnetic strips with flat, angled or interlocking magnets provide shower panels with a watertight seal for a completely leakproof tub or tub shower.

ENJOYMENT WITHOUT THE WORRY



A simple, well-designed shower door makes it easy to enjoy a well-deserved bath or shower without the worry. The ball bearing roller system, Sure-Glide track system, and bottom door guides make operating your shower panels a snap. Plus, they are easy to clean and minimize deposits and soap residue between panels.

The **Sure-Glide** system is offered on a selection of 2 and 3-panel doors. While suspending the door and keeping it away from the accumulation of water residue that can build in the bottom track, this unique feature makes the door easy to clean.

MAAX designs doors easy to clean.

The rollers are designed to be removed easily, which makes it simple to clean. On the alcove sliding doors, the **EZ Kleen® track system** is offered. The bottom track is designed to avoid water and residue accumulation, making it easy to clean.

FRAMELESS LOOK VS FRAMED



Frameless

Our frameless shower doors feature the beauty of your glass door rather than the metal framing. A clean modern look which gives your bath area a spacious feel.

Framed

Our aluminum framed doors offer stability, security and function.



Triple Plus 3-panel

- 3-panel framed sliding door for tub and tub shower
- Bottom guide rail to hold the panels and provide smooth and quiet opening
- Additional lateral jamb seal assures watertight closing
- Sure-Glide bottom track prevents residue build-up for ease of cleaning
- 3 panel door offers a wider opening (2/3 of wall opening)



TRIPLE PLUS - THREE-PANEL SLIDING DOOR 52 1/2 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138301-970-001			White	2.9 ft ³	57.4 lb	\$ 467
138301-970-084	Lateral	Raindrop tempered glass	Chrome	2.9 ft ³	57.4 lb	\$ 467
138301-970-105			Nickel	2.9 ft ³	57.4 lb	\$ 512

Radius: N/A Width: maximum: 52 1/2 in. Standard Height: 56 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

TRIPLE PLUS - THREE-PANEL SLIDING DOOR 52 1/2 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138310-949-001			White	2.9 ft ³	57.4 lb	\$ 500
138310-949-084		Design #49 tempered glass / Mirror	Chrome	2.9 ft ³	57.4 lb	\$ 500
138310-949-105	Lateral		Nickel	2.9 ft ³	57.4 lb	\$ 545
138310-970-001	Lateral		White	2.9 ft ³	57.4 lb	\$ 478
138310-970-084		Raindrop tempered glass / Mirror	Chrome	2.9 ft ³	57.4 lb	\$ 478
138310-970-105			Nickel	2.9 ft ³	57.4 lb	\$ 522

Hadius: N/A Width: maximum: 52 1/2 in. Standard Height: 56 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

TRIPLE PLUS - THREE-PANEL SLIDING DOOR 55 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138308-970-001			White	2.87 ft ³	59.4 lb	\$ 457
138308-970-084	Lateral	Raindrop tempered glass	Chrome	2.87 ft ³	59.4 lb	\$ 457
138308-970-105			Nickel	2.87 ft ³	59.4 lb	\$ 500

Radius: N/A Width: maximum: 55 in. Standard Height: 56 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

MAAX

Triple Plus 3-panel (cont'd)

TRIPLE PLUS - THREE-PANEL SLIDING DOOR 55 IN.

		20011 00 1111				
No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138309-949-001			White	2.87 ft ³	59.4 lb	\$ 500
138309-949-084	Lateral	Design #49 tempered glass / Mirror	Chrome	2.87 ft ³	59.4 lb	\$ 500
138309-949-105			Nickel	2.87 ft ³	59.4 lb	\$ 545
Radius: N/A						

Hadius: N/A
Width: maximum: 55 in.
Standard Height: 56 in.
Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls

TRIPLE PLUS - THREE-PANEL SLIDING DOOR 59 1/2 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138400-900-084		Clear tempered glass	Chrome	2.9 ft ³	61.95 lb	\$ 490
138400-900-105	Lateral	Clear tempered glass	Nickel	2.9 ft ³	61.95 lb	\$ 532
138400-949-001		Design #40 tempered glass	White	2.9 ft ³	61.95 lb	\$ 517
138400-949-084		Design #49 tempered glass	Chrome	2.9 ft ³	61.95 lb	\$ 517
138400-970-001			White	2.9 ft ³	61.95 lb	\$ 490
138400-970-084		Raindrop tempered glass	Chrome	2.9 ft ³	61.95 lb	\$ 490
138400-970-105			Nickel	2.9 ft ³	61.95 lb	\$ 532

Radius: N/A Width: maximum: 59 1/2 in. Standard Height: 56 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

TRIPLE PLUS - THREE-PANEL SLIDING DOOR 59 1/2 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138401-949-001	Lateral		White	2.9 ft ³	60.95 lb	\$ 538
138401-949-084		Design #49 tempered glass / Mirror	Chrome	2.9 ft ³	60.95 lb	\$ 538
138401-949-105			Nickel	2.9 ft ³	60.95 lb	\$ 582
138401-970-001			White	2.9 ft ³	60.95 lb	\$ 527
138401-970-084		Raindrop tempered glass / Mirror	Chrome	2.9 ft ³	60.95 lb	\$ 527
138401-970-105			Nickel	2.9 ft ³	60.95 lb	\$ 570

Radius: N/A Width: maximum: 59 1/2 in. Standard Height: 56 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

TRIPLE PLUS - THREE-PANEL SLIDING DOOR 64 1/2 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138303-900-084	Lateral	Clear tempered glass	Chrome	3.58 ft ³	63.35 lb	\$ 560
138303-900-105	Lateral	Clear tempered glass	Nickel	3.58 ft ³	63.35 lb	\$ 603
Radius: N/A Width: maximum: 64 1/2 in. Standard Height: 56 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square v	walls					

TRIPLE PLUS - THREE-PANEL SLIDING DOOR 72 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138304-949-001			White	3.96 ft ³	63.35 lb	\$ 609
138304-949-084	Lateral	Design #49 tempered glass	Chrome	3.96 ft ³	63.35 lb	\$ 609
138304-949-105			Nickel	3.96 ft ³	63.35 lb	\$ 642
Radius: N/A Width: maximum: 72 in. Standard Height: 56 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square v	walls					

COMMON OPTIONS

No	Description	Approx. weight	List Price
10041702-000-601	Wall jamb kit to fit Mirolin unit TS60 and TS603	N/A	\$ 31

20 - DOORS USA - EFFECTIVE DATE 07/01/11 **MAAX**

Canvas 2-panel

- 2-panel frameless sliding door for alcove tub
- EZ Kleen track system. A simple swipe will clean up the rail
- Chrome knobs
- Reversible top header, choose from two different designs
- Towel hook included





CANVAS - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 5MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
104031-900-170	Lateral	Clear tempered glass	Mat Silver	3.32 ft ³	70 lb	\$ 459

Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 55 1/2 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

DID YOU KNOW? 2 FOR 1


Did you know many of our slider doors headers are reversible? You can chose between two designs.




*Header design may vary per door model.


















Cottage Gate 2-panel

- 2-panels 1/4 in./6 mm frameless sliding door for alcove tub
- 2 chrome knobs for a simple look
- Reversible top header, choose from two different designs
- EZ Kleen track system. A simple swipe will clean up the rail



COTTAGE GATE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138350-922-084	Lateral	Cottons Coto tompound along	Chrome	3.88 ft ³	3.88 ft ³ 83 lb	\$ 527
138350-922-171		Cottage Gate tempered glass	Satin Nickel	3.88 ft ³	83 lb	\$ 574

Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 57 3/8 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

MAAX*

Decor Plus 2-panel

- 2-panel framed sliding door for tub and tub shower
- Bottom door guide to hold the panels and provide smooth opening
- Additional lateral jamb seal assures watertight closing
- Sure-Glide bottom track prevents residue build-up for ease of cleaning
- Resistant ball bearing rollers for smooth handling of panels



DECOR PLUS - TWO-PANEL SLIDING DOOR 56 3/4 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
136302-970-084	Lateral	Raindrop tempered glass	Chrome	2.44 ft ³	53.8 lb	\$ 338

Radius: N/A Width: maximum: 56 3/4 in. Standard Height: 56 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

DECOR PLUS - TWO-PANEL SLIDING DOOR 59 1/2 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
136300-900-084	Lateral	Clear tempered glass	Chrome	3.32 ft ³	54.8 lb	\$ 359
136300-970-084		Raindrop tempered glass	Chrome	3.32 ft ³	54.8 lb	\$ 359

Radius: N/A Width: maximum: 59 1/2 in. Standard Height: 56 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls



Filigree 2-panel

- 2-panel, 1/4 in. (6 mm) frameless sliding door for tub and tub shower
- Clear tempered safety glass
- Heavy-duty brass sealed bearing roller
- EZ Kleen track system. A simple swipe will clean up the rail
- Stylish towel bar. Reversible header one side round and one side flat



FILIGREE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
105477-900-084	Lateral	Clear tempered glass	Chrome 3.15 ft ³ 8	82 lb	\$ 462	
105477-900-171		Clear tempered glass	Satin Nickel	3.15 ft ³	82 lb	\$ 499

Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 57 3/8 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

MAAX*

Gondola 2-panel

- 2-panel 3/8 in./10 mm frameless sliding door for tub and tub shower
- Rust-proof aluminum
- Heavy-duty brass sealed bearing roller
- EZ Kleen track system. A simple swipe will clean up the rail
- Curved handles. Reversible header one side round and one side flat







GONDOLA - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 10 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
105482-900-084	Lateral	Clear tempered glass	Chrome	3.32 ft ³	89.9 lb	\$ 835

Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 57 7/8 in. Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls

DID YOU KNOW? 2 FOR 1


Did you know many of our slider doors headers are reversible? You can chose between two designs.



Round header*










Sky 2-panel sliding door - Flat header





Luminous 2-panel

- 2-panel 3/8 in./10 mm frameless sliding door for tub and tub shower
- Rust-proof aluminum
- Heavy-duty brass sealed bearing roller
- EZ Kleen track system, a simple wipe will clean up the rail
- Acrylic towel bars. Reversible header one side round and one side flat







LUMINOUS - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 10 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
105478-900-084	Lateral	Clear tempered glass	Chrome 3.32 ft ³ 89.9 lb	\$ 794		
105478-900-171		Clear tempered glass	Satin Nickel	3.32 ft ³	89.9 lb	\$814

Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 57 5/8 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

MAAX*

Mika 2-panel

- 2-panel framed sliding door for alcove tub
- EZ Kleen track system
- Aluminum towel bars





MIKA - TWO-PANEL SLIDING DOOR 54 - 59 1/2 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
105409-965-170	Lateral	Aquatex	Mat Silver	3.32 ft ³	45 lb	\$ 236

Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 55 1/2 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

Opulence 2-panel

- 2-panel 1/4 in./6 mm frameless sliding door for tub and tub shower
- Wall jamb features watertight self caulking seal
- Additional lateral jamb seal assures watertight closing
- Sure-Glide bottom track prevents residue build-up for ease of cleaning
- Resistant ball bearing roller allows smooth handling of panels



OPULENCE - TWO-PANEL FRAMELESS SLIDING DOOR 52 - 56 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138919-900-084	Lateral	Clear tempered alone	Chrome	Chrome 3 ft ³ 89.9 lb	\$ 576	
138919-900-105	Lateral	Clear tempered glass	Nickel	3 ft ³	3 ft ³ 89.9 lb	\$ 642

Radius: N/A Width: minimum: 52 in. maximum: 56 in. Standard Height: 56 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

OPULENCE - TWO-PANEL FRAMELESS SLIDING DOOR 56 - 60 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138920-900-084	Lateral	Clear tempered glass	Chrome	3.31 ft ³	92.2 lb	\$ 609
Radius: N/A						

Width: minimum: 56 in. maximum: 60 in. Standard Height: 60 in.

Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls

COMMON OPTIONS

No	Description	Approx. weight	List Price
10011461-000-601	Steam kit seal option (for 56 to 60 in. sliding door)	N/A	\$ 52



Polar 2-panel

- 2-panel framed sliding door for alcove tub
- EZ Kleen track system
- Aluminum towel bars



POLAR - TWO-PANEL RECTANGULAR SLIDING DOOR 54 - 59 1/2 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
105410-970-084	Lateral	Daindran tamparad alaas	Chrome	Chrome 3.50 ft ³ 64 lb	\$ 396	
105410-970-171		Raindrop tempered glass	Satin Nickel	3.50 ft ³	64 lb	\$ 444

Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 57 3/8 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls



Session 2-panel

- 2-panel, 1/4 in. (6 mm) frameless sliding door for tub and tub shower
- Clear tempered safety glass
- Heavy duty brass sealed bearing roller
- EZ Kleen track system. A simple swipe will clean up the rail
- 2 round towel bars for a clean look. Reversible header one side round and one side flat





SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
105411-900-084	Lateral	Class towns and along	Chrome	3.50 ft ³	83 lb	\$ 483
105411-900-171		Clear tempered glass	Satin Nickel	3.50 ft ³	83 lb	\$ 530

Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 57 3/8 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
105487-900-172	Lateral	Clear tempered glass	Dark Bronze	3.93 ft ³	84 lb	\$ 530
Radius: N/A Width: minimum: 54 in. maxim	um: 59 1/2 in.					

Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in Standard Height: 57 3/8 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls



Sky 2-panel

- 2-panel 1/4 in./6 mm frameless sliding door for tub and tub shower
- Stylized solid brass towel bar
- Reversible header, choose from two different designs
- EZ Kleen track system. A simple swipe will clean up the rail





SKY - TWO-PANEL FRAMELESS SLIDING DOOR 48 - 53 1/2 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
136245-900-084	Lateral	Clear tempered alone	Chrome	5.64 ft ³	82 lb	\$ 487
136245-900-171		Clear tempered glass	Satin Nickel	5.64 ft ³	82 lb	\$ 533
136245-981-084		Mistelite towns and along	Chrome	5.64 ft ³	82 lb	\$ 502
136245-981-171		Mistelite tempered glass	Satin Nickel	5.64 ft ³	82 lb	\$ 560

Radius: N/A Width: minimum: 48 in. maximum: 53 1/2 in. Standard Height: 57 3/8 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

SKY - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	weight	List Price
138360-900-084	Lateral	Clear tempered glass	Chrome	3.88 ft ³	83 lb	\$ 487
138360-900-171		Clear tempered glass	Satin Nickel	3.88 ft ³	83 lb	\$ 533
Radius: N/A Width: minimum: 54 in. maximu Standard Height: 57 3/8 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square						

THE SIZE 48 IN. TO 53 $\frac{1}{2}$ IN. IS IDEAL FOR MOST OF OUR TUB SHOWERS.



Ultima Plus 2-panel

- 2-panel frameless sliding door 3/16 in./5 mm for tub and tub shower
- Bottom door guide rail to hold the panels and provide smooth and quiet opening
- Additional lateral jamb seal assures watertight closing
- Sure-Glide bottom track prevents residue build-up for ease of cleaning
- Resistant ball bearing rollers allow for easy handling of panels





ULTIMA PLUS - TWO-PANEL FRAMELESS SLIDING DOOR 52 - 56 IN., 5 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138900-949-084	Lateral	Design #49 tempered glass	Chrome	3.29 ft ³	65.2 lb	\$ 424

Radius: N/A Width: minimum: 52 in. maximum: 56 in. Standard Height: 56 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

COMMON OPTIONS

No	Description	Approx. weight	List Price
10041702-000-601	Wall jamb kit to fit Mirolin unit TS60 and TS603	N/A	\$ 31

DID YOU KNOW?

Did you know that we sell replacement sealing gaskets, water deflectors and other parts for our doors? See our new **MAAX** Digital Door Parts Book for codes. Ask your **MAAX** representative for more information.

A satisfied customer is a loyal customer!





Bubble Seal Between



Single Water Deflector





Watertight Seal on Wall Channel



Vibe 2-panel

- 2-panel 3/16 in./5 mm frameless sliding door for alcove tubStylize vertical handle
- Reversible header, choose from two different designs
- EZ Kleen track system. A simple swipe will clean up the rail





VIBE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 5MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138340-954-084	Lateral	Grain tempered glass	Chrome	3.88 ft ³	83 lb	\$ 527
138340-954-171		Grain tempered glass	Satin Nickel	3.88 ft ³	83 lb	\$ 574

Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 57 3/8 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

Vine 2-panel

- 2-panel, 1/4 in./6 mm frameless sliding door tub and tub shower Heavy-duty brass sealed bearing roller
- EZ Kleen track system. A simple swipe will clean up the rail
- Wavy towel bar. Reversible header one side round and one side flat







VINE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
105495-964-084	Lateral	White Vine	Chrome	3.15 ft ³	82 lb	\$ 478
105495-964-171		write ville	Satin Nickel	3.15 ft ³	82 lb	\$ 520

Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 57 3/8 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

MAAX

Tub Shield 1-panel

- 1-panel frameless tub shield pivot shield for tub
- Waterproof gasket at the bottom
- 180 degree pivot mechanism allowing full access to the tub
- Can be installed on left or right





TUB SHIELD - ONE-PANEL FRAMELESS PIVOT DOOR 30 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
135130-900-001	Left and right	Clear tempered alone	White	3.27 ft ³	37 lb	\$ 413
135130-900-084		Clear tempered glass	Chrome	3.27 ft ³	37 lb	\$ 413

Radius: N/A Radius: N/A Width: maximum: 30 in. Standard Height: 56 1/2 in. Access: N/A Door Opening: Left and right Adjustment: for out-of-square walls

DELUXE TUB SHIELD - ONE-PANEL FRAMELESS PIVOT DOOR 30 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
135630-900-084	Left and right	Clear tempered glass	Chrome	3.27 ft ³	37 lb	\$ 462
Radius: N/A Width: maximum: 30 in. Standard Height: 56 1/2 in. Access: N/A						

WHAT IS DELUXE VERSION?

The glass holder of the tub shield 135130 is black while the deluxe version 135630 is chrome in anodized extruded aluminum.





135630, deluxe version

3 folding panels

- 3-panel folding tub shield
- 180 degree pivot mechanism allowing full access to the tub
- Can be installed on left or right



3 FOLDING PANELS - THREE-PANEL FOLDING DOOR 39 1/2 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price	
135340-900-084	Left and right	Clear tempered glass	Chrome	2.92 ft ³	38 lb	\$ 572	

Radius: N/A Width: maximum: 39 1/2 in. Standard Height: 56 1/2 in. Access: N/A Door Opening: Left and right Adjustment: for out-of-square walls

MAAX*

Triple Plus 3-panel

- 3-panel framed sliding door for alcove shower
- Bottom door guide rail to hold the panels and provide smooth and quiet opening
- Additional lateral jamb seal assures watertight closing
- Sure-Glide bottom track prevents residue build-up for ease of cleaning



TRIPLE PLUS - THREE-PANEL SLIDING DOOR 36 X 69 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138299-970-084	Lateral	Daindran town and along	Chrome	3.05 ft ³	48.5 lb	\$ 397
138299-970-105		Raindrop tempered glass	Nickel	3.05 ft ³	48.5 lb	\$ 446
Radius: N/A						

Radius: N/A Width: maximum: 36 in. Standard Height: 69 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

TRIPLE PLUS - THREE-PANEL SLIDING DOOR 40 X 66 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138293-970-001			White	2.86 ft ³	49.75 lb	\$ 478
138293-970-084	Lateral	Raindrop tempered glass	Chrome	2.86 ft ³	49.75 lb	\$ 478
138293-970-105			Nickel	2.86 ft ³	49.75 lb	\$ 522
Radius: N/A Width: maximum: 40 in. Standard Height: 66 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square w	valls					

TRIPLE PLUS - THREE-PANEL SLIDING DOOR 42 1/2 X 66 IN.

IMIFEE FEOD - IMMEE-FAMEE GEIDING DOON 72 1/2 X OO IM.								
No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price		
138294-970-084	Lateral	Daindyan tananayad alaas	Chrome	2.86 ft ³	53.05 lb	\$ 478		
138294-970-105	Lateral	Raindrop tempered glass	Nickel	2.86 ft ³	53.05 lb	\$ 522		
Radius: N/A Width: maximum: 42 1/2 in. Standard Height: 66 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square v	walls							

TRIPLE PLUS - THREE-PANEL SLIDING DOOR 43 X 69 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138290-900-001			White	3.24 ft ³	71.6 lb	\$ 462
138290-900-084		Clear tempered glass	Chrome	3.24 ft ³	71.6 lb	\$ 462
138290-900-105			Nickel	3.24 ft ³	71.6 lb	\$ 545
138290-965-001	Lateral		White	3.24 ft ³	71.6 lb	\$ 462
138290-965-084		Hammer tempered glass	Chrome	3.24 ft ³	71.6 lb	\$ 462
138290-965-105			Nickel	3.24 ft ³	71.6 lb	\$ 545
Radius: N/A						

Width: maximum: 43 in. Standard Height: 69 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls



Triple Plus 3-panel (cont'd)

TRIPLE PLUS - THREE-PANEL SLIDING DOOR 44 1/2 X 66 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138296-970-084	Lateral	Deindung town and along	Chrome	2.86 ft ³	53.85 lb	\$ 511
138296-970-105	Lateral	Raindrop tempered glass	Nickel	2.86 ft ³	53.85 lb	\$ 555
Radius: N/A Width: maximum: 44 1/2 in. Standard Height: 66 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square v	walls					

TRIPLE PLUS - THREE-PANEL SLIDING DOOR 48 X 66 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138297-970-084	Lateral	Raindrop tempered glass	Chrome	2.86 ft ³	62.55 lb	\$ 545
Radius: N/A						

Radius: N/A
Width: maximum: 48 in.
Standard Height: 66 in.
Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls

TRIPLE PLUS - THREE-PANEL SLIDING DOOR 48 X 69 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138291-900-084	Lateral	Clear tempered alone	Chrome	3.23 ft ³	63 lb	\$ 467
138291-900-105		Clear tempered glass	Nickel	3.23 ft ³	63 lb	\$ 555
138291-965-084		Hammar tamparad alaas	Chrome	3.23 ft ³	63 lb	\$ 467
138291-965-105		Hammer tempered glass	Nickel	3.23 ft ³	63 lb	\$ 555
Desiline NI/A						

Radius: N/A Width: maximum: 48 in. Standard Height: 69 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

TRIPLE PLUS - THREE-PANEL SLIDING DOOR 52 1/2 X 66 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138313-900-001			White	2.85 ft ³	65 lb	\$ 565
138313-900-084		Clear tempered glass	Chrome	2.85 ft ³	65 lb	\$ 565
138313-900-105	Lateral		Nickel	2.85 ft ³	65 lb	\$ 609
138313-970-001			White	2.85 ft ³	65 lb	\$ 565
138313-970-084		Raindrop tempered glass	Chrome	2.85 ft ³	65 lb	\$ 565
138313-970-105			Nickel	2.85 ft ³	65 lb	\$ 609
Radius: N/A						

Radius: N/A Width: maximum: 52 1/2 in. Standard Height: 66 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

TRIPLE PLUS - THREE-PANEL SLIDING DOOR 54 1/2 X 66 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138314-970-084	Lateral	Raindrop tempered glass	Chrome	2.85 ft ³	65 lb	\$ 570
138314-970-105	Lateral		Nickel	2.85 ft ³	65 lb	\$ 615
Radius: N/A Width: maximum: 54 1/2 in. Standard Height: 66 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square v	walls					

TRIPLE PLUS - THREE-PANEL SLIDING DOOR 58 X 66 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138315-970-084	Lateral	Daindyan tanna and alass	Chrome	2.85 ft ³	65 lb	\$ 582
138315-970-105	Lateral	Raindrop tempered glass	Nickel	2.85 ft ³	65 lb	\$ 625
Radius: N/A Width: maximum: 58 in. Standard Height: 66 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square v	walls					

MAAX*

Triple Plus 3-panel (cont'd)

TRIPLE PLUS - THREE-PANEL SLIDING DOOR 59 1/2 X 71 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138311-900-084		Clear tempered glass	Chrome	3.6 ft ³	77.55 lb	\$ 598
138311-900-105		Clear tempered glass	Nickel	3.6 ft ³	77.55 lb	\$ 642
138311-970-001	Lateral		White	3.6 ft ³	77.55 lb	\$ 598
138311-970-084		Raindrop tempered glass	Chrome	3.6 ft ³	77.55 lb	\$ 598
138311-970-105			Nickel	3.6 ft ³	77.55 lb	\$ 642

Radius: N/A Width: maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

COMMON OPTIONS

No	Description	Approx. weight	List Price
10041702-000-601	Wall jamb kit to fit Mirolin unit S36 and S363	N/A	\$ 31

DID YOU KNOW?

THE DOOR TRIPLE PLUS IS AVAILABLE IN 3 HEIGHTS: 66 IN. (1676MM), 69 IN. (1743MM) AND 71 IN. (1803MM).

DID YOU KNOW?

Did you know that we sell replacement sealing gaskets, water deflectors and other parts for our doors? See our new **MAAX** Digital Door Parts Book for codes. Ask your **MAAX** representative for more information.

A satisfied customer is a loyal customer!





Bubble Seal Between Panel



Single Water Deflector



Watertight Seal on Frameless Door



Watertight Seal on Wall Channel



Cottage Gate 2-panel

- 2-panel 5/16 in./8 mm frameless sliding door for alcove shower
- Engraved clear glass
- 2 Chrome knobs for a clean simple look
- Reversible top header, choose from two different designs
- EZ Kleen track system. A simple swipe will clean up the rail





COTTAGE GATE - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 8 MM

			,			
No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138375-922-084	Lateral	Cottage Gate tempered glass	Chrome 6.33 ft ³ 11	113 lb	\$ 736	
138375-922-171	Lateral	Cottage date tempered glass	Satin Nickel	6.33 ft ³	113 lb	\$ 786

Radius: N/A Width: minimum: 42 in. maximum: 47 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

COTTAGE GATE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 8 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138385-922-084	Lateral	Cottage Cate tempored glass	Chrome	6.33 ft ³	140 lb	\$ 758
138385-922-171	Lateral	Cottage Gate tempered glass	Satin Nickel	6.33 ft ³	140 lb	\$ 808

Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls



Decor Plus 2-panel

- 2-panel framed sliding door for alcove shower
- Bottom door guide rail to hold the panels and provide smooth and quiet opening
- Additional lateral jamb seal assures watertight closing
- Sure-Glide bottom track prevents residue build-up for ease of cleaning
- Resistant ball bearing rollers allow for easy handling of panels



DECOR PLUS - TWO-PANEL SLIDING DOOR 43 IN. X 69 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
135276-970-084	Lateral	Raindrop tempered glass	Chrome	3.24 ft ³	59.9 lb	\$ 418
D II 11/4						

Radius: N/A Width: maximum: 43 in. Standard Height: 69 in. Access: N/A Door Opening: Lateral

DECOR PLUS - TWO-PANEL SLIDING DOOR 44 IN. X 66 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
135280-900-084	Lateral	Clear tempered glass	Chrome	2.86 ft ³	53.85 lb	\$ 478
135280-970-084		Raindrop tempered glass	Chrome	2.86 ft ³	53.85 lb	\$ 478

Radius: N/A Width: maximum: 44 in. Standard Height: 66 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

DECOR PLUS - TWO-PANEL SLIDING DOOR 44 IN. X 69 IN.

135277-970-084	Lateral	Raindrop tempered glass	Chrome	3.24 ft ³	59.9 lb	\$ 418
No	Door Opening	Glass Pattern	Finish	Pkg	Approx.	List Price

Radius: N/A Width: maximum: 44 in. Standard Height: 69 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

MAAX

Filigree 2-panel

- 2-panel 1/4 in./6 mm frameless sliding door for alcove shower
- Clear tempered safety glass
- Heavy-duty brass sealed bearing roller
- EZ Kleen track system. A simple swipe will clean up the rail
- Stylish towel bar. Reversible header one side round and one side flat





FILIGREE - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
105490-900-084	Lateral	Class towns and along	Chrome	3.62 ft ³	86 lb	\$ 510
105490-900-171	Lateral	Clear tempered glass	Satin Nickel	3.62 ft ³	86 lb	\$ 552

Radius: N/A
Width: minimum: 42 in. maximum: 47 1/2 in.
Standard Height: 71 in.
Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls

FILIGREE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
105491-900-084	Lateral	Clear tempered glass	Chrome	3.99 ft ³	106 lb	\$ 541
105491-900-171	Lateral	Clear tempered glass	Satin Nickel	3.99 ft ³	106 lb	\$ 583

Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls



Gondola 2-panel

- 2-panel 3/8 in./10 mm frameless sliding door for alcove shower
- Rust-proof aluminum
- Heavy-duty brass sealed bearing roller
- EZ Kleen track system. A simple swipe will clean up the rail
- Curved handles. Reversible header one side round and one side flat









GONDOLA - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 10 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
105493-900-084	Lateral	Clear tempered glass	Chrome	3.62 ft ³	143 lb	\$ 835

Radius: N/A Width: minimum: 42 in. maximum: 47 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

GONDOLA - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 10 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
105494-900-084	Lateral	Clear tempered glass	Chrome	3.88 ft ³	176 lb	\$ 894
Radius: N/A Width: minimum: 54 in. maxim	um: 59 1/2 in.					

Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls



Kleara® 2-panel

- 2-panel, 1/4 in./6 mm, frameless pivot door for alcove shower
- Exclusive pivot hinge 3-inch (76-mm) lateral adjustment
- Clear sealing joint around the door, preventing water leak
- Central pressure closing
- Full-length aluminum magnetic profile







KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 33 1/2 - 36 1/2 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
136450-900-084	Central	Clear tempered glass	Chrome	2 ft³	65 lb	\$ 536
136450-900-105		Clear tempered glass	Nickel	2 ft ³	65 lb	\$ 561
136450-981-084		Adiabatiba bassas and alasa	Chrome	2 ft ³	65 lb	\$ 561
136450-981-105		Mistelite tempered glass	Nickel	2 ft ³	65 lb	\$ 612

Radius: N/A Width: minimum: 33 1/2 in. maximum: 36 1/2 in. Standard Height: 69 in. Access: N/A Door Opening: Central Adjustment: 3 in.

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 36 1/2 - 39 1/2 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
136451-900-084		Clear tempered alone	Chrome	2 ft³	70 lb	\$ 561
136451-900-105	Combinal	Clear tempered glass	Nickel	2 ft ³	70 lb	\$ 581
136451-981-084	Central		Chrome	2 ft ³	70 lb	\$ 587
136451-981-105		Mistelite tempered glass	Nickel	2 ft³	70 lb	\$ 607

Radius: N/A Width: minimum: 36 1/2 in. maximum: 39 1/2 in. Standard Height: 69 in. Access: N/A Door Opening: Central Adjustment: 3 in.

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 39 1/2 - 42 1/2 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
136452-900-084	Central	Clear towns and along	Chrome	2 ft ³	74 lb	\$ 587
136452-900-105		Clear tempered glass	Nickel	2 ft ³	74 lb	\$ 607
136452-981-084			Chrome	2 ft ³	74 lb	\$ 612
136452-981-105		Mistelite tempered glass	Nickel	2 ft ³	74 lb	\$ 627

Radius: N/A Width: minimum: 39 1/2 in. maximum: 42 1/2 in. Standard Height: 69 in. Access: N/A Door Opening: Central Adjustment: 3 in.



Kleara® 2-panel (cont'd)

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 42 1/2 - 45 1/2 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
136453-900-084		Clear tempered glass	Chrome	2 ft ³	79 lb	\$ 638
136453-900-105	Central	Clear tempered glass	Nickel	2 ft ³	79 lb	\$ 658
136453-981-084	Central	Mistalita tamparad glass	Chrome	2 ft ³	79 lb	\$ 663
136453-981-105		Mistelite tempered glass	Nickel	2 ft³	79 lb	\$ 678

Radius: N/A Width: minimum: 42 1/2 in. maximum: 45 1/2 in. Standard Height: 69 in.

Access: N/A
Door Opening: Central
Adjustment: 3 in.

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 45 1/2 - 48 1/2 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
136454-900-084		Cleartern and alone	Chrome	2 ft ³	83 lb	\$ 663
136454-900-105	Central	Clear tempered glass	Nickel	2 ft ³	83 lb	\$ 683
136454-981-084	Central	Mintelita temperad glass	Chrome	2 ft ³	83 lb	\$ 689
136454-981-105		Mistelite tempered glass	Nickel	2 ft ³	83 lb	\$ 709
Dadius N/A						

Radius: N/A Width: minimum: 45 1/2 in. maximum: 48 1/2 in. Standard Height: 69 in. Access: N/A Door Opening: Central Adjustment: 3 in.

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 48 1/2 - 51 1/2 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
136455-900-084		Clear tempered along	Chrome	3 ft³	88 lb	\$ 689
136455-900-105	Oznakoval	Clear tempered glass	Nickel	3 ft ³	88 lb	\$ 709
136455-981-084	Central	Mistolita tampayad glass	Chrome	3 ft ³	88 lb	\$ 714
136455-981-105		Mistelite tempered glass	Nickel	3 ft ³	88 lb	\$ 734

Radius: N/A Width: minimum: 48 1/2 in. maximum: 51 1/2 in.

Standard Height: 69 in. Access: N/A
Door Opening: Central
Adjustment: 3 in.

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 51 1/2 - 54 1/2 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
136456-900-084		Clear tempered along	Chrome	3 ft ³	92 lb	\$ 714
136456-900-105	Control	Clear tempered glass	Nickel	3 ft³	3 ft ³ 92 lb	\$ 734
136456-981-084	Central	Mintalita tamanayad alaga	Chrome	3 ft³	92 lb	\$ 740
136456-981-105		Mistelite tempered glass	Nickel	3 ft³	92 lb	\$ 760

Radius: N/A Hadius: N/A Width: minimum: 51 1/2 in. maximum: 54 1/2 in. Standard Height: 69 in. Access: N/A Door Opening: Central Adjustment: 3 in.

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 54 1/2 - 57 1/2 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
136457-900-084		Clear tempered glass	Chrome	3 ft ³	96 lb	\$ 740
136457-900-105	Central	Clear tempered glass	Nickel	3 ft ³	96 lb	\$ 765
136457-981-084	Central	Mintelite terror and along	Chrome	3 ft ³	96 lb	\$ 791
136457-981-105		Mistelite tempered glass	Nickel	3 ft³	96 lb	\$ 785

Radius: N/A Width: minimum: 54 1/2 in. maximum: 57 1/2 in. Standard Height: 69 in.

Access: N/A
Door Opening: Central
Adjustment: 3 in.



Kleara - Two-panel frameless pivot door 57 1/2 - 60 1/2 In., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
136458-900-084		Clear tempered along	Chrome	3 ft ³	101 lb	\$ 765
136458-900-105	Central	Clear tempered glass	Nickel	3 ft ³	101 lb	\$ 785
136458-981-084		Mistalika taran ayad yilaca	Chrome	3 ft ³	101 lb	\$ 791
136458-981-105		Mistelite tempered glass	Nickel	3 ft ³	101 lb	\$811

Radius: N/A Width: minimum: 57 1/2 in. maximum: 60 1/2 in. Standard Height: 69 in. Access: N/A Door Opening: Central Adjustment: 3 in.

DID YOU KNOW?

Did you know the best way to clean you shower glass enclosure is to pass a squeegee after each use. Reduce the build-up of water marks caused by hard water.

Fast, easy and inexpensive!





Luminous 2-panel

- 2-panel 3/8 in./10 mm frameless sliding door for alcove shower
- Rust-proof aluminum
- Heavy-duty brass sealed bearing roller
- EZ Kleen track system. A simple swipe will clean up the rail
- Acrylic towel bars. Reversible header one side round and one side flat







LUMINOUS - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 10 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
105489-900-084	Lotoral	Clear tempered glass	Chrome	3.88 ft ³	176 lb	\$ 851
105489-900-171	Lateral	Clear tempered glass	Satin Nickel	3.88 ft ³	176 lb	\$ 899

Hadius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls


DID YOU KNOW? 2 FOR 1

Did you know many of our slider doors headers are reversible? You can chose between two designs.



Round header*









Sky 2-panel sliding door - Flat header





Opulence 2-panel

- 2-panel, 1/4 in./6 mm, frameless sliding door for alcove shower
- Wall jamb features watertight self caulking seal
- Clear seals keep the door watertight
- Sure-Glide bottom track prevents residue build-up for ease of cleaning





OPULENCE - TWO-PANEL FRAMELESS SLIDING DOOR 40 - 44 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138923-900-084	Lateral	Clear tempered alone	Chrome Nickel	2.85 ft ³	86 lb	\$ 588
138923-900-105		Clear tempered glass		2.85 ft ³	86 lb	\$ 653

Radius: N/A Width: minimum: 40 in. maximum: 44 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

OPULENCE - TWO-PANEL FRAMELESS SLIDING DOOR 44 - 48 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138925-900-084	Lateral	Clear tempered glass	Chrome	3.23 ft ³	89.4 lb	\$ 630
Radius: N/A	40 in					

Width: minimum: 44 in. maximum: 48 in. Standard Height: 71 in. Access: N/A

Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls

OPULENCE - TWO-PANEL FRAMELESS SLIDING DOOR 50 - 54 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138926-900-084	Lateral	Clear terranered place	Chrome	3.5 ft ³	96.7 lb	\$ 653
138926-900-105		Clear tempered glass	Nickel	3.5 ft ³	96.7 lb	\$ 717
Dodina N/A						

Radius: N/A Width: minimum: 50 in. maximum: 54 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

OPULENCE - TWO-PANEL FRAMELESS SLIDING DOOR 56 - 60 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138927-900-084	Lateral	Clear tempered glass	Chrome	3.88 ft ³	110 lb	\$ 663

Radius: N/A Width: minimum: 56 in. maximum: 60 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls


COMMON OPTIONS

No	Description	Approx. weight	List Price
10011461-000-601	Steam kit seal option (for 56 to 60 in. sliding door)	N/A	\$ 52



Polar 2-panel

- 2-panel framed sliding door for alcove shower
- EZ Kleen track system. A simple swipe will clean up the rail
- Aluminum towel bars



POLAR - TWO-PANEL RECTANGULAR SLIDING DOOR 42 - 47 1/2 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
105413-970-084	Lateral	Raindrop tempered glass	Chrome	3.62 ft ³	53 lb	\$ 466
105413-970-171			Satin Nickel	3.62 ft ³	53 lb	\$ 514

Radius: N/A Width: minimum: 42 in. maximum: 47 1/2 in. Standard Height: 68 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

POLAR - TWO-PANEL RECTANGULAR SLIDING DOOR 54 - 59 1/2 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
105412-970-084	Lakamal	Raindrop tempered glass	Chrome	3.99 ft ³	68 lb	\$ 524
105412-970-171	Lateral		Satin Nickel	3.99 ft ³	68 lb	\$ 571

Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 68 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls



Session 2-panel

- 2-panel 1/4 in./6 mm frameless sliding door for alcove shower door
- Clear tempered safety glass
- Heavy-duty brass sealed bearing roller
- EZ Kleen track system. A simple swipe will clean up the rail
- Round towel bars for a clean look. Reversible header one side round and one side flat



SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
105414-900-084	Lateral	Clear tempered glass	Chrome	3.62 ft ³	86 lb	\$ 538
105414-900-171			Satin Nickel	3.62 ft ³	86 lb	\$ 585
105414-900-172			Dark Bronze	3.62 ft ³	86 lb	\$ 585

Radius: N/A Width: minimum: 42 in. maximum: 47 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
105415-900-084	Lateral	Clear tempered glass	Chrome	3.99 ft ³	106 lb	\$ 559
105415-900-171	Lateral		Satin Nickel	3.99 ft ³	106 lb	\$ 606
Radius: N/A	50 d (0 in					

Radius: N/A Width: minimum: 54 in. maximum: 59 Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
105488-900-172	Lateral	Clear tempered glass	Dark Bronze	3.99 ft ³	106 lb	\$ 606
Radius: N/A Width: minimum: 54 in. maximu Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square v						



Sky 2-panel

- 2-panel 5/16 in./8 mm frameless sliding door for alcove shower
- Stylized solid brass towel bar
- Reversible top header; choose from 2 different designs
- EZ Kleen track system. A simple swipe will clean up the rail





SKY - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 8 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138370-900-084	Lateral	Clear tempered glass	Chrome	6.33 ft ³	113 lb	\$ 670
138370-900-171	Lateral		Satin Nickel	6.33 ft ³	113 lb	\$ 712

Radius: N/A Width: minimum: 42 in. maximum: 47 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

SKY - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 8 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138380-900-084		Clear tempered glass	Chrome	6.33 ft ³	140 lb	\$ 693
138380-900-171	Lateral		Satin Nickel	6.33 ft ³	140 lb	\$ 733

Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls



Ultima Plus 2-panel

- 2-panel frameless sliding door for alcove shower
- Bottom door guide rail to hold the panels and provide smooth and quiet opening
- Clear seals keep the door watertight
- Sure-Glide bottom track prevents residue build-up for ease of cleaning
- Resistant ball bearing rollers allow for easy handling of panels





ULTIMA PLUS - TWO-PANEL FRAMELESS SLIDING DOOR 38 - 42 IN., 5 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138906-900-084	Lotorol	Clear tempered glass	Chrome	2.8 ft ³	65 lb	\$ 424
138906-949-084	Lateral	Design #49 tempered glass	Chrome	2.8 ft ³	65 lb	\$ 435

Radius: N/A Width: minimum: 38 in. maximum: 42 in. Standard Height: 69 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls

ULTIMA PLUS - TWO-PANEL FRAMELESS SLIDING DOOR 44 - 48 IN., 5 MM

		,				
No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
138907-900-084	Lateral	Clear tempered glass	Chrome	3.24 ft ³	71.6 lb	\$ 441
Radius: N/A						

Radius: N/A Width: minimum: 44 in. maximum: 48 in. Standard Height: 69 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls



Vine 2-panel

- 2-panel 1/4 in./6 mm frameless sliding door for alcove shower
 Heavy-duty brass sealed bearing roller

- EZ Kleen track system, a simple wipe will clean up the rail
 Wavy towel bars. Reversible header one side round and one side flat







VINE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
105496-961-084	Lateral	Frosted Vine tempered glass	Chrome	3.99 ft ³	106 lb	\$ 541
105496-961-171			Satin Nickel	3.99 ft ³	106 lb	\$ 594
105496-964-084		White Vine	Chrome	3.99 ft ³	106 lb	\$ 557
105496-964-171			Satin Nickel	3.99 ft ³	106 lb	\$ 609
Dodina N/A						

Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls



Alexa® 1-panel

- 1-Panel frameless pivot door for alcove shower
- Tempered 3/8in./10 mm glass
- Optional 1" wall filler for better adjustment
- Decorative handle
- Full length magnetic catch







ALEXA - ONE-PANEL FRAMELESS PIVOT DOOR 24 1/2 - 26 1/2 IN., 10 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
105483-900-084	Left and right	Clear tempered glass	Chrome	2.81 ft ³	50 lb	\$ 452

Radius: N/A Width: minimum: 24 1/2 in. maximum: 26 1/2 in. Standard Height: 67 in.

Access: N/A
Door Opening: Left and right
Adjustment: for out-of-square walls

ALEXA - ONE-PANEL FRAMELESS PIVOT DOOR 28 1/2 - 30 1/2 IN., 10 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
105484-900-084	Left and right	Clear tempered glass	Chrome	2.81 ft ³	58 lb	\$ 473
D II 11/4						

Radius: N/A Width: minimum: 28 1/2 in. maximum: 30 1/2 in. Standard Height: 67 in. Access: N/A Door Opening: Left and right Adjustment: for out-of-square walls

ALEXA - ONE-PANEL FRAMELESS PIVOT DOOR 31 1/2 - 33 1/2 IN., 10 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
105485-900-084	Left and right	Clear tempered glass	Chrome	3.24 ft ³	67 lb	\$ 494
Radius: N/A						

Width: minimum: 31 1/2 in. maximum: 33 1/2 in. Standard Height: 67 in.

Access: N/A
Door Opening: Left and right
Adjustment: for out-of-square walls

ALEXA - ONE-PANEL FRAMELESS PIVOT DOOR 34 1/2 - 36 1/2 IN., 10 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
105486-900-084	Left and right	Clear tempered glass	Chrome	3.26 ft ³	69 lb	\$ 515

Radius: N/A Width: minimum: 34 1/2 in. maximum: 36 1/2 in. Standard Height: 67 in.

Access: N/A
Door Opening: Left and right
Adjustment: for out-of-square walls

MAAX

Kleara® 1-panel

- 1-panel, 1/4 in./6 mm, frameless pivot door for alcove shower
- Exclusive pivot hinge 2-inch (76-mm) lateral adjustment
- Clear sealing joint around the door, preventing water leak









KLEARA - ONE-PANEL FRAMELESS PIVOT DOOR 23 1/2 - 25 1/2 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
136445-900-084		Clear tempered glass	Chrome	2.5 ft ³	42 lb	\$ 357
136445-900-105	Laft and right	Clear tempered glass	Nickel	2.5 ft ³	42 lb	\$ 377
136445-981-084	Left and right	, and the second se	Chrome	2.5 ft ³	42 lb	\$ 383
136445-981-105		Mistelite tempered glass	Nickel	2.5 ft ³	42 lb	\$ 403

Radius: N/A Width: minimum: 23 1/2 in. maximum: 25 1/2 in. Standard Height: 69 in. Access: N/A Door Opening: Left and right Adjustment: 2 in.

KLEARA - ONE-PANEL FRAMELESS PIVOT DOOR 25 1/2 - 27 1/2 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
136446-900-084	Clear tempered glass	Chrome	3 ft ³	45 lb	\$ 377	
136446-900-105		Clear tempered glass	Nickel	3 ft ³	45 lb	\$ 398
136446-981-084	Left and right	A	Chrome	3 ft ³	45 lb	\$ 413
136446-981-105		Mistelite tempered glass	Nickel	3 ft³	45 lb	\$ 434

Radius: N/A
Width: minimum: 25 1/2 in. maximum: 27 1/2 in.
Standard Height: 69 in.
Access: N/A
Door Opening: Left and right
Adjustment: 2 in.

KLEARA - ONE-PANEL FRAMELESS PIVOT DOOR 27 1/2 - 29 1/2 IN., 6 MM

111111111111111111111111111111111111111	AITELITAME	01 20011 27 172 20 172 1111, 0 111111				
No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
136447-900-084		Clear town and place	Chrome	3 ft ³	48 lb	\$ 398
136447-900-105		Clear tempered glass	Nickel	3 ft ³	48 lb	\$ 418
136447-981-084	Left and right		Chrome	3 ft ³	48 lb	\$ 423
136447-981-105		Mistelite tempered glass	Nickel	3 ft ³	48 lb	\$ 444

Radius: N/A Width: minimum: 27 1/2 in. maximum: 29 1/2 in. Standard Height: 69 in. Access: N/A Door Opening: Left and right Adjustment: 2 in.



Kleara® 1-panel (cont'd)

KLEARA - ONE-PANEL FRAMELESS PIVOT DOOR 29 1/2 - 31 1/2 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
136448-900-084		Clear tempered glass	Chrome	3 ft ³	51 lb	\$ 418
136448-900-105	Left and right		Nickel	3 ft³	51 lb	\$ 439
136448-981-084		Mistelite tempered glass	Chrome	3 ft³	51 lb	\$ 444
136448-981-105			Nickel	3 ft³	51 lb	\$ 464

Radius: N/A Width: minimum: 29 1/2 in. maximum: 31 1/2 in. Standard Height: 69 in. Access: N/A Door Opening: Left and right Adjustment: 2 in.

KLEARA - ONE-PANEL FRAMELESS PIVOT DOOR 31 1/2 - 33 1/2 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
136449-900-084		Cleartenness deleca	Chrome	3 ft ³	54 lb	\$ 439
136449-900-105	Left and right	Clear tempered glass	Nickel	3 ft ³	54 lb	\$ 459
136449-981-084			Chrome	3 ft ³	54 lb	\$ 464
136449-981-105		Mistelite tempered glass	Nickel	3 ft ³	54 lb	\$ 485

Radius: N/A Width: minimum: 31 1/2 in. maximum: 33 1/2 in. Standard Height: 69 in. Access: N/A Door Opening: Left and right Adjustment: 2 in.

DID YOU KNOW?

Did you know we sell replacement magnets for our doors? See our new MAAX Door Parts Book for codes. Ask your **MAAX** representative for more information.

A satisfied customer is a loyal customer!







Madono 1-panel

- 1-panel 1/4 in./6 mm frameless pivot door for alcove shower
- Chrome knob for a clean simple look
- Reversible door for left or right opening





MADONO - FRAMELESS PIVOT DOOR 24 1/2 - 26 1/2 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
105420-900-084	Left and right	Clear tempered glass	Chrome	3.62 ft ³	30 lb	\$ 342

Radius: N/A Width: minimum: 24 1/2 in. maximum: 26 1/2 in. Standard Height: 67 in.

Access: N/A

MADONO - FRAMELESS PIVOT DOOR 28 1/2 - 30 1/2 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
105416-900-084	Left and right	Clear tempered glass	Chrome	3.62 ft ³	32 lb	\$ 368
Radius: N/A						

Nidth: minimum: 28 1/2 in. maximum: 30 1/2 in. Standard Height: 67 in. Access: N/A

Door Opening: Left and right
Adjustment: for out-of-square walls

MADONO - FRAMELESS PIVOT DOOR 31 1/2 - 33 1/2 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price		
105417-900-084	Left and right	Clear tempered glass	Chrome	3.99 ft ³	34 lb	\$ 394		
Radius: N/A								

Width: minimum: 31 1/2 in. maximum: 33 1/2 in. Standard Height: 67 in.

MADONO - FRAMELESS PIVOT DOOR 34 1/2 - 36 1/2 IN., 6 MM

105418-900-084	Left and right	Clear tempered glass	Chrome	3.99 ft ³	36 lb	\$ 420
No	Door Opening	Glass Pattern	Finish	Pkg	Approx.	List Price

Radius: N/A

Width: minimum: 34 1/2 in. maximum: 36 1/2 in. Standard Height: 67 in.

Access: N/A
Door Opening: Left and right
Adjustment: for out-of-square walls

THIS DOOR IS IDEAL FOR OUR ALCOVE SHOWERS, IN ACRYLIC AND FIBERGLASS.

Pivolok 1-panel

- 1-panel framed pivot door for alcove shower
- Full-length magnetic catch concealed in the door edge which allows the door to close tightly
- Reversible door for left or right installation
- Framed integrated channel redirects water toward the inside of the shower
- Full-length aluminum pull reinforces door and doubles as a handle





PIVOLOK - ONE-PANEL PIVOT DOOR 19 - 20 3/4 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
136605-900-084	Left and right	Clear tempered glass	Chrome	2.25 ft ³	25 lb	\$ 283
136605-970-084		Raindrop tempered glass	Chrome	2.25 ft ³	25 lb	\$ 283

Radius: N/A Width: minimum: 19 in. maximum: 20 3/4 in. Standard Height: 64 1/2 in. Access: N/A Door Opening: Left and right Adjustment: 1 3/4 in.

PIVOLOK - ONE-PANEL PIVOT DOOR 21 - 22 3/4 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
136615-900-084	Left and right	Clear tempered glass	Chrome	2.41 ft ³	27.8 lb	\$ 283
136615-949-084		Design #49 tempered glass	Chrome	2.41 ft ³	27.8 lb	\$ 304
136615-970-001		Deindren terror and alone	White	2.41 ft ³	27.8 lb	\$ 283
136615-970-084		Raindrop tempered glass	Chrome	2.41 ft ³	27.8 lb	\$ 283
Radius: N/A						

Width: minimum: 21 in. maximum: 22 3/4 in. Standard Height: 64 1/2 in. Access: N/A Door Opening: Left and right Adjustment: 1 3/4 in.

PIVOLOK - ONE-PANEL PIVOT DOOR 23 - 24 3/4 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
136625-900-001		Clear tempered along	White	2.69 ft ³	30.3 lb	\$ 288
136625-900-084		Clear tempered glass	Chrome	2.69 ft ³	30.3 lb	\$ 288
136625-949-001	Left and right	Design #49 tempered glass	White	2.69 ft ³	30.3 lb	\$ 310
136625-949-084		Design #49 tempered glass	Chrome	2.69 ft ³	30.3 lb	\$ 310
136625-970-001		Deindren tennered along	White	2.69 ft ³	30.3 lb	\$ 288
136625-970-084		Raindrop tempered glass	Chrome	2.69 ft ³	30.3 lb	\$ 288

Radius: N/A Width: minimum: 23 in. maximum: 24 3/4 in. Standard Height: 64 1/2 in. Access: N/A Door Opening: Left and right Adjustment: 1 3/4 in.

MAAX

Pivolok 1-panel (cont'd)

PIVOLOK - ONE-PANEL PIVOT DOOR 25 - 26 3/4 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
136626-900-084	Left and right	Clear tempered glass	Chrome	2.53 ft ³	31.3 lb	\$ 288
136626-949-001		Design #49 tempered glass	White	2.53 ft ³	31.3 lb	\$ 332
136626-970-001		Daindren terranered alone	White	2.53 ft ³	31.3 lb	\$ 288
136626-970-084		Raindrop tempered glass	Chrome	2.53 ft ³	31.3 lb	\$ 288

Width: minimum: 25 in. maximum: 26 3/4 in. Standard Height: 64 1/2 in.

Access: N/A
Door Opening: Left and right
Adjustment: 1 3/4 in.

PIVOLOK - ONE-PANEL PIVOT DOOR 27 - 28 3/4 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
136635-900-001		Clear tempered along	White	2.97 ft ³	32.45 lb	\$ 300
136635-900-084		Clear tempered glass	Chrome	2.97 ft ³	32.45 lb	\$ 300 \$ 310 \$ 310
136635-949-001	Left and right	Left and right	White	2.97 ft ³	32.45 lb	\$ 310
136635-949-084		Design #49 tempered glass	Chrome	2.97 ft ³	32.45 lb	\$ 310
136635-970-001		Deindren tempered alone	White	2.97 ft ³	32.45 lb	\$ 300
136635-970-084		Raindrop tempered glass	Chrome	2.97 ft ³	32.45 lb	\$ 300

Width: minimum: 27 in. maximum: 28 3/4 in. Standard Height: 64 1/2 in.

Access: N/A

Door Opening: Left and right Adjustment: 1 3/4 in.

PIVOLOK - ONE-PANEL PIVOT DOOR 29 - 30 3/4 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
136645-900-084	Left and right	Clear tempered glass	Chrome	3.23 ft ³	34.65 lb	\$ 310
136645-970-084		Raindrop tempered glass	Chrome	3.23 ft ³	34.65 lb	\$ 310

Radius: N/A Width: minimum: 29 in. maximum: 30 3/4 in. Standard Height: 64 1/2 in.

Access: N/A
Door Opening: Left and right
Adjustment: 1 3/4 in.

PIVOLOK - ONE-PANEL PIVOT DOOR 31 - 32 3/4 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
136655-900-084	Left and right	Clear tempered glass	Chrome	3.24 ft ³	36.7 lb	\$ 310
136655-970-084		Raindrop tempered glass	Chrome	3.24 ft ³	36.7 lb	\$ 310

Radius: N/A Width: minimum: 31 in. maximum: 32 3/4 in. Standard Height: 64 1/2 in.

Access: N/A
Door Opening: Left and right
Adjustment: 1 3/4 in.

PIVOLOK - ONE-PANEL PIVOT DOOR 33 - 34 3/4 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
136656-900-084	Laft and dale	Clear tempered glass	Chrome	3.35 ft ³	38.1 lb	\$ 320
136656-970-084	Left and right	Raindrop tempered glass	Chrome	3.35 ft ³	38.1 lb	\$ 320

Radius: N/A Width: minimum: 33 in. maximum: 34 3/4 in. Standard Height: 64 1/2 in.

Access: N/A
Door Opening: Left and right
Adjustment: 1 3/4 in.

COMMON OPTIONS

No	Description	Approx. weight	List Price
10041704-XXX-601	Longevity lifter kit for Corina 18836 and Gel 36 (32 in.). Available for all Pivolok sizes except 33 to 36 in. / 838 to 933 mm in White (001), Chrome (084) and Polished Brass (085).	N/A	\$ 31



Pivolok Deluxe 1-panel

- 1-panel framed pivot door for alcove shower
- Full-length magnetic catch concealed in the door edge which allows the door to close tightly
- Reversible door for left or right installation
- Framed integrated channel redirects water toward the inside of the shower
- Fixed panel allows to increase the adjustment to fit wider shower openings





PIVOLOK DELUXE - ONE-PANEL PIVOT DOOR 28 - 32 1/2 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
136425-949-001	Left and right	Design #40 tempered glass	White	3.26 ft ³	39.5 lb	\$ 386
136425-949-084		Design #49 tempered glass	Chrome	3.26 ft ³	39.5 lb	\$ 386
136425-965-001		Hammon town avail where	White	3.26 ft ³	39.5 lb	\$ 375
136425-965-084		Hammer tempered glass	Chrome	3.26 ft ³	39.5 lb	\$ 375

Radius: N/A Width: minimum: 28 in. maximum: 32 1/2 in. Standard Height: 64 1/2 in. Access: N/A Door Opening: Left and right Adjustment: 4 1/2 in.

PIVOLOK DELUXE - ONE-PANEL PIVOT DOOR 32 1/2 - 37 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
136435-900-001	Left and right	Clear tempered along	White	3.48 ft ³	43 lb	\$ 408
136435-900-084		Clear tempered glass	Chrome	3.48 ft ³	43 lb	\$ 408
136435-949-084		Design #49 tempered glass	Chrome	3.48 ft ³	43 lb	\$ 418
136435-965-084		Hammer tempered glass	Chrome	3.48 ft ³	43 lb	\$ 408


Radius: N/A Width: minimum: 32 1/2 in. maximum: 37 in. Standard Height: 64 1/2 in. Access: N/A Door Opening: Left and right Adjustment: 4 1/2 in.

MAAX

Corinto I round

- Round framed door for corner shower
- Resistant ball bearing roller system
- Sure-Glide bottom track prevents residue build-up for ease of cleaning
- Lateral opening





CORINTO I - ROUND SLIDING DOOR 37 5/8 X 38 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
100563-920-003	Lateral	Delvenuetel	White	14.3 ft ³	39 lb	\$ 702
100563-920-084	Lateral	Polycrystal	Chrome	14.3 ft ³	39 lb	\$ 800

Radius: 27 7/8 in.
Panel: minimum: 37 5/8 in. maximum: 38 in.
Standard Height: 71 3/4 in.
Access: 26 1/8 in.
Door Opening: Lateral
Adjustment: 1 in.

Corinto II round

- Round framed door for corner shower
- Resistant ball bearing roller system
- Sure-Glide bottom track prevents residue build-up for ease of cleaning
- Central opening for easy access



CORINTO II - ROUND SLIDING DOOR 30 5/8 X 31 1/8 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
100564-900-003			White	12.3 ft ³	77 lb	\$ 1,115
100564-900-084		Clear tempered glass	Chrome	12.3 ft ³	77 lb	\$ 1,115
100564-900-105	Central		Nickel	12.3 ft ³	77 lb	\$ 1,277
100564-920-003		Deliveredal	White	12.3 ft ³	77 lb	\$ 843
100564-920-084		Polycrystal	Chrome	12.3 ft ³	77 lb	\$ 973

Radius: 22 1/2 in.
Panel: minimum: 30 5/8 in. maximum: 31 1/8 in.
Standard Height: 71 3/4 in.
Access: VIA
Door Opening: Central

MAAX

Corinto III round

- Round framed door for corner shower
- Resistant ball bearing roller system
- Sure-Glide bottom track prevents residue build-up for ease of cleaning
- Central opening for easy access





CORINTO III - ROUND SLIDING DOOR 37 5/8 X 38 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
100565-900-003		Clear tempered glass	White	12 ft ³	77 lb	\$ 1,373
100565-900-084	Central		Chrome	12 ft ³	77 lb	\$ 1,373
100565-920-003		Polycrystal	White	12 ft ³	77 lb	\$ 853
100565-920-084			Chrome	12 ft ³	77 lb	\$ 989

Radius: 27 7/8 in.
Panel: minimum: 37 5/8 in. maximum: 38 in.
Standard Height: 71 3/4 in.
Access: 26 in.
Door Opening: Central
Adjustment: 1 in.

Tully® round

- Round 1/4 in./6 mm frameless sliding door for corner shower
- Lateral or central opening to maximize shower entrance
- Clear seals keep the door watertight
- Bottom sliding track prevents residue build-up for ease of cleaning
- Resistant ball bearing mechanism allows for easy movement of panels







TULLY - ROUND SLIDING DOOR 36 X 36 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137595-900-084	Letoval	Clear tempered glass	Chrome	11.63 ft ³	121.25 lb	\$ 946
137595-900-105	Lateral		Nickel	11.63 ft ³	121.25 lb	\$ 1,009

Radius: N/A Panel: Standard Height: 70 in. Access: 20 1/4 in. Door Opening: Lateral Adjustment: 1 in.

TULLY - ROUND SLIDING DOOR 36 X 36 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137596-900-084	Control	Clear tempered glass	Chrome	11.63 ft ³	121.25 lb	\$ 1,051
137596-900-105	Central		Nickel	11.63 ft ³	121.25 lb	\$ 1,114
Radius: N/A Panel: Standard Height: 70 in. Access: 20 1/2 in. Door Opening: Central Adjustment: 1 in.						

DID YOU KNOW?

Did you know that most of our doors are equipped with easy to unclip bottom door rollers to simplify the maintenance. Simply unclip, slightly push the door panel and clean away!







Bottom door rollers

Contoura neo-round

- Neo-round framed sliding door for corner shower
- Central opening for easy access to the shower
- Full-length magnetic catch on door panels





CONTOURA - NEO-ROUND SLIDING DOOR 32 X 32 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137523-900-001		Clear tempered glass	White	3.75 ft ³	70.50 lb	\$ 782
137523-900-084			Chrome	3.75 ft ³	70.50 lb	\$ 782
137523-900-105	0		Nickel	3.75 ft ³	70.50 lb	\$ 848
137523-970-001	Central	Raindrop tempered glass	White	3.75 ft ³	70.50 lb	\$ 782
137523-970-084			Chrome	3.75 ft ³	70.50 lb	\$ 782
137523-970-105			Nickel	3.75 ft ³	70.50 lb	\$ 848

Radius: N/A
Panel: minimum: 13 1/2 in. maximum: 14 1/2 in.
Standard Height: 70 in.
Access: 20 1/4 in.
Door Opening: Central
Adjustment: 1 in.

CONTOURA - NEO-ROUND SLIDING DOOR 36 X 36 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137524-900-001		Clear tempered glass	White	4.05 ft ³	75.50 lb	\$ 827
137524-900-084	2		Chrome	4.05 ft ³	75.50 lb	\$ 827
137524-900-105			Nickel	4.05 ft ³	75.50 lb	\$ 891
137524-970-001	Central	Raindrop tempered glass	White	4.05 ft ³	75.50 lb	\$ 827
137524-970-084			Chrome	4.05 ft ³	75.50 lb	\$ 827
137524-970-105			Nickel	4.05 ft ³	75.50 lb	\$ 891

Radius: N/A
Panel: minimum: 12 5/8 in. maximum: 13 5/8 in.
Standard Height: 70 in.
Access: 23 7/8 in.
Door Opening: Central
Adjustment: 1 in.

CONTOURA - NEO-ROUND SLIDING DOOR 40 X 40 IN.

OUTIOUTIA III		OII 40 X 40 IIII				
No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137540-900-001		Clear tempered glass	White	4.06 ft ³	83.95 lb	\$ 860
137540-900-084			Chrome	4.06 ft ³	83.95 lb	\$ 860
137540-900-105	Central		Nickel	4.06 ft ³	83.95 lb	\$ 924
137540-970-001	Central	Raindrop tempered glass	White	4.06 ft ³	83.95 lb	\$ 860
137540-970-084			Chrome	4.06 ft ³	83.95 lb	\$ 860
137540-970-105			Nickel	4.06 ft ³	83.95 lb	\$ 924

Radius: N/A
Panel: minimum: 16 1/2 in. maximum: 17 1/2 in.
Standard Height: 70 in.
Access: 27 7/8 in.
Door Opening: Central
Adjustment: 1 in.



Intuition neo-round

- Neo-round 1/4 in./6 mm frameless sliding door for corner shower
- Fast installation including pre-assembled glass panels
- Watertight seal due to self caulking wall jambs
- Guaranteed easy use with its effortless bottom sliding track and top guide rail





INTUITION - NEO-ROUND FRAMELESS SLIDING DOOR 32 X 32 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137200-900-084		Clear tempered glass	Chrome	6.5 ft ³	85 lb	\$ 836
137200-900-105	Central		Nickel	6.5 ft ³	85 lb	\$ 904
137200-981-084		Mistelite tempered glass	Chrome	6.5 ft ³	85 lb	\$ 848
137200-981-105			Nickel	6.5 ft ³	85 lb	\$ 920
Radius: N/A						

Radius: N/A
Panel:
Standard Height: 70 in.
Access: 19 in.
Door Opening: Central
Adjustment: 1 in.

INTUITION - NEO-ROUND FRAMELESS SLIDING DOOR 36 X 36 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137210-900-084		Clear tempered glass	Chrome	6.5 ft ³	97 lb	\$ 881
137210-900-105	Occupant		Nickel	6.5 ft ³	97 lb	\$ 954
137210-981-084	Central	Mistelite tempered glass	Chrome	6.5 ft ³	97 lb	\$ 893
137210-981-105			Nickel	6.5 ft ³	97 lb	\$ 965
Radius: N/A						

Radius: N/A Panel: Standard Height: 70 in. Access: 22 in. Door Opening: Central Adjustment: 1 in.

INTUITION - NEO-ROUND FRAMELESS SLIDING DOOR 40 X 40 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137220-900-084	Central	Clear tempered glass	Chrome	6.5 ft ³	107 lb	\$ 920
137220-900-105			Nickel	6.5 ft ³	107 lb	\$ 987
137220-981-084		Mistelite tempered glass	Chrome	6.5 ft ³	107 lb	\$ 931
137220-981-105			Nickel	6.5 ft ³	107 lb	\$ 999
Padius: N/A						

Panel: Standard Height: 70 in. Access: 24 in. Door Opening: Central Adjustment: 1 in.

> MAAX Enjoy the experience

Intuition neo-round (cont'd)

INTUITION - NEO-ROUND FRAMELESS SLIDING DOOR 42 X 42 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137230-900-084		Clear tempered glass	Chrome	6.5 ft ³	110 lb	\$ 960
137230-900-105	Central		Nickel	6.5 ft ³	110 lb	\$ 1,021
137230-981-084	Central	Mistelite tempered glass	Chrome	6.5 ft ³	110 lb	\$ 971
137230-981-105			Nickel	6.5 ft ³	110 lb	\$ 1,032
Radius: N/A Panel: Standard Height: 70 in. Access: 25 in. Door Opening: Central						

DID YOU KNOW?

Did you know the best way to clean you shower glass enclosure is to pass a squeegee after each use. Reduce the build-up of water marks caused by hard water.

Fast, easy and inexpensive!



Talen® neo-round

- Neo-round 1/4 in./6 mm frameless sliding door for corner shower
- Central opening for easy access to the shower
- Bottom sliding track prevents residue build-up for ease of cleaning
- Smooth roller mechanism on top and bottom of the door







TALEN - NEO-ROUND FRAMELESS SLIDING DOOR 36 X 36 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137593-900-084	Central	Clear tempered glass	Chrome	7 ft ³	114.64 lb	\$ 946
137593-900-105			Nickel	7 ft³	114.64 lb	\$ 946
137593-986-084		Frost tempered glass	Chrome	7 ft ³	114.64 lb	\$ 999
137593-986-105			Nickel	7 ft ³	114.64 lb	\$ 999

Radius: N/A Panel: Standard Height: 70 in. Access: 18 in. Door Opening: Central Adjustment: 1 in.

TALEN - NEO-ROUND FRAMELESS SLIDING DOOR 40 X 40 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137594-900-084		Clear tempered glass	Chrome	7 ft ³	123.46 lb	\$ 1,051
137594-900-105	Control		Nickel	7 ft ³	123.46 lb	\$ 1,051
137594-986-084	Central	Frost tempered glass	Chrome	7 ft ³	123.46 lb	\$ 1,104
137594-986-105			Nickel	7 ft³	123.46 lb	\$ 1,104
Radius: N/A						

Panel: Standard Height: 70 in. Access: 19 in. Door Opening: Central Adjustment: 1 in.

TALEN - NEO-ROUND FRAMELESS SLIDING DOOR 42 X 42 IN., 6 MM

IALEN - NEU-R	OOND LKAMELE22 2FIDI	NG DOOR 42 X 42 IN., 6 MM				
No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137566-900-084		Clear tempered glass	Chrome	7.6 ft ³	123.46 lb	\$ 1,104
137566-900-105	Central		Nickel	7.6 ft ³	123.46 lb	\$ 1,104
137566-986-084	Central	Frost tempered glass	Chrome	7.6 ft ³	123.46 lb	\$ 1,156
137566-986-105			Nickel	7.6 ft ³	123.46 lb	\$ 1,156
Radius: N/A Panel: Standard Height: 70 in. Access: 19 in. Door Opening: Central Adjustment: 1 in.						

MAAX

Illusion neo-angle

- Neo-angle framed sliding door for corner shower
- Central opening for easy access to the shower
- Full-length magnetic catch on door panels
- Full-length aluminum pull to facilitate closing of the door





ILLUSION - NEO-ANGLE SLIDING DOOR 36 X 36 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137630-900-001		Clear tempered glass	White	3.75 ft ³	67.95 lb	\$ 717
137630-900-084	0		Chrome	3.75 ft ³	67.95 lb	\$ 717
137630-970-001	Central	Raindrop tempered glass	White	3.75 ft ³	67.95 lb	\$ 717
137630-970-084			Chrome	3.75 ft ³	67.95 lb	\$ 717

Radius: N/A
Panel: minimum: 15 7/8 in. maximum: 16 7/8 in.
Standard Height: 70 in.
Access: 25 1/4 in.
Door Opening: Central
Adjustment: 1 in.

ILLUSION - NEO-ANGLE SLIDING DOOR 38 X 38 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137610-900-001		Clear tempered glass	White	3.75 ft ³	71.95 lb	\$ 728
137610-900-084	Ozvetval		Chrome	3.75 ft ³	71.95 lb	\$ 728
137610-970-001	Central	Raindrop tempered glass	White	3.75 ft ³	71.95 lb	\$ 728
137610-970-084			Chrome	3.75 ft ³	71.95 lb	\$ 728

Radius: N/A
Panel: minimum: 17 11/16 in. maximum: 18 11/16 in.
Standard Height: 70 in.
Access: 25 1/4 in.
Door Opening: Central
Adjustment: 1 in.

ILLUSION - NEO-ANGLE SLIDING DOOR 40 X 40 IN.

Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
	Clear tempered glass	White	3.75 ft ³	74.45 lb	\$ 740
0		Chrome	3.75 ft ³	74.45 lb	\$ 740
Gentral	Raindrop tempered glass	White	3.75 ft ³	74.45 lb	\$ 740
		Chrome	3.75 ft ³	74.45 lb	\$ 740
	Door Opening Central	Clear tempered glass	Clear tempered glass Chrome Central Raindrop tempered glass	Clear tempered glass	Clear tempered glass

Radius: N/A
Panel: minimum: 18 7/8 in. maximum: 19 7/8 in.
Standard Height: 70 in.
Access: 25 1/4 in.
Door Opening: Central
Adjustment: 1 in.

ILLUSION - NEO-ANGLE SLIDING DOOR 42 X 42 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137660-900-084	Central	Clear tempered glass	Chrome	3.75 ft ³	80 lb	\$ 750
Radius: 27 1/4 in. Panel: Standard Height: 70 in. Access: N/A Door Opening: Central Adjustment: 1 in.						



Intuition neo-angle

- Neo-angle 1/4 in./6 mm frameless sliding door for corner shower
- Fast installation including pre-assembled glass panels
- Watertight seal due to self caulking wall jambs
- Guaranteed easy use with its effortless bottom sliding track and top guide rail





INTUITION - NEO-ANGLE FRAMELESS SLIDING DOOR 36 X 36 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137240-900-084	Central	Clear tempered glass	Chrome	6.5 ft ³	93 lb	\$ 804
137240-900-105			Nickel	6.5 ft ³	93 lb	\$ 851
137240-981-084		Mistelite tempered glass	Chrome	6.5 ft ³	93 lb	\$ 827
137240-981-105			Nickel	6.5 ft ³	93 lb	\$ 874

Radius: N/A
Panel: minimum: 15 7/16 in. maximum: 16 1/16 in.
Standard Height: 70 in.
Access: 25 1/4 in.
Door Opening: Central
Adjustment: 1 in.

INTUITION - NEO-ANGLE FRAMELESS SLIDING DOOR 38 X 38 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137250-900-084		Clear tempered glass	Chrome	6.5 ft ³	99 lb	\$ 815
137250-900-105	Central		Nickel	6.5 ft ³	99 lb	\$ 862
137250-981-084	Central	Mistelite tempered glass	Chrome	6.5 ft ³	99 lb	\$ 838
137250-981-105			Nickel	6.5 ft ³	99 lb	\$ 885

Radius: N/A
Panel: minimum: 17 7/16 in. maximum: 18 1/16 in.
Standard Height: 70 in.
Access: 25 1/4 in.
Door Opening: Central
Adjustment: 1 in.

INTUITION - NEO-ANGLE FRAMELESS SLIDING DOOR 40 X 40 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137260-900-084		Clear tempered glass	Chrome	6.5 ft ³	105 lb	\$ 899
137260-900-105	2		Nickel	6.5 ft ³	105 lb	\$ 950
137260-981-084	Central	Mistelite tempered glass	Chrome	6.5 ft ³	105 lb	\$ 924
137260-981-105			Nickel	6.5 ft ³	105 lb	\$ 975

Radius: N/A
Panei: minimum: 19 7/16 in. maximum: 20 1/16 in.
Standard Height: 70 in.
Access: 25 1/4 in.
Door Opening: Central
Adjustment: 1 in.

MAAX

Silhouette neo-angle

- Neo-angle framed pivot door for corner shower
- Full-length aluminum pull adds reinforcement and doubles as a handle
- Reversible door for left or right opening
- Gutter is integrated ion the inside of the door
- Adjustable pivot mechanism





SILHOUETTE - NEO-ANGLE PIVOT DOOR 36 X 36 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137904-900-001		Clear tempered glass	White	5.44 ft ³	74 lb	\$ 661
137904-900-084			Chrome	5.44 ft ³	74 lb	\$ 661
137904-953-001	Loft and right	Design #53 tempered glass	White	5.44 ft ³	74 lb	\$ 683
137904-953-084	Left and right		Chrome	5.44 ft ³	74 lb	\$ 683
137904-970-001			White	5.44 ft ³	74 lb	\$ 661
137904-970-084		Raindrop tempered glass	Chrome	5.44 ft ³	74 lb	\$ 661

Radius: N/A
Panel: minimum: 15 11/16 in. maximum: 16 11/16 in.
Standard Height: 70 in.
Access: 25 1/4 in.
Door Opening: Left and right
Adjustment: 1 in.

SILHOUETTE - NEO-ANGLE PIVOT DOOR 38 X 38 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137901-900-001		Clear tempered glass	White	5.76 ft ³	77 lb	\$ 653
137901-900-084			Chrome	5.76 ft ³	77 lb	\$ 653
137901-953-001	Left and right	Design #53 tempered glass	White	5.76 ft ³	77 lb	\$ 685
137901-953-084	Left and right		Chrome	5.76 ft ³	77 lb	\$ 685
137901-970-001		Raindrop tempered glass	White	5.76 ft ³	77 lb	\$ 653
137901-970-084			Chrome	5.76 ft ³	77 lb	\$ 653

Radius: N/A
Panel: minimum: 17 11/16 in. maximum: 18 11/16 in.
Standard Height: 70 in.
Access: 25 1/4 in.
Door Opening: Left and right
Adjustment: 1 in.



Silhouette Plus

- Neo-angle framed pivot door for corner shower
- Full-length aluminum pull reinforces doors and doubles as a handle
- Reversible door for left or right opening
- Gutter is integrated ion the inside of the door
- 6 ways to adjust door to irregular base





SILHOUETTE PLUS - NEO-ANGLE PIVOT DOOR 36 X 36 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137700-965-084	Left and right	Hammer tempered glass	Chrome	5.39 ft ³	65.5 lb	\$ 576

Radius: N/A
Panel: minimum: 14 3/4 in. maximum: 16 in.
Standard Height: 70 in.
Access: 24 1/2 in.
Door Opening: Left and right
Adjustment: 1 1/2 in.

SILHOUETTE PLUS - NEO-ANGLE PIVOT DOOR 36 X 36 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137720-900-084	Loft and right	Clear tempered glass	Chrome	5.55 ft ³	72.25 lb	\$ 576
137720-965-084	Left and right	Hammer tempered glass	Chrome	5.55 ft ³	72.25 lb	\$ 576
Radius: N/A						

Panel: minimum: 15 3/4 in. maximum: 17 in. Standard Height: 70 in. Access: 25 1/2 in. Door Opening: Left and right Adjustment: 1 1/2 in.

SILHOUETTE PLUS - NEO-ANGLE PIVOT DOOR 38 X 38 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137710-900-084	Left and right	Clear tempered glass	Chrome	5.39 ft ³	73.35 lb	\$ 576
137710-965-084		Hammer tempered glass	Chrome	5.39 ft ³	73.35 lb	\$ 576

Radius: N/A
Panel: minimum: 18 in. maximum: 19 1/4 in.
Standard Height: 70 in.
Access: 24 3/4 in.
Door Opening: Left and right
Adjustment: 1 1/2 in.

SILHOUETTE PLUS - NEO-ANGLE PIVOT DOOR 38 X 38 / 40 X 40 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137730-900-084	Left and right	Clear tempered glass	Chrome	5.42 ft ³	71 lb	\$ 588
137730-949-084		Design #49 tempered glass	Chrome	5.42 ft ³	71 lb	\$ 608
137730-965-084		Hammer tempered glass	Chrome	5.42 ft ³	71 lb	\$ 588
137730-970-084		Raindrop tempered glass	Chrome	5.42 ft ³	71 lb	\$ 588

Radius: N/A

Hadlus: N/A
Panel: minimum: 18 in. maximum: 19 1/4 in.
Standard Height: 70 in.
Access: 25 1/2 in.
Door Opening: Left and right
Adjustment: 1 1/2 in.

SILHOUETTE PLUS - NEO-ANGLE PIVOT DOOR 38 X 38 / 40 X 40 IN.

OLLINGSETTE TEG THE ARGENT TO POUT OF A GOT TO A TO INT							
No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price	
137740-965-084	Left and right	Hammer tempered glass	Chrome	6.19 ft ³	72.10 lb	\$ 598	
Radius: N/A							

Hadius: N/A
Panel: minimum: 14 1/2 in. maximum: 15 3/4 in.
Standard Height: 70 in.
Access: 29 1/4 in.

72 - **DOORS**

Door Opening: Left and right Adjustment: 1 1/2 in.

USA - EFFECTIVE DATE 07/01/11



Silhouette Plus (cont'd)

SILHOUETTE PLUS - NEO-ANGLE PIVOT DOOR 38 X 38 / 40 X 40 IN.

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137750-965-084	Left and right	Hammer tempered glass	Chrome	6.19 ft ³	78.5 lb	\$ 598

Radius: N/A
Panel: minimum: 17 in. maximum: 18 1/4 in.
Standard Height: 70 in.
Access: 29 1/4 in.
Door Opening: Left and right
Adjustment: 1 1/2 in.

DID YOU KNOW?

Did you know we sell replacement magnets for our doors? See our new **MAAX** Door Parts Book for codes. Ask your **MAAX** representative for more information.

A satisfied customer is a loyal customer!







Vision neo-angle

- Neo-angle 3/8 in./10 mm frameless pivot door for corner shower
- Automatic closing mechanism
- Reversible door
- Structural anchor rod





VISION - NEO-ANGLE FRAMELESS PIVOT DOOR 40 X 40 IN., 10 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price	
137690-900-084	Left and right	Clear tempered glass	Chrome	7.45 ft ³	180 lb	\$ 1,196	
137690-900-105	Len and right	Clear tempered glass	Clear tempered glass	Nickel	7.45 ft ³	180 lb	\$ 1,262

Radius: N/A
Panel: minimum: 19 1/2 in. maximum: N/A
Standard Height: 70 in.
Access: 24 3/8 in.
Door Opening: Left and right
Adjustment: 5/8 in.

Centric square

- Square 1/4 in./6 mm frameless sliding door for corner shower
- Resistant ball bearing mechanism allowing for easier movement of panels
- Central opening to maximize shower entrance
- Bottom sliding track prevents residue build-up for ease of cleaning
- 3/8 optional wall jambs included



CENTRIC - SQUARE FRAMELESS SLIDING DOOR 32 X 32 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137561-900-084		Clear tempered glass	Chrome	5.44 ft ³	88 lb	\$ 782
137561-900-105	Central	Clear tempered glass	Nickel	5.44 ft ³	88 lb	\$ 782
137561-986-084	Gentral	Frost tempered glass	Chrome	5.44 ft ³	88 lb	\$ 805
137561-986-105			Nickel	5.44 ft ³	88 lb	\$ 805

Radius: N/A
Panel:
Standard Height: 70 in.
Access: 14 in.
Door Opening: Central
Adjustment: 1 in.

CENTRIC - SQUARE FRAMELESS SLIDING DOOR 36 X 36 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price							
137562-900-084		Clear tempered glass	Chrome	5.44 ft ³	99 lb	\$ 805							
137562-900-105	Central	Clear tempered glass	Nickel	5.44 ft ³	99 lb	\$ 805							
137562-986-084	Central	Frost tempered glass	Chrome	5.44 ft ³	99 lb	\$ 827							
137562-986-105			rrost tempered glass	Frost tempered glass	Nickel	5.44 ft ³	99 lb						

Radius: N/A Panel: Standard Height: 70 in. Access: 16 1/2 in. Door Opening: Central Adjustment: 1 in.

CENTRIC - SQUARE FRAMELESS SLIDING DOOR 40 X 40 IN., 6 MM

No	Door Opening	Glass Pattern	Finish	Pkg	Approx. weight	List Price
137563-900-084	Central	Clear tempered glass	Chrome	5.44 ft ³	110 lb	\$ 826
137563-900-105	Central	Clear tempered glass	Nickel	5.44 ft ³	110 lb	\$ 826
Radius: N/A Panel: Standard Height: 70 in. Access: 19 in. Door Opening: Central Adjustment: 1 in.						



Color Chart

ALUMINUM FRAME FINISHES







CHROME (084)



NICKEL (105)



MAT SILVER (170)



SATIN NICKEL (171)



DARK BRONZE (172)

PANEL FINISHES (TEMPERED GLASS)



CLEAR (900)



CORINTO (920)



COTTAGE GATE (922)



DESIGN #49 (949)



DESIGN #53 (953)



GRAIN (954)



FROSTED VINE (961)



WHITE VINE (964)



AQUATEX/HAMMER (965)



RAINDROP (970)



MISTELITE (981)



FROST (986)



MIRROR (-)

^{*} Not all panel patterns are available for all shower door types. See price list for more details.

Terms, Conditions and Warranties

Price

Orders are accepted subject to prices in effect at the time of shipment of this price list and prices are subject to change without notice. The published pricing schedule shows suggested list prices and is subject to a trade discount as determined by MAAX Bath Inc. (hereafter "MAAX"). Orders will be invoiced at the price in effect at the time the orders are placed. Selling prices may be readjusted without notice during the year, for instance if transportation costs increase due to fuel surcharges.

Conditions of acceptance

The acceptance, shipment or delivery of any order is conditional upon approval of MAAX's credit department and upon these sales terms and conditions applying to the order and not any others, unless specifically agreed to in writing by MAAX. MAAX reserves the right to require satisfactory security for performance of the purchaser obligations prior to making shipment on any order. Any sold merchandise remains the property of MAAX until full payment is received, in accordance with applicable laws, such as the Uniform Commercial Code —Sales in the United States.

Terms of payment

General payment terms are net 30 days. A rate of 2% monthly (26.82% per annum, compounded monthly) will apply on overdue accounts. No goods will be delivered to customers not complying with our sales and payment conditions.

Taxes

All prices published are exclusive of applicable taxes.

Lost merchandise

If, upon receipt, the recipient notices that certain products are missing, he must immediately notify our customer service department. The recipient must then indicate which products are missing on the delivery slip and countersign it. The enclosed bill of lading allows you to verify shipped and received merchandise.

Shipping damage

Damage occurring in transit is the responsibility of the carrier. MAAX will not be held responsible for shipping damage. The product should be carefully examined by the user or installer at time of receipt to ensure it is damage free. If any damage is discovered, it should be noted on the freight bill, and a claim should be filed against the carrier as soon as possible. Inspection of the unit prior to installation is the responsibility of the installer or building contractor who acts on behalf of the user, or the user himself. They are responsible for ensuring that the unit is free of defect or damage. In the event of a problem, the unit must not be installed. MAAX is not responsible for failures, costs, damages or claims that could have been discovered, repaired or avoided by proper inspection and testing prior to installation.

Return Policy

MAAX provides a selective and conditional merchandise return program. Product may be returned to MAAX under the following conditions:

- Product is in original, new condition not previously installed or used as display;
- Product has been in the customer's possession for less than 6 months;
- Product is still available in the most current price list (not discontinued) or has not been announced for discontinuation;
- Product is in a standard color or finish, as indicated in the most current price list;
- Any stock product may be returned. To know if a product is a stock unit, please contact the customer care department; and
- Product was received in error, does not represent what the customer ordered or has a manufacturing defect.

Products are not eligible for return to MAAX under the following conditions:

- Product has been previously installed, drilled, permanently marked, spray painted, or in any other way altered from its original condition; Product is "weathered"; degraded due to storage outside or exposure to the elements resulting in discoloration;
- Product is defective due to negligent storage; or
- Product is equipped with any accessories or options.

Prior to returning merchandise a MAAX customer must complete and submit the RGA Request Form supplying general and specific information about the unit(s) for return. MAAX must then authorize and approve the return in writing by issuing an RGA number.

All products are subject to inspection prior to credit reimbursement, and MAAX reserves its right to reduce such reimbursement as follows:

- MAAX will apply a 25% restocking fee against the reimbursement credit for all returns for any reason other than manufacturing defect or MAAX error.
- A repair cost will be applied against the credit reimbursement for any repair required to bring a product back to 100% resalable condition. In these circumstances the customer will be notified.
- · Any unit returned via common carrier must have the freight prepaid by the customer.
- For any product returned that does not qualify for return as specified above
 or does not match the RGA form, MAAX will charge a \$25 per unit handling
 fee. MAAX will notify customers in such instances and the customer will be requested
 to either take the unit back with freight prepaid and charged or notify MAAX in writing of
 their desire that it be scrapped.

Door Return policy

MAAX provides a selective and conditional merchandise return program. Product may bereturned to MAAX under the following conditions:

- Product is in original, new condition not previously installed or used as display;
- Product has been in the customer's possession for less than 12 months;
- Product is still available in the most current price list (not discontinued) or has not been announced for discontinuation:

- Product is in a standard color or finish, as indicated in the most current price list;
- Any stock product may be returned. To know if a product is a stock unit, please contact the customer care department; and
- Product was received in error does not represent what the customer ordered or has a manufacturing defect.

Products are not eligible for return to MAAX under the following conditions:

- Product has been previously installed, drilled, permanently marked, spray painted, or in any other way altered from its original condition;
- Product is "weathered"; degraded due to storage outside or exposure to the elements resulting in discoloration:
- · Product is defective due to negligent storage; or
- Product is equipped with any accessories or options.

Prior to returning merchandise a MAAX customer must complete and submit the RGA Request Form supplying general and specific information about the unit(s) for return. MAAX must then authorize and approve the return in writing by issuing an RGA number. All products are subject to inspection prior to credit reimbursement and MAAX reserves the right to reduce such reimbursement as follows:

- MAAX will apply a 25% restocking fee against the reimbursement credit for all returns for any reason other than manufacturing defect or MAAX error.
- A repair cost will be applied against the credit reimbursement for any repair required to bring a product back to 100% resalable condition. In these circumstances the customer will be notified.
- Any unit returned via common carrier must have the freight prepaid by the customer to the closest participating plant. Contact customer service to locate closest participating plant

Cancellation

Orders must be cancelled with in 24 hours of receipt of MAAX's confirmation. All cancellation requests must be made by fax and be confirmed by MAAX.

Design and dimensions

MAAX reserves the right to discontinue products at any time or change specifications and/ or design without notice and without incurring obligation. All dimensions are approximate and subject to change without notice. CLIENT SHALL INFORM OWNER/END-USER ABOUT THE FOLLOWING CONDITIONS AND WARRANTIES

Color variations

MAAX shall not be responsible for variations in granite color, wood grain, or color shades in the natural wood used; or for slight differences in color or texture of the material delivered in relation to the sample shown or provided to the purchaser. The purchaser may not use such differences to obtain a price discount or to cancel the order.

Maintenance

Regular disinfection provides an effective defense against various types of bacteria that can develop in the deposits building up over time in all bathtubs and showers. For daily maintenance cleaning, use a moist cloth and gentle liquid detergent. For acrylic surfaces, occasional use of a special acrylic surface cleaner such as Lumashine or Lumacream will add luster and protect the finish.

Certain types of therapeutic products when added to bath water, or if applied non-diluted directly in the bath, may damage the unit finish. Test the product on a small inconspicuous surface prior to use.

Do not use abrasive cleaners, scrapers, metal brushes, or any items or products that could scratch or dull the surface. Mirror should be cleaned with non-ammonia based cleaner only.

Limited warranty

MAAX offers the following express limited warranties on its products. These warranties extend only to the original owner/end-user for personal household use and start from the manufacturing date of the unit. For commercial uses, additional limitations apply.

MAAX warrants acrylic units to be free from defects in workmanship and materials under normal use and service for a period of twenty five (25) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **fiberglass units** to be free from defects in workmanship and materials under normal use and service for a period of five (5) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **ABS** to be free from defects in workmanship and materials under normal use and service for a period of three (3) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **polystyrene** shower kits, tub wall kits, utility tubs and accessories to be free from defects in workmanship and materials under normal use and service for a period of one (1) year from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **whirlpool motors/pumps** to be free from defects in workmanship and materials under normal use and service for a period of five (5) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **blowers** to be free from defects in workmanship and materials under normal use and service for a period of five (5) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.



Terms, Conditions and Warranties (cont'd)

MAAX warrants **whirlpool and air systems** (except perimeter air system check valves that have a 25 years warranty – see below) to be free from defects in workmanship and materials under normal use and service for a period of two (2) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **perimeter air system** check valves to be free from defects in workmanship and materials under normal use and service for a period of twenty five (25) years from the initial date of purchase by the owner/end-user, contractoror builder from an authorized dealer.

MAAX warrants **shower doors** to be free from defects in workmanship and materials under normal use and service for a period of ten (10) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **grab bars** to be free of all material or workmanship defects under normal use and service for a period of one (1) year from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **ceramic cartridges** for faucets against any leaks resulting from normal use by the owner/end-user, contractor or builder for a limited lifetime period.

MAAX warrants **thermostatic polysulfone cartridges** to be free from defects in workmanship and materials under normal use and service for a lifetime warranty from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer

MAAX warrants **shower massage systems** to be free from defects in workmanship and materials under normal use and service for a period of five (5) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **steam systems** its to be free from defects in workmanship and materials under normal use and service for a period of five (5) years, **steam nozzles and steam generator electronic control** for two (2) years, from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **Chrome, Polished Brass and Brushed Nickel, faucet finishes** to be free from defects in workmanship and materials under normal use and service by the owner/end-user, contractor or builder for lifetime warranty from the initial date of purchase.

MAAX warrants **medicine cabinets** to be free from defects in workmanship and materials under normal use and service for a period of five (5) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **storage modules** and vanities to be free from defects in workmanship and materials under normal use and service for a period of two (2) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **glass mirrors** to be free from defects in workmanship and materials under normal use and service for a period of two (2) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **electrical components**, including chromatherapy systems, to be free from defects in workmanship and materials under normal use and service for a period of two (2) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants the **factory treated wood parts** to be free of all material or workmanship defects under normal use and service for a period of two (2) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

Any product reported to the authorized dealer or to MAAX as being defective within the warranty period will be repaired or replaced (with a product of equal value) at the option of MAAX. Costs for freight associated with shipping of replacement product/parts might be charged to customer. In no event will MAAX be liable for the cost of repair or replacement of any installation materials, including but not limited to, tiles, marble, etc. This warranty extends to the original owner/end-user and is not transferable to a subsequent owner.

Neither the distributor, authorized MAAX dealer nor any other person has been authorized to make any affirmation, representation or warranty other than those contained in this warranty; any affirmation, representation or warranty other than those contained in this warranty shall not be enforceable against MAAX or any other person.

MAAX reserves the right to modify this warranty at any time, it being understood that such modification will not alter the warranty conditions applicable at the time of the sale of the products in question.

Limitations

This warranty shall not apply following incorrect operating procedures, breakage or damages caused by normal wear and tear, fault, carelessness, abuse, misuse, misapplication, improper maintenance, alteration or modification of the unit, as well as chemical or natural corrosion, accident, fire, flood, act of God or any other casualty. This warranty shall not apply to stain or malfunction caused by ferrous water, hard water or salty water.

The owner/end-user of the product covered by this warranty is entirely responsible for its proper installation and electrical wiring. This warranty is void if unit is not tested prior to final enclosure as per the installation instructions. MAAX neither installs nor supervises the installation, nor hires a contractor for this purpose, and consequently cannot be held responsible for any defect, breakage or damage caused thereby or resulting thereof, either directly or indirectly. The owner/end-user must provide access to the components of the product as described in the installation guide, so that MAAX can execute the warranty specified herein.

If such access is not available, all expenses to provide said access will be the responsibility of the owner/end-user.

This warranty does not apply to products or equipment not installed or operated in accordance with instructions supplied by MAAX and all applicable rules, regulations and legislation pertaining to such installations.

MAAX strongly recommends that its products—for example, but without limitation, shower doors and other items—be installed by professionals with experience in bathroom products. Installation of shower doors by an inexperienced person may result in glass breakage and, consequently, cause personal injury or death.

MAAX is not liable for any costs, damages or claims resulting from the purchase of products that do not fit through openings or existing structures. MAAX is not liable for any costs, damages or claims resulting from defects that could have been discovered, repaired or avoided by inspection and testing prior to installation.

MAAX is not liable for personal injuries or death to any person or for any direct, special, incidental or consequential damage, loss of use, loss of time, loss of profits, inconvenience, incidental expenses, labor or material charges, or any other costs resulting from the use of its products or pertaining to the application of the present warranty, or resulting from the removal or replacement of any product or element or part covered by this warranty.

EXCEPT AS OTHERWISE PROVIDED ABOVE, MAAX MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE OR COMPLIANCE WITH ANY CODE.

In any case, MAAX cannot be liable for any amount over and above the purchase price paid for the product by the owner/end-user, contractor or builder.

All options that are not sold separately as accessories must be factory installed. Otherwise, warranty does not apply.

This warranty gives the owner/end-user specific legal rights. The owner/end-user may also have other rights which vary from one state and/or province to another.

Commercial Limitations

In addition to the above conditions and limitations, the warranty period for products installed for commercial applications or used in commercial ventures is of one (1) year from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer. If the product is sold by MAAX as a display, MAAX standard warranty applies.

Warranty Service

In order to obtain service provided under this warranty during regular business hours, contact the dealer or distributor who sold the unit, or MAAX directly. MAAX will provide the warranty service described above when the following conditions have been met:

- (1) the failure is of the nature or type covered by the warranty;
- (2) the user has informed an authorized MAAX Agent or Warranty Service Department representative, of the nature of the problem during the warranty period;
- (3) conclusive evidence (e.g., serial number or proof of purchase) is provided to the foregoing by the user proving that the failure occurred or was discovered within the warranty period; and
- (4) an authorized independent service person or company representative has been permitted to inspect the product during regular business hours within a reasonable time after the problem was reported by the user.

MAAX's warranty obligation shall be discharged upon tender of replacement or repair. The purchaser refusal to accept the tender terminates MAAX's warranty obligation. Any product replaced or repaired during the warranty period will be covered during the remaining period of the original warranty.

MAAX products are certified by one or more of the following certification agencies: UL, IAPMO, INTERTEK (ETL) and WARNOCK HERSEY. Certain models are pending certification approval. Certification maybe ended by MAAX or certification agencies without notice.









The symbol \circledR / R indicates a registered trademark of MAAX Bath Inc. or an affiliated company. The symbol TM indicates a trademark of MAAX Bath Inc. or an affiliated company.

© MAAX Bath Inc., 2011





TECHNICAL SERVICES

DATE:	STORE:
	CITY:
	CONTACT:
	TEL.:
	FAX:
CUSTOMER	
Name:	Other:
Address:	Contact:
City:	Address:
Postal Code:	
Tel. Home:	Tel.:
Tel. Office:	
Cell.:	
Model Name:	Problem:
Model #:	
Color:	
Side:	
Plumber/Contractor/Electrician:	ls Unit Installed Y N
Contact:	
Tel.:	
Cell:	
Fax:	
Original PO Number:	Serial Number on Unit:
Date of Purchase:	(Mandatory for store) Serial # consists of 13 digits (numerical) only
Remarks:	

Bathtubs, tub snowers and snowers TEL.: 1-888-957-7816 FAX: 1-800-201-8308 Doors and medicine cabinets TEL.: 1-877-361-2044 FAX: 1-888-361-2045



RGA/DA REQUEST FORM

DATE :		MAAX REPRESENT	ATIVE :	
	ains the privilege of inspecting all units before m e of our choice. Any unit found to be repairable w	=	= :	-
	cus	TOMER INFORM	MATION	
CONTACT		BUSINESS NAME		
PHONE		PICK UP ADDRESS	(LOCATION)	
FAX				
other than tha	oing, the damage/defect must be indicated on the transfer of the damage			
	CT INFORMATION			
	ields in this section are REQUIRED. This sec			
QTY	MODEL	ORIGINA	L PO NUMBER	SERIAL NUMBER (where available)
DESCRIPTION /	REASON FOR RETURN / DESCRIPTION OF DEFECT, IF	APPLICABLE		Invoice
DESCRIPTION (ADDITIONAL		
DESCRIPTION /	REASON FOR RETURN / DESCRIPTION OF DEFECT, IF	APPLICABLE		Invoice
DESCRIPTION /	REASON FOR RETURN / DESCRIPTION OF DEFECT, IF	APPLICABLE		Invoice
	TEF	RMS AND COND	ITIONS	
	IIT - IN 100% RESELLABLE CONDITION - Destructions of multiple units will be subject to			sealed package
RETURN UN	NIT – MANUFACTURING DEFECT – Plant m	anager must be advis	ed of 3 or more units retur	ned for the same reason
DESTROY C	ON SITE All destructions must be performed by	y a MAAX representa	ative or authorized alternat	ive
DEBIT NOTE	E (if applicable)			
transporAll returning the meronAll prodoA repair	ucts being returned for any reason other than m retation. The merchandise will be considered the proper chandise can be completed, and the account not ucts are subject to inspection prior to credit reim cost will be applied against the credit reimburs recumstances the customer will be notified.	ty of the customer unt ified regarding the resundursement	il an evaluation concerning ilts.	the condition and potential fitness of
Client Signat			Date	MAAX Rep.

This authorization is valid for 45 days from the date at the top of the form. A confirmation of receipt of this request with a MAAX authorization number will be sent to you within 1 business day.

Please include a copy of the confirmation in the packing slip envelope of the returned article to identify the product at the MAAX warehouse upon arrival.

Numeric Index

ODEL NUMBER					
	LIST PRICE	PAGE	MODEL NUMBER	LIST PRICE	PA
0001 070 001	\$ 467	10	138299-970-105	¢ 446	
	\$ 467		138293-970-105	ֆ 440 ¢ <i>1</i> 78	
	\$ 512		138293-970-001		
	\$ 500		138293-970-105		
8310-949-084	\$ 500	19	138294-970-084	\$ 478	
8310-949-105	\$ 545	19	138294-970-105	\$ 522	
8310-970-001	\$ 478	19	138290-900-001		
	\$ 478		138290-900-084	\$ 462	
	\$ 522		138290-900-105	\$ 545	
	\$ 457		138290-965-001	\$ 462	
	\$ 457		138290-965-084	\$ 462	
	\$ 500		138290-965-105	\$ 545	
	\$ 500		138296-970-084	\$ 511	
	\$ 500		138296-970-105	\$ 555	
	\$ 545		138297-970-084	\$ 545	
	\$ 490		138291-900-084	\$ 467	
	\$ 532		138291-900-105	\$ 555	
	\$ 517		138291-965-084	\$ 467	
	\$ 517		138291-965-105		
	\$ 490		138313-900-001	Φ 555 Φ 565	
	\$ 490		138313-900-084	დ არა	
400-970-004	\$ 490 \$ 532	19	138313-900-084	COC &	
	\$ 532		138313-970-001		
			138313-970-001		
	\$ 538		138313-970-084		
	\$ 582		138313-970-105	\$ 609	
	\$ 527		138314-970-084	\$5/0	
	\$ 527		138314-970-105	\$ 615	
	\$ 570		138315-970-084		
	\$ 560		138315-970-105		
303-900-105	\$ 603	19	138311-900-084	\$ 598	
	\$ 609		138311-900-105		
	\$ 609		138311-970-001	\$ 598	
	\$ 642		138311-970-084		
	\$ 459		138311-970-105	\$ 642	
	\$ 527		138375-922-084	\$ 736	
	\$ 574		138375-922-171		
	\$ 338		138385-922-084	\$ 758	
	\$ 359		138385-922-171		
	\$ 359		135276-970-084		
	\$ 462		135280-900-084	\$ 478	
477-900-171	\$ 499	24	135280-970-084	\$ 478	
482-900-084	\$ 835	25	135277-970-084		
478-900-084	\$ 794	26	105490-900-084	\$ 510	
478-900-171	\$ 814	26	105490-900-171	\$ 552	
	\$ 236		105491-900-084	\$ 541	
	\$ 576		105491-900-171	\$ 583	
	\$ 642		105493-900-084		
	\$ 609		105494-900-084		
	\$ 396		136450-900-084		
	\$ 444		136450-900-105		
	\$ 483		136450-981-084		
	\$ 530		136450-981-105		
	\$ 530		136451-900-084		
	\$ 487		136451-900-004	\$ 581	
	\$ 533		136451-981-084	ψ 551 \$ 527	
	\$ 502		136451-981-105		
	\$ 560		136452-900-084		
	\$ 487		136452-900-105		
	\$ 533		136452-981-084		
	\$ 424		136452-981-105		
			136453-900-084		
	\$ 527				
	\$ 574		136453-900-105		
	\$ 478		136453-981-084		
	\$ 520		136453-981-105		
	\$ 413		136454-900-084	\$ 663	
	\$ 413		136454-900-105		
630-900-084	\$ 462	35	136454-981-084		
	\$ 572		136454-981-105		

Numeric Index (cont'd)

DOORS (cont'd)			DOORS (cont'd)		
MODEL NUMBER	LIST PRICE	PAGE	MODEL NUMBER	LIST PRICE	PAG
36455-900-105	\$ 709	44	105416-900-084	\$ 368	5
36455-981-084	\$ 714	44	105417-900-084		
	\$ 734		105418-900-084		
	\$ 714		136605-900-084		
	\$ 734		136605-970-084		
	\$ 740		136615-900-084		
36456 091 105	\$ 760	44	136615-949-084		
	\$ 740		136615-970-001	Φ 202	5
	\$ 765		136615-970-084		
	\$ 791		136625-900-001	\$ 288	5
36457-981-105	\$ 785	44	136625-900-084		
	\$ 765		136625-949-001	\$ 310	5
	\$ 785		136625-949-084		
	\$ 791		136625-970-001	\$ 288	
	\$ 811		136625-970-084	\$ 288	5
	\$ 851		136626-900-084	\$ 288	
05489-900-171	\$ 899	47	136626-949-001	\$ 332	5
38923-900-084	\$ 588	48	136626-970-001	\$ 288	
	\$ 653		136626-970-084		
	\$ 630		136635-900-001	\$ 300	5
	\$ 653		136635-900-084		
	\$ 717		136635-949-001		
	\$ 663		136635-949-084	\$ 210 \$ 210	5
	\$ 466		136635-970-001		
5412 070 171	\$ 514	49	136635-970-084	ტ ვიი	
			130035-970-084	\$ 300	
	\$ 524		136645-900-084		
	\$ 571		136645-970-084	\$ 310	5
	\$ 538		136655-900-084		
	\$ 585		136655-970-084	\$ 310	5
	\$ 585		136656-900-084		
	\$ 559		136656-970-084	\$ 320	
5415-900-171	\$ 606	50	136425-949-001	\$ 386	6
5488-900-172	\$ 606	50	136425-949-084	\$ 386	6
38370-900-084	\$ 670	51	136425-965-001		
	\$ 712		136425-965-084	\$ 375	6
	\$ 693		136435-900-001	\$ 408	6
	\$ 733		136435-900-084		
	\$ 424		136435-949-084	¢ /18	6
	\$ 435		136435-965-084		
	\$ 441		100563-920-003	Φ 7 00	
			100503-920-003	Ф 200	
	\$ 541		100563-920-084	\$ 800	6
	\$ 594		100564-900-003		
	\$ 557		100564-900-084		
	\$ 609		100564-900-105	\$ 1,277	6
	\$ 452		100564-920-003	\$ 843	6
	\$ 473		100564-920-084	\$ 973	6
5485-900-084	\$ 494	54	100565-900-003		
	\$ 515		100565-900-084		
	\$ 357		100565-920-003	\$ 853	6
	\$ 377		100565-920-084	\$ 989	6
	\$ 383		137595-900-084	\$ 946	6
	\$ 403		137595-900-105	\$ 1 009	e
	\$ 377		137596-900-084	\$ 1 N51	۵
	\$ 398		137596-900-105		
			137523-900-001	ው 700	
	\$ 413		137523-900-004	\$ 782	6
	\$ 434		137523-900-084	\$ 782	
	\$ 398		137523-900-105	\$ 848	
	\$ 418		137523-970-001	\$ 782	6
	\$ 423		137523-970-084	\$ 782	6
	\$ 444		137523-970-105	\$ 848	6
	\$ 418		137524-900-001	\$ 827	6
	\$ 439		137524-900-084	\$ 827	6
	\$ 444		137524-900-105	\$ 891	
	\$ 464		137524-970-001	\$ 827	6
	\$ 439		137524-970-084	\$ 827	F
	\$ 459		137524-970-105		
	\$ 464		137540-900-001	\$ 860	60
	\$ 485		137540-900-084		
いちオッハ_のハハ_ハRオ	\$ 342	57	137540-900-105	ላርብ ወ	6

Numeric Index (cont'd)

Numeric in	CEX (cont'd)
DOORS (cont'd)	
MODEL NUMBER	LIST PRICE PAGE
137540-970-001	
137540-970-084	\$ 860 65 \$ 924 65
137200-900-084	\$ 836 66
137200-900-105	\$ 904 66
137200-981-084	\$ 848 66
137200-981-105	\$ 920
137210-900-084	\$ 881
13/210-900-105	\$ 954
137210-961-064	\$ 893 66 \$ 965 66
137220-900-084	\$ 920 66
137220-900-105	\$ 987
137220-981-084	\$ 931
	\$ 99966
137230-900-084	\$ 960
137230-900-105	\$ 1,021
137230-981-105	\$ 1,032 66
137593-900-084	\$ 946 68
137593-900-105	\$ 946
137593-986-084	\$ 99968
137593-986-105	\$ 999
137594-900-084 137594-900-105	\$ 1,051
137594-986-084	\$ 1,051
137594-986-105	\$ 1,104 68
137566-900-084	\$ 1,104 68
137566-900-105	\$ 1,104
	\$ 1,156
137566-986-105 137630-900-001	\$ 1,156
137630-900-084	\$ 717 69 \$ 717 69
137630-970-001	\$717 69
137630-970-084	\$ 717
137610-900-001	\$ 728
137610-900-084	\$ 728 69
137610-970-001 137610-970-084	\$ 728 69 \$ 728 69
	\$ 740 69
	\$ 740 69
	\$ 740
137650-970-084	
137660-900-084	
	\$ 804
137240-981-084	
	\$ 874
137250-900-084	
	\$ 862
	\$ 838
137250-981-105	\$ 885
	\$ 950 70
	\$ 924
137260-981-105	
137904-900-001	
137904-900-084	\$ 661
	\$ 683 71 \$ 683 71
137904-970-001	
137904-970-084	
137901-900-001	
	\$ 653
	\$ 685
137901-953-084 137901-970-001	\$ 685
	\$ 653 71
	\$ 576

DOORS (cont'd)		
MODEL NUMBER	LIST PRICE	PAGE
127700 000 004	ф Б 76	70
	\$ 576	
	\$ 576	
	\$ 576	
	\$ 576	
	\$ 588	
	\$ 608	
137730-965-084		72
137730-970-084		72
137740-965-084	\$ 598	72
137750-965-084	\$ 598	72
137690-900-084	\$ 1,196	74
137690-900-105	\$ 1,262	74
137561-900-084	\$ 782	75
	\$ 782	
	\$ 805	
	\$ 805	
137562-900-084	\$ 805	75
	\$ 805	
137562-986-084		75
137562-986-105		75
137563-900-084		75
137563-900-105		75



A GREENER MAAX

The environment is important to all of us. We, at MAAX, believe in doing our part in reducing our ecological footprint.

As part of our 2011 initiatives, we've combined our standard price list and traditional product catalogue into one document and created a brand new powerful sales tool, thereby dramatically reducing pages. This new price book is printed on FSC® certified paper. FSC® certification guarantees that all fibres used come from renewable sources and meet the highest international standards.

With your cooperation and understanding, through a simple gesture, it is quite impressive to see how we can all contribute improving our environment.

We also invite you to use our electronic documents and don't forget to recycle your 2010 lists! No matter how small the effort, it makes a difference!



JOIN US AT MAAX.COM

www.maax.com is an essential and inspiring source of information.

In addition to finding all the products and therapeutic system details included in this book, our website offers design tips, product configurators and other useful sections such as a press room, technical support and where to buy.

Download technical drawings, installation guides, specification pages, photos and videos with one click

Our site, constantly evolving, is your personal assistant.





For any questions or comments, please contact info@maax.com

Customer Service

Tel: 1-800-328-2531 Fax: 1-800-944-9808

Technical Services

Tel: 1-888-304-4388 Fax: 1-877-636-6250

www.maax.com