ANNIVARSARY
43+ YEARS
SINCE 1971
Jammy
Incorporated
2014 Lighting and Accessory Catalog

ANNIVARSARY 43+ YEARS SINCE 1971

Jammy Incorporated

www.jammyinc.com

Certified
ISO 9001:2001

NATIONAL ASSOCIATION OF TRAILER MANUFACTURERS NATM

FEMA FARM EQUIPMENT MANUFACTURERS ASSOCIATION MEMBER

NTEA THE ASSOCIATION FOR THE WORK TRUCK INDUSTRY MEMBER

Jammy, Incorporated
4700 Bryant Irvin Court
Fort Worth, TX 76107
Phone: (817) 737-6566
Fax: (817) 737-5960
Toll Free (800) 537-3136
www.jammyinc.com

Breakaway Kits - page 38

Incandescent Marker Lamps - pages 17-21



Sealed Marker Lamps - pages 18 & 21

LED Marker Lamps - pages 4-7

Incandescent Combo Lamps - page 23

★2014 Lighting and Accessory Catalog

LED Combo Lamps - page 11

Work Lamps - pages 30-31

Sealed Tail Lights - page 22

AG Lights - page 14

Table of Contents

LED Clearance / Marker Lamps 4-7

LED Stop / Turn / Tail Lamps 8-10

LED Combination Lamps 11

LED Light Bars 12

Retail Trailer Lighting Kits 13

Agricultural Lamps 14

RV and White Lighting 15-16

Incandescent Clearance / Marker Lamps . . . .17 - 21

Incandescent Stop/Turn/Tail Lamps 22

Incandescent Combination Lamps 23

Incandescent Light Bars 24

Replacement Lenses . . . . . .7 & 24

Misc. Lighting 25

License Lamps 26-27

Reflectivity / Conspicuity 28-29

HID, LED and Halogen Work Lamps 30-31

Mounting Grommets and Brackets 32-33

Wiring 34-35

Misc Hardware & Accessories 36-37

Breakaway Systems 38

Hitch Balls and Locks 39

Boat Seat Hinges 40

Marine Hardware 41-44

Federal Lighting Specifications 45-47

Index 45-47

Jammy Incorporated

REF. # 1

REF. # 2

REF. # 3



REF. # 4

REF. # 5

REF. # 6

REF. # 7

REF. # 8

* * * * LED Clearance / Marker Lights * * * *

REF. NO.	PART NO.	DESCRIPTION	DIODE COLOR	LENS COLOR	Mount	WIRING	QTY	Diode Count
1	J-5-AC J-5-RC J-5-GC J-5-C J-5-B	Single Diode LED CL/MK, Aux, Baitwell Light. Mounts into 5/8" hole, with plastic nut. All lenses are clear except blue model J-5-B.	Amber Red Green Clear Blue	Clear Blue	Plastic Nut	16" Leads Male bullet connectors	200	1
2	J-53-A J-53-R	Single Diode LED Light with grommet for 3/4" hole. P2 Rated CL/MK. Bare Wire, blunt cut ends.	Amber Red	Amber Red	J-54-GM Grommet	7" leads	200	
	J-54-A J-54-R J-54-AC J-54-RC	Single Diode LED Light with grommet for 3/4" hole. P2 Rated CL/MK. Termination: 0.157 male bullets. With wire protecting sleeve. Available with 24" leads: J-54-A24 & J-54-R24	Amber Red Amber Red	Amber Red Clear				
3	J-55-A J-55-R J-55-AC J-55-RC J-55-GC J-55-BC J-55-C	Single Diode LED Light with grommet for 3/4" hole. PC Rated CL/MK. Termination: 0.157 male bullets. CLEAR LENS on these models: J-55-AC (Amber), J-55-RC (Red), J-55-GC (Green), J-55-BC (Blue), J-55-C (Clear).	Amber Red Amber Red Green Blue Clear	Amber Red Clear		16" leads	200	
4	J-16-A J-16-R	2" Round Sealed PC Rated LED Light.	Amber Red	Amber Red	J-10-GM Grommet	J-10-WH	200	4
5	J-5735-A J-5735-R J-5735-C	Sealed LED Marker Light. 2-1/2" x 1-1/4" Bracket options on page 19.	Amber Red Clear	Amber Red Clear	J-573 Bracket or Grommet	J-10-WH/ J-573-WH	200	2
6	J-5735-SA J-5735-SR	Sealed LED Marker Light. 2-1/2" x 1-1/4" Stud mount, self-grounding with hollow stainless stud.	Amber Red	Amber Red	Stud	15" hot lead	100	2
7	J-5765-A J-5765-R J-5765-AC J-5765-RC	Sealed LED Marker Light. 3-3/4" x 1-1/4" Bracket options on page 19.	Amber Red Amber Red	Amber Red Clear	J-576 Bracket	J-576 Brackets	200	3
	J-5765-AR	Sealed LED Fender Light combo. 3-3/4" x 1-1/4"	Amber/ Red	Amber/ Red				4
8	J-5765-ARC	Sealed LED Fender Light combo with clear lens 3-3/4" x 1-1/4"	Amber/ Red	Clear				
	J-5765-AR-FM J-5765-ARC-FM	Sealed LED Fender Light combo with Fender Bracket.	Amber/ Red	Amber/ Red Clear	J-576-FM Bracket	8" leads	200	4

REF. # 1

REF. # 2

REF. # 3

REF. # 4

REF. # 5

REF. # 6

REF. # 7

REF. # 8

* * * * LED Clearance / Marker Lights * * * *

REF. NO.	PART NO.	DESCRIPTION	LENS COLOR	Mount	WIRING	QTY	Diode Count
1	J-15-A J-15-R	2" Round Sealed LED light	Amber Red	Uses J-10-GM Grommet	Uses J-10-WH Wire Harness	200	4
	J-15-AC J-15-RC	2" Round Sealed LED light with clear lens and colored diodes.	Clear/Amber Clear/Red			200	
	J-15-AK J-15-RK	2" Round Sealed LED lamp kit - w / grommet & harness	Amber Red			100	
	J-15-AKC J-15-RKC	2" Round Sealed LED lamp with clear lens and colored diodes kit - includes grommet & harness.	Clear/Amber Clear/Red			100	
2	J-15-FFA J-15-FFR	2" Round Sealed LED light - Flush Flange mount Red Hard Wired Model: J-15-FFRH	Amber Red	Screw		100	
3	J-1055-A J-1055-R	2" Sealed Beehive LED light	Amber Red	Grommet		200	
4	J-15-SA J-15-SR	2" Round Sealed LED light - 3M tape backing	Amber Red	3M Tape	7" Leads	200	
5	J-25-A J-25-R	2-1/2" Round Sealed LED light	Amber Red	Uses J-20-GM Grommet	Uses J-10-WH Wire Harness	200	
	J-25-AC J-25-RC	2-1/2" Round Sealed LED light with clear lens and colored diodes.	Clear/Amber Clear/Red			200	
	J-25-AK J-25-RK	2-1/2" Round Sealed LED light kit w / grommet & harness	Amber Red			100	
	J-25-AKC J-25-RKC	2-1/2" Round Sealed LED lamp with clear lens and colored diodes kit - includes grommet & harness.	Clear/Amber Clear/Red			100	
6	J-25-FFA J-25-FFR	2-1/2" Round Sealed LED light - Flush Flange mount	Amber Red	Screw		100	
	J-26-A J-26-R	2-1/2" Round Sealed LED light with Reflex Lens Grommet Kit Models: J-26-AGK, J-26-RGK	Amber Red	Grommet		200	
7	J-2065-A J-2065-R	2-1/2" Round Sealed LED light. Stud Mount PC Rated Self-Grounding with reflex lens.	Amber Red	Stud	6-1/2" Lead	200	7
8	J-151-A J-151-R	2" Round Sealed Single Diode LED light. P2 Rated	Amber Red	Grommet	Uses J-10-WH	200	1

REF. # 1

REF. # 2

REF. # 3

REF. # 4

REF. # 5

REF. # 6

REF. # 7

REF. # 8

* * * * LED Clearance / Marker Lights* * * *

REF. NO.	PART NO.	DESCRIPTION	LENS COLOR	MOUNT	WIRING	QTY	Diode Count
1	J-625-A J-625-R	LED marker lamp with snap off Reflex Lens. (4” W x 2” H)	Amber Red	2 screws	6” leads	200	3
2	J-225-A J-225-R	LED marker lamp with snap off Reflex Lens. 1-wire Self-Grounding (4” W x 1-3/8” H)	Amber Red	2 screws	6” lead	200	2
	J-224-A J-224-R	LED marker lamp with snap off Reflex Lens. 2-wire or Self-Grounding (4” W x 1-3/8” H)	Amber Red	2 screws	6” leads	200	2
3	J-425-AW J-425-RW	LED marker lamp with Sealed Reflex Lens. (3-7/8” W x 1-7/8” H)	Amber Red	2 screws	uses J-10-WH	200	2
4	J-1025-AA J-1025-RR	LED stud mount, Self-Grounding, PC rated marker lamp with reflex lens. Colored Base	Amber Red	Single Stud	6” lead	200	7
	J-1025-A2 J-1025-R2	LED stud mount, Self-Grounding, P2 rated marker lamp with reflex lens. Black Base	Amber Red	Single Stud		200	2
5	J-325-A J-325-R	LED Bulls-Eye marker lamp with snap off lens. (4” W x 2” H)	Amber Red	2 screws	6-1/2” leads	100	6
	J-325-C	LED Bulls-Eye Aux or Dome lamp. (4” W x 2” H)	Clear				
6	J-485-A J-485-R	LED marker lamp with Reflex lens. Self-Grounding. (6-1/8” W x 2-1/8” H)	Amber Red	2 screws	6” lead	100	2
7	J-5505-A J-5505-R	LED Steel Guarded marker lamp with removable lens. (4-1/2” W x 2-1/4” H)Self-Grounding.	Amber Red	2 screws	6” lead	50	3
8	J-5265-A J-5265-R	LED Beehive marker lamp. Self-Grounding with steel bracket.	Amber Red	2 screws	7” lead	200	4

REF. # 1

REF. # 2

REF. # 3

REF. # 4

* * * * LED Clearance / Marker Lights* * * *

REF. NO.	PART NO.	DESCRIPTION	DIODE COLOR	LENS COLOR	MOUNT	WIRING	QTY	Diode Count
1	J-315-A J-315-R	Teardrop LED Marker Lamp with chrome base. 3M Adhesive Backing. (3-1/8" x 1-1/2")	Amber Red	Amber Red	Stick-On	19" leads	100	3
2	J-515-A J-515-R	2-1/2" Oval LED Marker Lamps. P2 rated.	Amber Red	Amber Red	J-505-GM grommet or 2-screw surface mount	5-1/2" leads	100	2
	J-515-AC J-515-RC	2-Wire, includes gasket.	Amber Red	Clear				
3	J-510-A J-510-R	2-1/2" Oval LED Marker Lamps. PC rated.	Amber Red	Amber Red				
	J-510-AC J-510-RC	2-Wire, includes gasket. J-505-GM Grommet Sold Seperately, See Page 32.	Amber Red	Clear				
	J-510-AS J-510-RS	2-1/2" Oval LED Marker Lamps. PC rated.	Amber Red	Amber Red		5-1/2" hot lead	100	2
	J-510-ACS J-510-RCS	2-Wire, Self-Grounding, includes gasket.	Amber Red	Clear				
2	J-515-CC	2-1/2" Oval LED Aux white light, black base.	Clear	Clear		5-1/2" leads	100	2
4	J-505-BZB	Black Plastic Trim Ring for 515 and 510 Series	N/A	N/A	Snap On	N/A	250	N/A
	J-505-BZC	Chrome Plastic Trim Ring for 515 and 510 Series	N/A	N/A	Snap On	N/A	250	N/A

* * * *Marker Light Replacement Lenses* * * *

SERIES	COLOR	PART NO.
2065 and 206	Amber Red	J-206-15-A J-206-15-R
625	Amber Red	J-625-15-A J-625-15-R
225 and 224	Amber Red	J-225-15-A J-225-15-R
1025 and 1024	Amber Red	J-1024-15-A J-1024-15-R
325 and 323	Amber Red Clear	J-323-15-A J-323-15-R J-323-15-C
5505 and 550	Amber Red	J-550-15-A J-550-15-R

SERIES	COLOR	PART NO.
500	Amber Red	J-500-15-A J-500-15-R
326	Amber Red	J-326-15-A J-326-15-R
122 and 126	Amber Red	J-126-15-A J-126-15-R
222 and 226	Amber Red	J-226-15-A J-226-15-R
626	Amber Red	J-626-15-A J-626-15-R
5265 and 526	Amber Red	J-526-15-A J-526-15-R

REF. # 1

REF. # 2

REF. # 3

REF. # 4

REF. # 5

REF. # 6

* * * * LED Stop/Tail/Turn & Backup * * * *

REF. NO.	PART NO.	DESCRIPTION	LENS COLOR	MOUNT	WIRING	QTY	Diode Count
1	J-67-A J-67-R J-67-C	6" Oval 7-Diode Stop Tail Turn LED Lamp. Light only. Amber and Clear are AUX only. Hard Wired Model: J-67-RH	Amber Red Clear	grommet	Uses J-60-WH Plug	50	7
	J-67-AK J-67-RK J-67-CK	6" Oval 7-Diode Stop Tail Turn LED Lamp. Light Kit. Includes grommet & harness.	Amber Red Clear	grommet	Includes J-60-WH Plug	50	7
2	J-67-FR J-67-FRC	Sealed 6" Oval LED 7-Diode Red Stop/Tail/Turn Flange (surface) Mount.	Red Clear	4 Screws	6" Leads	50	7
3	J-64-A J-64-AK	6" Oval LED Mid-Ship Marker and Side Turn Light. LED Mid-Ship Kit w/Grommet & Harness.	Amber	grommet	Uses J-60-WH Plug	48 50	8
	J-64-FA	6" Oval LED Mid-Ship Flange (surface) Mount	Amber	4 Screws	9" Leads	48	8
4	J-66-A J-66-R J-66-C	Sealed 6" Oval LED 10-Diode Stop/Tail/Turn Lamp only. Clear Lens Models: J-66-AC, J-66-RC Hard Wired Model: J-66-RH	Amber Red Clear	grommet	Uses J-60-WH Plug	50	10
	J-66-AK J-66-RK J-66-CK	Sealed 6" Oval LED 10-Diode Kit. Includes grommet & harness. Clear Lens Models: J-66-ACK, J-66-RCK	Amber Red Clear	grommet	Includes J-60-WH Plug	50	10
5	J-66-FA J-66-FR J-66-FC	Sealed 6" Oval LED 10-Diode Stop/Tail/Turn Flange (surface) Mount. Clear Lens Models: J-66-FAC, J-66-FRC	Amber Red Clear	4 Screws	6" Leads	50	10
6	J-65-BZ-C J-65-BZ-B	6" Oval Plastic Bezel (C) Chrome or (B) Black. Used with 6" Oval Flange Mount Series Lamps.	N/A	Snap on	N/A	50	N/A
4	J-66-A*12/24* J-66-R*12/24* J-66-C*12/24*	Sealed 6" Oval LED 10-Diode Stop/Tail/Turn Lamp only. Muli-Volt 12/24 versions	Amber Red Clear	grommet	Uses J-60-WH Plug	50	10

REF. # 1

REF. # 2

REF. # 3

REF. # 4

REF. # 5



REF. # 6

* * * * LED Stop/Tail/Turn & Backup * * * *

REF. NO.	PART NO.	DESCRIPTION	LENS COLOR	MOUNT	WIRING	QTY	Diode Count
1	J-35-A J-35-R J-35-C	Sealed LED rectangular Stop/Tail/Turn lamp only. Clear Lamp Certified As Single Lamp Backup. (5" H x 3-1/4" W) Available In 24 Volt Versions	Amber Red Clear	grommet	Uses J-60-WH Plug. Page 34	50	15 24
	J-35-AK J-35-RK J-35-CK	Sealed LED rectangular lamp kit includes grommet & harness. Grommet Kit Models: J-35-AGK / RGK / CGK	Amber Red Clear	grommet		50	15 24
2	J-45-A J-45-R	Sealed 4" round LED Stop/Tail/Turn lamp only Hard Wired Model: J-45-RH	Amber Red	grommet		50	7
	J-45-AK J-45-RK	Sealed 4" round LED Kit Includes grommet & harness.	Amber Red	grommet		50	7
3	J-4512-A J-4512-R J-4512-C	Sealed 4" round LED Stop/Tail/Turn & Backup lamp only. Clear Lens Models: J-4512-AC, J-4512-RC	Amber Red Clear	grommet		50	12
	J-4512-AK J-4512-RK J-4512-CK	Sealed 4" round LED Kit Includes grommet & harness. Clear Lens Models: J-4512-ACK, J-4512-RCK	Amber Red Clear	grommet		50	12
4	J-7525-R	LED 4" Round Pedestal Mount Stop Lamp with Single Stud and Clamp, Self-Grounding.	Red	Single Stud	9" Hot Leads	50	12
5	J-37-A J-37-R	15-Diode 3"x 5" Slim LED S/T/T Surface Mount Lamp	Amber Red	4 Screw	4" Leads	50	15
6	J-275-A J-275-R	LED Surface Mount AG Stop Tail Turn & Warning Lamp. 6.7" x 3.15" x .95". Mounts on 5.75" Centers	Amber Red	2 Screw thru Lens	8" Leads	50	12 10
3	J-4512-A*12/24* J-4512-R*12/24* J-4512-C*12/24*	Sealed 4" round LED Stop/Tail/Turn lamp only. Muli-Volt 12/24 versions	Amber Red Clear	grommet	Uses J-60-WH Plug	50	12



REF. # 1

REF. # 2

REF. # 3



REF. # 4

REF. # 5



REF. # 6

* * * * LED Stop/Tail/Turn & School Bus* * * *

REF. NO.	PART NO.	DESCRIPTION	LENS COLOR	MOUNT	WIRING	QTY	Diode Count
1	J-84-A J-84-R	7” School Bus Warning Lamps. Fail Safe Auto Flash Function and Optional Strobe Mode.	Amber Red	4 screws	9” Leads	10	8
2	J-85-A J-85-R	Sealed 7” Round LED Bus/Transit Tail Light	Amber Red	4 screws	6” leads	10	27
3	J-85-C	Sealed 7” Round LED Bus/Transit Back Up Light	Clear	4 Screws	6” Leads	10	27
4	J-535-A3 J-535-AC3	Amber LED Marker and Turn Indicator Light Bar (15-1/2”L, 1-5/8”W, 3/4”H)	Amber Clear	2 Screws	15” Leads (3 Wires)	50	11
	J-535-R J-535-RC	Red LED Stop/Tail/Turn Light Bar (15-1/2”L, 1-5/8”W, 3/4”H)	Red Clear	2 Screws	15” Leads (3 Wires)	50	11
	J-535-C	Clear (White) LED Reverse/Back Up Light Bar (15-1/2”L, 1-5/8”W, 3/4”H)	Clear	2 Screws	15” Leads (2 Wires)	50	11
5	J-535-BZC	Chrome Base for 535 Series Light Bars.	N/A	2 Screws	N/A	50	N/A
6	J-241-A J-241-R J-241-C	Single panel LED light. (5-1/4” H x 7-3/4” W) Clear Backup Model: J-241-C	Amber Red Clear	4 screws	6” leads	20	24
	J-242-(AR) J-242-M	Double Panel LED light, Rear Mount. Double Panel LED light, Top Mount	Amber/ Red	stud or top mount	packard plug	10	48
	J-243-(ARC)	Triple Panel LED light, Amber/Red/Clear Combo.	Multi	stud mount	packard plug	6	72

REF. # 1

REF. # 4



REF. # 5

REF. # 2



REF. # 3

REF. # 6

* * * * LED Combination Lamps * * * *

REF. NO.	PART NO.	DESCRIPTION	LENS COLOR	MOUNT	WIRING	QTY	Diode Count
1	J-75 J-75-L	Over 80” LED Submersible Combo Lamp. Curb Side / Street Side	Amber Red	stud mount	13” w/plug	50	17 21
	J-75-A J-75-LA	Over 80” Amber LED Combo Ag Warning Lamp Submersible 2” x 8” Curb Side / Street Side	Amber	stud mount	13” w/plug	40	17 17
2	J-72 J-72-L	Over 80” Submersible LED Combo Lamp (6-1/8”L, 3-5/8”W, 2-1/4”D) Curb Side / Street Side	Red	2” Center Studs	8” Leads & Ground Ring	50	18 23
3	J-EA3	Euro / Australia LED Combination Lamp	Combo	2 Stud	9” Pigtail	50	24
4	J-24245 J-24245-L	Under 80” LED Combination Lamp (Submersible with Gasketed Lenses) Curb Side / Street Side	Red	stud mount	14” Hot Leads	24	14 18
	J-20245 J-20245-L	Under 80” LED Combination Lamp (Not Submersible) 4-1/2” x 5-1/2” Curb Side / Street Side	Red	stud mount	push-in connection	24	14 18
5	J-20445 J-20445-L	Over 80” LED Combination Lamp. Submersible 4-1/2” x 6” Curb Side / Street Side	Red	stud mount	14” Hot Leads	24	16 20
6	J-2077 J-2077L	7/8 Function Slim LED Combination Lamps. Featuring Multi-Flex faceted reflector technology and sealed capsule construction. Curb Side / Street Side	Red	stud mount	13” Leads	24	18 20

REF. # 1

REF. # 4

REF. # 2

REF. # 5



REF. # 3

REF. # 6

* * * * LED ID Bars * * * *

REF. NO.	PART NO.	DESCRIPTION	LENS COLOR	MOUNT	WIRING	QTY	Diode Count
1	J-VID	14” LED ID Bar with 7 Degree Bend, Submersible	Red	2 screw	56” Hot leads	50	6
2	J-5695-R	LED Light Bar with Black Plastic Base. Uses Three J-5735-R (16-5/8"L, 1-5/8"W, 1-1/2"D)	Red	2 screw	60” lead	50	6
3	J-5354-R J-5354-RC	LED Style-Side ID Light Bar with AUX 3rd Brake / Turn Red Diodes (15-1/2" L, 1-5/8" W, 3/4" H)	Red Clear	2 screw	15” leads 4 wires	50	11
	J-5353-R3 J-5353-A3	LED Style-side ID Light Bar (ID and 3rd Brake) (15-1/2” L, 1-5/8” W, 3/4” H) Clear Lens Models: J-5353-RC/AC (Front ID)	Red	2 screw	2 wires 15” leads 3 wires	50	3
4	J-555-R J-555-RC	LED ID Bar with Black plastic base. Uses Three J-515-R Lights. Red Diodes (16-5/8" L, 1-1/2" H, 1-1/2" D)	Red Clear	2 screw	12” leads	50	6
	J-555-A J-555-AC	LED ID Bar with Black plastic base. Uses Three J-55-R Lights. Amber Diodes (16-5/8" L, 1-1/2" H, 1-1/2" D)	Amber Clear	2 screw	12” leads	50	6
5	J-5735-3BR J-5735-3WR J-5735-3SR	LED ID Bar with Black metal base. LED ID Bar with White metal base. LED ID Bar with Polished Stainless metal base.	Red	2 screw	12” leads self-grounding	50	6
6	J-5085-R	LED Beehive ID Bar Light, Self-Grounding. Black Powder Coat Base	Red	2 screw	12” lead self-grounding	50	12

Ref. # 1

Ref. # 2

Ref. # 3

Ref. # 4

Ref. # 5

Ref. # 6

Ref. # 7

Ref. # 8

Ref. # 9

* * * * Packaged Lighting Kits * * * *

REF. NO.	PART NO.	DESCRIPTION	Tail Lamp Wiring	Marine	Marker Lamps	QTY
1	J-70-KC	Over 80" Submersible Clamshell Kit. Includes: J-70, J-70L, J-5024-WH, J-2023-BRK & Hardware	8" Leads	Yes	No	8
2	J-72-KC	LED Over 80" Submersible Clamshell Kit. Includes: J-72, J-72L, J-5024-WH, J-2023-BRK & Hardware	8" Leads	Yes	No	10
3	J-73-KC	Over 80" Submersible Clamshell Kit. Includes: J-73, J-73L, J-5024-WH, J-2023-BRK & Hardware	8" Leads	Yes	No	8
4	J-75-KC	LED Over 80" Submersible Clamshell Kit. Includes: J-75, J-75L, J-5024-WH, J-2023-BRK & Hardware	8" Leads	Yes	No	10
5	J-2024-KCD	Under 80" Deluxe Clamshell Kit. Includes: J-2024, J-2024L, (2) J-1024-A, J-5024-WH, J-2023-BRK & Hardware	Push Connector	No	Yes	10
6	J-2044-KCD	Over 80" Deluxe Clamshell Kit. Includes: J-2044, J-2044L, (2) J-573-SA, J-5024-WH, J-2023-BRK & Hardware	14" Leads	Yes	Yes	10
7	J-20445-KCD	LED Over 80" Deluxe Clamshell Kit. Includes: J-20445, J-20445L, (2) J-5735-SA, J-5024-WH, J-2023-BRK & Hardware	14" Leads	Yes	Yes	10
8	J-20245-KC	LED Under 80" Standard Clamshell Kit. Includes: J-20245, J-20245L, J-5024-WH, J-2023-BRK & Hardware	Push Connector	No	No	10
	J-24245-NC	LED Under 80" Submersible Clamshell Kit. Includes: J-24245, J-24245L, J-5024-WH, J-2023-BRK & Hardware	14" Leads	Yes	No	10
9	J-AC2-WH4K	LED 4-Wire AG Lighting Kit. Includes: J-AC2-L4, J-AC2-R4, J-AGM-WH, J-AGW-WH4, J-AEM-48. Optional Magnet Kit: J-AMK	4-Wire Packard	No	No	1

REF. # 1

REF. # 2

REF. # 3


REF. # 4

REF. # 5

REF. # 6

REF. # 7 & # 8

REF. # 9

* * * * LED Agricultural Lighting * * * *

REF. NO.	PART NO.	DESCRIPTION	LENS COLOR	MOUNT	WIRING	QTY	Diode Count
1	J-AC1-AA	LED Ag Single Lamp, 2 Wire Connector, Double side, weather pack connectors standard.	Amber/ Amber	4 screw	12” lead	24	30
2	J-AC1-RB	LED Ag Single Lamp, 2 Wire Connector, Single side, weather pack connectors standard.	Red	4 screw	12” lead	24	15
3	J-AC2-L3	LED Ag Combo Double Left Side Lamp with 3 wire connector, Weather Pack or Tri-Plug	Amber/ Red	4 screw	12” lead	12	45
4	J-AC2-R3	LED Ag Combo Double Right Side Lamp with 3 wire connector, Weather Pack or Tri-Plug	Amber/ Red	4 screw	12” lead	12	45
5	J-AC2-L4	LED Ag Combo Double Left Side Lamp. Amber/Red lens configuration with 4 wire connector for Brake Function.	Amber/ Red	4 screw	12” lead	12	45
6	J-AC2-R4	LED Ag Combo Double Right Side Lamp. Red/Amber lens configuration with 4 wire connector for Brake Function.	Amber/ Red	4 screw	12” lead	12	45
7	J-755-AA	LED Dual Face Pedestal Lamp. 4” Round Warning Light.	Amber/ Amber	Single Stud	18” lead	24	24
8	J-755-AR	LED Dual Face Pedestal Lamp. 4” Round Stop / Tail / Turn Model.	Amber/ Red	Single Stud	18” lead	24	24
9	J-755-RB	LED Single Face Pedestal Lamp. 4” Round Stop/Turn/Tail Model.	Red	Single Stud	18” lead	24	12

REF. # 10

REF. # 11

REF. # 12

REF. # 13

REF. # 14

* * * * Incandescent Agricultural Lighting * * * *

REF. NO.	PART NO.	DESCRIPTION	LENS COLOR	MOUNT	WIRING	QTY	
10	J-AB1-AA	Ag Single Lamp, 2 Wire Connector, Double side, weather pack connectors standard.	Amber/ Amber	4 screw	12” lead	24	
11	J-AB1-RB	Ag Single Lamp, 2 Wire Connector, Single side, weather pack connectors standard.	Red	4 screw	12” lead	24	
12	J-AB2-L3	Ag Combo Double Left Side Lamp with 3 wire connector, Weather Pack or Tri-Plug	Amber/ Red	4 screw	12” lead	12	
13	J-AB2-R3	Ag Combo Double Right Side Lamp with 3 wire connector, Weather Pack or Tri-Plug	Amber/ Red	4 screw	12” lead	12	
14	J-AB2-L4	Ag Combo Double Left Side Lamp. Amber/Red lens configuration with 4 wire connector for Brake Function.	Amber/ Red	4 screw	12” lead	12	
	J-AB2-R4	Ag Combo Double Right Side Lamp. Red/Amber lens configuration with 4 wire connector for Brake Function.	Amber/ Red	4 screw	12” lead	12	

Ref. # 1

Ref. # 2

Ref. # 3

Ref. # 4

Ref. # 5

Ref. # 6

Ref. # 7

Ref. # 8

* * * * RV Dome and Porch Lighting * * * *

REF. NO.	PART NO.	DESCRIPTION	LENS COLOR	MOUNT	WIRING	CERT.	QTY
1	D-25	Single Dome Interior lamp with Coiled Cord & Plug.	Clear	Clip	48" Cable	CSA	50
2	J-92	Double Dome/Interior Light 12" x 4-1/4" Dual lamp with switch	Clear	Screw	6" lead	Standard	50
	D-22					CSA	
	D-24	Double Dome/Interior Light with plug recepticle. 12" x 4-1/4" Dual lamp with switch	Clear	Screw	6" lead	CSA	25
3	J-91	Single Dome Interior Lamp 7" x 4-1/4" with Switch	Clear	Screw	6" lead	Standard	50
	D-21					CSA	
	D-23	Single Dome Interior Lamp with plug recepticle. 7" x 4-1/4" with Switch					
4	D-98	Fan/Light Combo with Coiled Cord & Plug.	Clear	Clip	48" Cable	CSA	25
5	J-96-(XXX)	Euro Style Oval Porch Light. Available with (S)witch or (N)o Switch, (W)hite or (B)lack base, (A)mber or (C)lear Lens. Examples: J-96-WSC and J-96-WNA	Clear or Amber	Screw	6" lead	Standard	100
6	D-92	Slim Euro Style Economy Double Inerior Lamp. 10-1/4" x 4-1/8" White Base with Switch	Clear	Screw	6" lead	CSA	50
7	D-91	Slim Euro Style Economy Single Inerior Lamp. 6-3/8" x 4-1/8" White Base with Switch	Clear	Screw	6" lead	CSA	100
8	J-97-(XXX)	Rectangular Porch Light. 6-1/2" x 3-5/8" Available with (S)witch or (N)o Switch, (W)hite or (B)lack base, (A)mber or (C)lear Lens.	Clear or Amber	Screw	6" lead	Standard	100

REF. # 1



REF. # 2

REF. # 3

REF. # 4

REF. # 5

REF. # 7

REF. # 6

REF. # 8

* * * * RV & White Lighting * * * *

REF. NO.	PART NO.	DESCRIPTION	AMP DRAW	LIGHT SOURCE	WIRING	QTY
1	J-915	LED Single Interior Dome Light with Switch. 415 Lumens, Cool White, Wide Angle, 14 Diodes	300 mA	14 LED	6” lead	50
2	J-925	LED Double Interior Dome Light with Switch. 207 Lumens, Cool White, Wide Angle, 28 Diodes	600 mA	28 LED	6” lead	50
3	D-95	LED Euro Style Single Interior Dome Light with Switch. 355 Lumens, Warm White, Wide Angle, 6 Diodes	150 mA	6 LED	6” lead	50
4	D-96	LED Double Interior Dome Light with Switch. 180 Lumens, Warm White, Wide Angle, 12 Diodes	300 mA	12 LED	6” lead	100
5	J-455-SC	Compact LED Dome Light with Switch. 207 Lumens, Cool White, Wide Angle, 14 Diodes	300 mA	14 LED	6” leads	50
6	J-241-C	Slim LED Dome Light, No Switch, 24 Diodes	550 mA	24 LED	4” leads	20
7	D-61	6” Dome Lamp with Stainless Base. CSA Certified, Clear Lens.	2.0 Amps	1156 Bulb	6” leads	50
	D-63	6” Dome Lamp with Stainless Base & Switch	2.0 Amps	1156 Bulb	6” leads	50
8	J-80-WC	7-1/4” Scare light. White Base	2.20 AMPS	1156 Bulb	6” leads	24
	J-80-SC	7-1/4” Scare light. Stainless Base	2.20 AMPS	1156 Bulb	6” leads	24

REF. # 2



REF. # 1

REF. # 3



REF. # 4

REF. # 5

REF. # 6

REF. # 7

REF. # 8

REF. # 9

* * * * Incandescent Clearance / Marker Lamps * * * *

REF. NO.	PART NO.	DESCRIPTION	LENS COLOR	MOUNT	WIRING	QTY
1 2	J-500-A J-500-R	1-1/2" W, 3-1/4" L, 1" H Self-Grounding Clearance / Marker Lamp	Amber Red	2 screw	6" hot wire	200 200
1 2	J-500G-A J-500G-R	1-1/2" W, 3-1/4" L, 1" H, with ground wire Clearance / Marker Lamp	Amber Red	2 screw	6" hot & ground wire	200 200
3	J-526-A J-526-R	Bee Hive light with attached mounting bracket 2-5/8" diameter Clearance / Marker Lamp Now Available in LED, Models: J-5265-A, J-5265-R	Amber Red	2 screw	6" hot wire	200 200
4	J-550-A J-550-R	Self-Grounding Steel armored guard Marker Light 4-1/2" L x 2-1/4" H x 1-3/8" D	Amber Red	2 screw	5" Hot Lead	100 100
5	J-PB201-A J-PB201-R	Reflex lens with S/S bezel 6" L, 1-3/4" H, 1/2" D	Amber Red	2 screw	12" pigtail	100 100
6	J-1024-A J-1024-R	Stud Mount Self-Grounding Marker Lamp with reflex lens 2-3/4" L, 2-1/8" H, 3/4" D	Amber Red	1 stud	6" hot wire	200 200
	J-1024-APC	Model 1024 w/push connector wiring	Amber	2 screw	push connectors	200
7	J-1024EM-A J-1024EM-R	Ear Mount Self-Grounding Marker Lamp with Reflex lens 3-7/8" L, 2-5/8" H, 1" D	Red Amber	1 stud	6" pigtail	200
8	J-1024-AA	Same as J-1024-SA with all amber housing PC Rated Now Available in LED, Models: J-1025-A, J-1025-R	Amber	1 stud	6" pigtail	200
9	J-301-A J-301-R	CL/MK Lamp with Reflex Lens and Twist-Lock Plug. 4" L x 1-5/8" H	Amber Red	2 screw	7" leads	200

REF. # 1



REF. # 2

REF. # 3

REF. # 4

REF. # 5

REF. # 6

* * * * Incandescent Clearance / Marker Lamps * * * *

REF. NO.	PART NO.	DESCRIPTION	LENS COLOR	MOUNT	WIRING	QTY
1	J-576-A J-576-R	Two bulb, sealed, 3-3/4" L, 1-1/4" H, 7/8" D (Reference # 2, 3 for mounting brackets)	Amber Red	bracket	2 - male plug-in's (no wires)	400 400
	J-576-A/R	Combo two bulb sealed, (1/2 amber, 1/2 red) 3-3/4" L, 1-1/4" H, 7/8" D (Reference # 2, 3, 7 for mounting brackets)	Amber/ Red	bracket	2 - male plug-in's (no wires)	400
2	J-573-A J-573-R J-573-C	Sealed light, 2-1/2" L, 1-1/4" H, 7/8" D	Amber Red Clear	mount with 573 series bracket	2 - female plug-in's no wires	400 400
	J-573-AK J-573-RK	Light Kit including J-573 Lamp, Chrome Bracket (J-573-BRK-B) and Wire Harness (J-10-WH).	Amber Red	2 screw	7" pigtail	100 100
3	J-573-SMA J-573-SMR	Sealed light, Stud Mounted, Self-Grounding 2-1/2" L, 1-1/4" H, 7/8" D	Amber Red	Single Stud	20" Hot Lead	400
4	D-272-L D-272-R	(Left Fender) Fender mount assembly with removable lenses. Base: 4-7/8" x 3-1/8" + 3-1/2" Wire Guard (Right Fender)	Amber/ Red	3 screw mount	5" Leads	25
5	J-572-L J-572-R	Fender mount kit for over 80" trailers. (Left Fender) Self-Grounding, includes durable ABS housing with wire guard, J-573-R mounted to the rear and J-573-A to the front. Base: 3" x 4-3/4" + 4" wire guard. (Right Fender)	Amber/ Red	5 screw	15" pigtail	50 50
6	J-576-A/R-FM	Fender Mount Bracket for over 80" trailers. (Includes bracket and J-576-A/R Lamp.) Base: 4" x 1" + 4" Wire Guard	Amber/ Red	4 screw	8" pigtail	200

REF. # 1

REF. # 2

REF. # 3

REF. # 4

* * * * Brackets for 576 Series * * * *

REF. NO.	PART NO.	DESCRIPTION	Finish Color	MOUNT	WIRING	QTY
1	J-576-P2	2 wire female plug for 576 series lights.	Black	N/A	9" pigtail	400
2	J-154-AG	Stainless steel armored guard for 576 series parts.	Stainless	2 screw	N/A	100
3	J-576-BRK	Plastic Bracket only for 576 series lamps. Use with J-576-P2	Black	2 screw	N/A	200
4	J-576-FM	Fender Bracket only with plug for 576 series lamps.	Black	4 screw	13" pigtail	200

REF. # 4

REF. # 5

REF. # 6



REF. # 7

REF. # 8

* * * * Brackets for 573 / 576 Series* * * *

4	J-573-AGC	Guarded Mouting bracket for J-573 lamps	Chrome	2 screw	N/A	200
5	J-573-BRK-B J-573-BRK-C	Mounting bracket for J-573 lights (used with J-10-WH harness/plug)	Black Chrome	2 screw	N/A	400 400
6	J-573-BRKG-B J-573-BRKG-C	Self-Grounding mounting bracket for J-573 lights (used with J-573-WH harness/plug)	Black Chrome	2 screw	N/A	400 400
7	J-576-BRK-B1 J-576-BRK-C1	Plastic mounting bracket for J-576 lights, with 7" hot wire Self-Grounding	Black Chrome	2 screw	7" pigtail	400 400
8	J-576-BRK-B2 J-576-BRK-C2	Plastic mounting bracket for J-576 lights, with 7" hot wire & ground wire	Black Chrome	2 screw	7" pigtail	400 400



REF. # 1

REF. # 2

REF. # 3

REF. # 4

REF. # 5

REF. # 6

REF. # 7

* * * * Incandescent Clearance / Marker Lamps * * * *

REF. NO.	PART NO.	DESCRIPTION	LENS COLOR	MOUNT	WIRING	QTY
1	J-326-BA J-326-BR	Self-Grounding Marker Lamp with snap off reflex lens and plug-in hot and ground connections. 4 3/4" x 1 7/16" x 1 1/4" Black Base	Amber Red	2 screw internal	Plug In	200
	J-326-WA J-326-WR	White Base	Amber Red			
2	J-426-BA J-426-BR	Marker Lamp with twist lock plug and foam gasket. Fits 5/8" cut out. 3 7/8" x 1 7/8" Black Base	Amber Red	2 screw internal	7" leads	200
	J-426-WA J-426-WR	White Base	Amber Red			
3	J-323-A J-323-R J-323-C	Two-Bulb snap off bulls-eye lens marker lamp Self-Grounding 2" x 4". LED Models: J-325-A, J-325-R, J-325-C	Amber Red Clear	2 screw internal	7" lead	200
4	J-126-AW J-126-RW	2" x 4" oval marker light with removable reflex lens and white base. Self-Grounding	Amber Red	2 screw internal	6" lead	200
	J-122-A J-122-R	2" x 4" oval marker light with removable reflex lens and white base. Self-Grounding with 2 Bulbs.	Amber Red	2 screw Internal	6" lead	200
5	J-480-A J-480-R	6 1/8" W x 2 1/8" H Marker light	Amber Red	Screw	6" lead	100
6	J-226-A J-226-R	4" x 1 3/8" self-grounding marker lamp with snap off reflex lens. 2 wire version: J-227-A, J-227-R	Amber Red	2 Screw Internal	6" lead	200
7	J-626-A J-626-R	4"x 2" marker lamp with twist lock plug, snap off reflex lens. Black base models: J-626-AB, J-626-RB	Amber Red	2 Screw Internal	Twist Lock with 7" leads	100
6	J-222-A J-222-R	Two-Bulb 4"x 1-3/8" self-grounding marker lamp with snap off reflex lens. 2 wire version: J-223-A, J-223-R	Amber Red	2 Screw Internal	6" lead	200

REF. # 1

REF. # 2

REF. # 3

REF. # 4

REF. # 5

REF. # 6

* * * * Incandescent Clearance / Marker Lamps * * * *

REF. NO.	PART NO.	DESCRIPTION	LENS COLOR	MOUNT	WIRING	QTY
1	J-10-A J-10-R	2" round sealed lamp only.	Amber Red	grommet	2 - Female plug-in For J-10-WH; KITS Include Harness	200
	J-10-AK J-10-RK	2" round sealed lamp Kit w/ grommet & harness.	Amber Red	grommet		100
2	J-10-FFA J-10-FFR	Flange Mounted 2" sealed lamp.	Amber Red	screw		100
3	J-20-A J-20-R	2-1/2" round/sealed/reflex lamp only.	Amber Red	grommet		200
	J-20-AK J-20-RK	2-1/2" round/sealed/reflex lamp kit w/ grommet & harness.	Amber Red	grommet		100
4	J-20-FFA J-20-FFR	Flange Mounted 2-1/2" seaed w/ reflex lamp.	Amber Red	screw		100
5	J-105-A J-105-R	2" round Bee Hive sealed light (Reference # J-10-GM for mounting grommet)	Amber Red	grommet		100
6	J-205-A J-205-R	2-1/2" round/sealed w/ reflex lamp. Black Base, Stud Mount, Self-Grounding	Amber Red	1 stud	5" pigtail	200
	J-206-A J-206-R	2-1/2" round light with REMOVABLE reflex lens. Black Base, Stud Mount, Self-Grounding	Amber Red	1 stud	5" pigtail	200

REF. # 1


REF. # 2

REF. # 5

REF. # 7

REF. # 3

REF. # 4

REF. # 6

REF. # 8

* * * * Incandescent Stop / Tail / Turn & Backup Lamps* * * *

REF. NO.	PART NO.	DESCRIPTION	LENS COLOR	MOUNT	WIRING	QTY
1	J-40-A J-40-R J-40-C	4” Round, Sealed Stop, Stop/Tail/Turn & Backup Lamps. (Lamp Only)	Amber Red Clear	grommet	3 female plug-in’s	50
	J-40-AK J-40-RK J-40-CK	4” Round, Sealed Stop/Tail/Turn & Backup Lamps. (with grommet & harness)	Amber Red Clear	grommet	3 female plug-in’s	50
2	J-42-R	4” Round, Sealed Stop, Tail & Turn Lamp w/ REFLEX	Red	grommet	3 female plug-in’s	50
	J-42-RK	4” Round, Sealed Stop, Tail & Turn Lamp w/ REFLEX (with grommet & harness)	Red	grommet	3 female plug-in’s (with wires)	50
3	J-750-A J-750-R J-750-C	4” Round Flange Mount Self-Grounding Lamp with Plastic Housing. 5 1/2” diameter x 2” deep	Amber Red Clear	3 screws	9” leads	50
4	J-752-R	Stop, Turn, Tail - 4-3/8” dia., 3/8” dia x 1” L stud (Black powder coated body)	Red	Stud	9” leads	48
5	J-60-A J-60-R J-60-C	6” Oval, Sealed Stop/Tail/Turn & Backup Lamps. (Lamp Only)	Amber Red Clear	grommet	3 female plug-in’s	48
	J-60-AK J-60-RK J-60-CK	6” Oval, Sealed Stop/Tail/Turn & Backup Lamps. (with grommet & harness)	Amber Red Clear	grommet	3 female plug-in’s (w/ wires)	50
6	J-61-R	Oval J-60 Lamp with Black Housing. (Lamp only)	Red	grommet	3 female plug-in’s	48
	J-61-RK	Oval J-60 Lamp with Black Housing. (w/ grommet & harness)	Red	grommet	3 female plug-in’s w/ wires)	50
7	J-63-A	6” Oval Mid-Ship Marker lamp. (Lamp only)	Amber	grommet	3 femaile plug-ins	50
	J-63-AK	6” Oval Mid-Ship Marker Lamp Kit. (w/ grommet & harness)	Amber	grommet	3 female plug-ins (w/wires)	50
8	J-30-A J-30-R J-30-C	Sealed Rectangular Stop/Tail/Turn & Backup Lamps. (lamp only) (5” H x 3-1/4” W)	Amber Red Clear	grommet	3 female plug-ins	50
	J-30-AK J-30-RK J-30-CK	Sealed Rectangular Stop/Tail/Turn lamp kit. (w/ grommet & harness) (5” H x 3-1/4” W)	Amber Red Clear	grommet	3 female plug-ins (w/ wires)	50

REF. # 1

REF. # 2

REF. # 3

REF. # 4

REF. # 5

REF. # 6

REF. # 7

* * * * Incandescent Combination Tail Lamps* * * *

REF. NO.	PART NO.	DESCRIPTION		LENS COLOR	MOUNT	WIRING	QTY
1	J-2014 J-2014-L	Stud mount Stop/Tail/Turn lamp for under 80" (4" diameter)	Curb Side Street Side	Red	2 studs	2 6" pigtails	100
2	J-2023 J-2023-L	Combination tail light for trailers under 80" with Stainless Hardware, No Wires. 4-1/2" x 5-1/2"	Curb Side Street Side	Red	2 studs	4 female press ins	48
	J-2024 J-2024-L	Combination tail light for trailers under 80" with 7" Hot Lead Wires 4-1/2" x 5-1/2"	Curb Side Street Side	Red	2 studs	4 female press ins or 7" Wires	48
3	J-2034 J-2034-L	Combination tail light for trailers over 80" 4-1/2" x 6"	Curb Side Street Side	Red	2 studs	4 female press ins	48
	J-2044 J-2044-L	Over 80" Submersible Combination tail light (Gaskets on both rear & side lens)	Curb Side Street Side	Red	2 studs	15" leads	48
4	J-73 J-73-L	Over 80" Low-profile Submersible combination lamp. (3" x 8")	Curb Side Street Side	Red	2 studs	12" leads	50
5	J-90 J-90-L	RV Style S/T/T Lamp w/ Snap-off lens. (8 5/8" x 4 5/8") White Base (Pictured)	Curb Side Street Side	Red	Screw on	6" Leads	50
	J-90-B J-90-LB	RV Style S/T/T Lamp w/ Snap-off lens. (8 5/8" x 4 5/8") Black Base (Not Pictured)	Curb Side Street Side	Red	Screw on	6" Leads	50
6	J-90-R J-90-RL	RV Style S/T/T Lamp w/ Reverse Light. (8 5/8" x 4 5/8") White Base	Curb Side Street Side	Red / Clear	Screw on	6" Leads	50
7	J-70 J-70-L	Low profile Submersible combination lamp. (6-1/8" L x 3-5/8" W x 2-1/4" D) over 80"	Curb Side Street Side	Red	2 studs	8" w/ plug 6" ground	48



Ref. # 1

Ref. # 3

Ref. # 2

Ref. # 4

* * * * Incandescent Light Bars * * * *

REF. NO.	PART NO.	DESCRIPTION	LENS COLOR	MOUNT	WIRING	QTY
1	J-500-3B-A J-500-3B-R	Light bar- black metal base (15-1/2" L, 1-1/4" H, 1-1/4" D)	Amber Red	2 screw	12" pigtail	50
	J-500-3W-A J-500-3W-R	Light bar- white metal base (15-1/2" L, 1-1/4" H, 1-1/4" D)	Amber Red	2 screw	12" pigtail	50
2	J-508-R	Light bar- blackmetal base - with Bee Hive lights (13-3/4" L, 8-1/2" centers)	Red	2 screw	12" pigtail	50
3	J-573-3B-R J-573-3W-R J-573-3S-R	Black Metal Base Tri-Bar using sealed J-573-R lights. White Metal Base (15-1/2" L, 1-1/4" H, 1-1/4" D) Stainless Metal Base	Red Red Red	2 screw	12" lead self-grounding	50
4	J-569-A J-569-R	Light bar with black plastic base. Uses J-573 sealed lights. Complete w/ 60" pigtail. 16-5/8" L x 1-1/2" H x 1-1/2" D	Amber Red	2 screw	60" pigtail	50

* * * *Replacement Lenses* * * *

SERIES	COLOR	PART NO.
2024/34/44 Front Lens	Red	J-2024-15-R
2034/44/445 Side Lens	Red	J-2034-15-SR
20245/20445 Front Lens	Red	J-20245-15-R
2014	Red	J-2014-15-R
AB1/AB2	Amber Red Black	J-AB1-15-A J-AB1-15-R J-AB1-15-B
750/752	Red Clear	J-750-15-R J-750-15-C

SERIES	COLOR	PART NO.
J-91/D-21 J-92/D-22	Clear	J-91-15-C
D-91/92	Clear	D-91-15-C
J-96	Clear Amber	J-96-15-C J-96-15-A
J-97	Clear Amber	J-97-15-C J-97-15-A
AC1/AC2	Amber Red Black	J-AC1-15-A J-AC1-15-R J-AB1-15-B
J-90 J-90-L	Red Red/Clear	J-90-15-R (Curb Side) J-90L-15-R (Street Side)

Other Lenses Available. Contact Customer Service For Details.



REF. # 1

REF. # 2

REF. # 3

REF. # 4

REF. # 5

REF. # 6

* * * * Miscellaneous Lighting* * * *

REF. NO.	PART NO.	DESCRIPTION	LENS COLOR	MOUNT	WIRING	QTY	
1	J-422-SC	Compact, surface mount, Lexan lens, Clear-w/switch	Clear	4 screws	2 7” pigtails	50	2-1/2” H 4-1/2” L 2” D
	J-422-A	Compact, surface mount, Lexan lens, Amber	Amber			100	
	J-422-R	Compact, surface mount, Lexan lens, Red	Red			100	
	J-423-R	Compact (Non DOT) Stop Tail Turn Lamp	Red	4 Screw	3 7” pigtails	50	

* * * * Courtesy Lights & Stepwell Lights for School, Transit & RV’s* * * *

2	J-855-C	Flush Mount Stepwell light, 4-1/4” chrome plated brass base, Polycarbonate lens, without lens shield	Clear	3 screw	2 7” pigtails	50	
	J-855-1-C	Flush Mount Stepwell light, 4-1/4” chrome plated brass base, Polycarbonate lens - 1/2 chrome plated lens shield	Clear	3 screw		50	
3	J-856-C	Stepwell Light, chrome plated brass body with 1/2 lens shield. 3-1/2” X 3” oval shape	Clear	2 bolt	1 7” pigtails	50	
	J-856-1-C	Stepwell Light, chrome plated brass body without lens shield. 3-1/2” X 3” oval shape	Clear	2 bolt		50	
4	J-541	Armored side marker light for buses & trailers, 5-1/8” L, 2” H, 2-1/8” D, painted white, surface mt.	Amber	4 screw	2 6” pigtails	100	

* * * * Boating Related Lights* * * *

5	J-1005-C	Baitwell light, requires 1-1/2” mounting hole, 6 cp (requires 2-1/2” diameter surface mounting area)	Clear	Nut	2 6” pigtails	200	
6	J-1901-A J-1901-C	Flush Mount Deck light with stainless steel bezel, 3” diameter, flush mount	Amber Clear	2 screw	2 5” pigtails	100	

REF. # 1

REF. # 2

REF. # 3

REF. # 4

REF. # 5

REF. # 6

REF. # 7

REF. # 8

REF. # 9

REF. # 10

REF. # 11

* * * * License Lamps * * * *

REF. NO.	PART NO.	DESCRIPTION	LENS COLOR	MOUNT	WIRING	QTY	BULB
1	J-600	Sealed license light. Black body with clear light. 3-3/4" L, 2-1/8" H, 3" D	Clear	2 screw	5" pigtail	100	194
2	J-EC2C	Model EC-2 with Twist Lock Plug.	Moon Stone	2 screw	2 7" pigtails	400	194
3	J-EC2	Brass, Chrome Plated, 1-1/2" dia, Self-Grounding	Moon Stone	push-in	19" pigtail	400	67
	J-EC75	1-7/8" D (requires 1-1/4" diameter hole) 2-Wire			19" leads		
4	J-EC4	Chrome Plated surface mount 1-1/4 x 2-1/2	Moon Stone	2 screw	6" leads	100	194
5	J-EC7	Luster Zinc Plating/screw mount Self-Grounding	Clear	2 screw	7" pigtail	200	67
6	J-EC9	Luster Zinc Plating single 1/4" hole - bolt mount Self-Grounding	Clear	1 bolt	7" pigtail	200	67
7	J-86	1/2 dome, Stainless with side ears for screw mounting 3-1/4" L, 2-1/4" H Self-Grounding	Clear	2 screw	15" pigtail	200	194
8	J-88	Black Plastic Body with Twist Lock Plug	Clear	2 screw	6" leads	100	194
9	J-99	Grey plastic body with clear lens 1-7/8" L, 2-1/4 H, 1-1/2" D LED Model: J-995 Self-Grounding	Clear	2 screw	7" pigtail	200	194
9	J-99-B	Black plastic body with clear lens 1-7/8" L, 2-1/4 H, 1-1/2" D Self-Grounding	Clear	2 screw	7" pigtail	200	194
10	J-99-BRK	Grey plastic body with clear lens 1-7/8" L, 2-1/4 H, 1-1/2" D (Riveted to black painted steel license plate bracket) LED Model: J-995-BRK Self-Grounding	Clear	2 screw	7" pigtail	100	194
11	D-EC6	Stainless Steel Surface Mount License Lamp with Replaceable Bulb. Includes Mounting Screws.	Moon Stone	2 screw	7" leads	250	194

REF. # 12

Part No. J-95-EC2C

Round Plastic, Push-In License Lanp with Twist Lock Plug
1-1/2" dia, 1-7/8" D (requires 1-1/4" diameter hole)
Available with CHROME CAP or BLACK CAP

Special Order Only

REF. # 2

REF. # 4

REF. # 5

REF. # 3

REF. # 1

* * * * License Lamps * * * *

REF. NO.	PART NO.	DESCRIPTION	LENS COLOR	MOUNT	WIRING	QTY	BULB
1	SJ-94-C	Chome Hooded Snap In License Lamp with Twist Lock Harness	Clear	1-1/4" hole	26" Pigtail	100	194
2	L-99-JF	License Lamp Housing for Late Model Ford. Cap Only, For Use wih Twist Lock Plug.	Clear	Snap In	None	200	194
3	Toyota Lamp Housing	License Lamp Housing for Late Model Toyota Trucks. Cap Only, For Use wih Twist Lock Plug.	Clear	Pop Corn	None	200	194
4	J-762	Sealed license light. Black body with clear light. 1-5/8"" L, 1" H, 1-3/8"" D	Clear	2 screw	7" Leads	500	194
5	H-1	3" x 1-1/8" Flush Mount License lamp. Mounts on 2-1/2" centers. Includes gasket.	Clear	2 screw	7" Leads	400	194
6	J-995-BRK	LED 4-Diode License Lamp. Grey plastic body with clear lens 1-7/8" L, 2-1/4 H, 1-1/2" D (Riveted to black painted steel license plate bracket) Self-Grounding	Clear	2 screw	7" Pigtail	100	4 Diode
7	J-995	LED 4-Diode License Lamp. Grey plastic body with clear lens 1-7/8" L, 2-1/4 H, 1-1/2" D Self-Grounding	Clear	2 screw	7" Pigtail	200	4 Diode
8	J-605	Sealed LED license light. Black body with clear light 3-3/4" L, 2-1/8" H, 3" D Self-Grounding	Clear	2 screw	7" Pigtail	100	2 Diode
9	J-EC5	LED license light. Chrome Plastic Housing 1-1/4 x 2-1/2	Clear	2 screw	6" Leads	200	2 Diode

* * * * LED License Lamps * * * *

REF. # 6

REF. # 7

REF. # 8

REF. # 9

REF. # 1

REF. # 2

REF. # 3

REF. # 4



Logo Tape Examples

REF. # 5

REF. # 6

* * * * Reflective Tape * * * *

REF. NO.	PART NO.	DESCRIPTION	COLOR	PATTERN	CUT	QTY
1	J-FFT-7Y	150' x 2" Roll 7 year High Intensity Conspicuity Tape	red/ silver	7" x 11"	Continuous	10 Rolls
	J-FFT-7K	150' x 2" Roll 7 year High Intensity Conspicuity Tape	red/ silver	7" x 11"	Kiss Cut	
	J-FFT-6Y	150' x 2" Roll 7 year High Intensity Conspicuity Tape	red/ silver	6" x 6"	Continuous	
	J-FFT-6K	150' x 2" Roll 7 year High Intensity Conspicuity Tape	red/ silver	6" x 6"	Kiss Cut	
2	J-FFT-71Y	150' x 1" Roll 7 year High Intensity Conspicuity Tape	red/ silver	7" x 11"	Continuous	20 Rolls
	J-RFR-12Y	150' x 2" Roll 7 year High Intensity Conspicuity Tape	red only	Full	Continuous	10 Rolls
5	J-PGT-7S	2" x 18" Pre Cut Reflex Strip, 10 year prismatic grade	red/ white	7" x 11"	18" Individual Strips	100 Strips
3	J-PGT-7Y	150' x 2" Roll 10 Year Prismatic Conspicuity Tape	red/ white	7" x 11"	Continuous	10 Rolls
	J-PGT-6Y	150' x 2" Roll 10 Year Prismatic Conspicuity Tape	red/ white	6" x 6"	Continuous	
	J-PGT-7K	150' x 2" Roll 10 Year Prismatic Conspicuity Tape	red/ white	7" x 11"	Kiss Cut	
	J-PGT-6K	150' x 2" Roll 10 Year Prismatic Conspicuity Tape	red/ white	6" x 6"	Kiss Cut	
4	J-PGY-12Y	150' x 2" Roll 10 Year Prismatic School Bus Tape	yellow only	Full	Continuous	
	J-PGW-12Y	150' x 2" Roll 10 Year Prismatic Conspicuity Tape	white only	Full	Continuous	
6	J-PGR-9S	2" x 9" Ag Reflex Strip	red only	2" x 9"	9" Individual Strips	100 Strips
6	J-PGY-9S	2" x 9" Ag Reflex Strip	yellow only	2" x 9"	9" Individual Strips	100 Strips

Contact us for custom logo reflex tape and additional colors, widths and grades.

REF. # 1

REF. # 2

REF. # 3

REF. # 4

* * * * Reflective Tape and Reflectors * * * *

REF. NO.	PART NO.	DESCRIPTION	COLOR	MOUNT	QTY Pack / CTN
1	J-006-A J-006-R	2" x 2.75" 10 Year Prismatic Tape Class A Reflector	amber red	tape	100 PCS / 1000 PCS
2	J-2-REF-SA J-2-REF-SR	2-1/4" Stud Mount Reflector with Chrome Trim	amber red	stud mount	200 per carton
3	J-002-A J-002-R	3-1/4" x 1-3/16" Reflector with adhesive tape	amber red	tape	400 per carton
4	J-003-A J-003-R	1-7/8"x 4-3/8" Oval Reflector with 3M adhesive Tape	amber red	tape/ screw	200 per carton
5	J-214-A J-214-R	2-1/4" Round Refletor with adhesive tape	amber red	tape	200 per carton
6	J-ALS-6Y	48" Aluminum Strip with Pre Adhered 6" x 6" 10-Year Prismatic Grade Reflex Tape	white/ red	rivet	56 per carton
7	J-40-X	Red Reflex Trim Ring for 4" Flange Brackets (J-40-F)	red	3 screw	50 per carton
8	U-TRK	Warning Triangle Set, Includes Carry Case and 3 Fold-Out Reflective Warning Triangles	orange & red	N/A	3 per set / 4 sets per carton

REF. # 5



REF. # 7

REF. # 8

REF. # 6

REF. # 1

REF. # 2

REF. # 3

REF. # 4

REF. # 5

* * * * HID Work Lamps * * * *

REF. NO.	PART NO.	DESCRIPTION	Lumens	Amps@ 12V	Beam	Body	QTY
1	PL-500	35 Watt Compact Xenon HID Worklamp, 12V/24V Lens: 3" W x 3" H; Body: 4.25" W x 4" H x 5" D 12 Volt Only Model: PL-512	3,200	3.2 A	Flood	Nylon	10
2	PL-700	35 Watt Full Size Xenon HID Worklamp, 12/24V Lens: 4.5" W x 4.5" H Body: 5.5" W x 5.5" H x 6" D 12 Volt Only Model: PL-712	3,200	3.2 A	Trap	Nylon	6
	PL-745	50 Watt Full Size Xenon HID Worklamp, 12V only Lens: 4.5" W x 4.5" H Body: 5.5" W x 5.5" H x 6" D	4,000	3.7 A	Trap	Nylon	6
3	PL-732	70 Watt (2x35 Watt) Dual Beam Xenon HID Lamp, 12/24V. Body: 6-3/8"x 4-3/8"x 5-3/8" Lens: 5-1/4"x 3-3/8" Glass.	6,400	6.1 A	Flood/ Flood	Nylon	6
4	PL-845	50 Watt Compact Heavy Duty Xenon HID Lamp, 12V only. Body: 4"x 4"x 6" Lens: 3"x 3"	4,000	3.7 A	Flood	Aluminum	10
5	PL-612-F PL-612-S	35 Watt Oval Xenon HID Lamp, 12V only. Lens Dimensions: 4-3/4" x 2-7/8" Oval 50 Watt Models: PL-645-F & PL-645-S	3,200 4,000	3.2 A 3.7 A	Flood Spot	Nylon	8

REF. # 6

REF. # 7

REF. # 8

REF. # 9

REF. # 10

REF. # 11

REF. # 12

REF. # 13

REF. # 14

* * * * LED Work Lamps * * * *

6	J-14605	Compact Heavy Duty LED Work Lamp. 6 pcs 3-Watt LED Diodes. Aluminum Housing w/ PC Lens. 12/24 volt. 4.25" W x 4" H x 3" D	900	1.0 A	Narrow Flood	Aluminum	20
7	J-14655	Rectangular LED Work Lamp. 10 pcs 3-Watt LED Diodes. Aluminum Housing w/ PC Lens. IP-67. 6.25" W x 4.5" H x 4.25" D	1500	1.5 A	Trap	Aluminum	20
8	J-14935	Round LED Worklamp. Uses 9 pcs 3-Watt LED Diodes. 10 to 32 volts. IP-66 Rated and PC Lens. 4.85" Diameter x 2.5" Deep	1,350	1.1 A	Flood	Aluminum	20
9	J-14110	SOL Series One. 10 watt mini LED Worklamp 2.2"L x 2.2"W x 2.5"D Housing w/ 1.2"H Bracket 10-32 volts. IP-67	800	750 mA	Euro/ Spot/ Flood	Aluminum	20
10	J-14410-F J-14410-S	SOL Series Four. 40 watt 4" round LED Worklamp. 4.85" Diameter x 2.5"D Body w/ 4-1/8" Lens. 10-32 volts. IP-67	3,200	3.0 A	Flood Spot	Aluminum	10
11	J-14610	SOL Series Six. 6x 10-Watt LED Worklamp. 6.25" W x 4.5" H x 4.25" D Body. 12-75 volts. IP-67	4,800	3.85 A	Flood	Aluminum	10
12	J-14575-F	LED Worklamp, Rect. 6x 3-Watt Diodes with On/Off Switch	1000	1.4 A	Flood	Aluminum	8
13	J-14603-F J-14603-S	LED Worklamp, Round 6x 3-Watt Diodes, Alum Base, IP67	1050	1.4 A	Flood Spot	Aluminum	20
14	J-14630-F or S J-14660-F or S	Oval LED Worklamp with 10x 3-Watt Diodes (J-14630) OR 6x 10-Watt Diodes (J-14660), 10-30V, IP-68, Deutsch Connector. Available in Spot or Flood Beam	2000 4000	2.2 4.2	Spot or Flood	Aluminum	8

Ref. # 1

Ref. # 2

Ref. # 3

Ref. # 4

Ref. # 5

Ref. # 6

Ref. # 7

All Halogen Work Lamps use 55 watt halogen bulbs with H3 bulb mounting, high heat nylon bodies and tempered glass lenses.

* * * * Halogen and Sealed Beam Work Lamps * * * *

REF. NO.	PART NO.	DESCRIPTION	Beam Pattern	MOUNT	WIRING	QTY
1	J-14600	55 Watt Halogen Work Lamp with pivoting mounting bracket. Lens: 3" H x 3" W body: 4" H x 4.25" W x 4"D White Carton Packaged	Medium Flood	Bolt on	6" cable leads	20
2	J-14670	55 Watt Halogen Work Lamp with rubber washer mounting. Lens: 4.5 H" x 4.5" W body: 5.5" H x 5.5" W x 4.25" D. White Carton Packaged	Full Flood	Bolt on	6" cable leads	20
3	J-14850	55 Watt Halogen Work Lamp with bolt on bracket lens: 3.25"H x 5.75"W body: 4.25"H x 7.25"W. White Carton Packaged	Flood	Bolt on	6" cable leads	20
4	J-14570	55 Watt Halogen Work Lamp with bolt on bracket lens: 3" H x 5.25" W body: 6" W x 3.75 H x 3.5" D. Model: J-14570-S with On/Off Switch	Trape-zoidal	Bolt on	8.5" cable leads	20
5	J-14300	35 Watt Sealed Beam Work Lamp. PAR 36 Bulb. Stud Mount Bracket. Hot & Ground Leads. Clam Shell Packaged. Model: J-14300-S with On/Off Switch	Trape-zoidal	Bolt on	6" wire leads	20
6	J-14659B	55 Watt Halogen Dual Bulb Work Lamp with pivot/swivel mounting bracket, D handle. lens: 3.5" H x 5.25" W body: 4.5"H x 6.25"W x 4.5"D. White Carton Packaged	Flood/ Flood	Screw/ Bolt	6" cable leads	20
7	J-14659	55 Watt Halogen Dual Bulb Work Lamp with pivot/swivel mounting bracket. lens: 3.5" H x 5.25" W body: 4.5"H x 6.25"W x 4.5"D. White Carton Packaged	Flood/ Flood	Screw/ Bolt	6" cable leads	20

* * * * Mounting Grommets and Brackets* * * *

REF. NO.	PART NO.	DESCRIPTION	QTY
1	J-54-GM	Black rubber grommet for J-53, J-54 and J-55 Series lamps for flush mounting	200
2	J-10-GM	Black rubber grommet for J-10, and J-105 Series lamps for flush mounting	200
	J-11-GM	Black rubber grommet for J-10, and J-105 Series lamps to meet PC rating	200
3	J-20-GM	Black rubber grommet for J-20 and J-25 Series lamps for recess mounting	200
4	J-20-DGM	Black rubber grommet for J-20 and J-25 Series lamps for flush mounting	100
5	J-40-GM	Black rubber grommet or J-40 and J-45 Series lamps for flush mounting	100
6	J-30-GM	Black rubber grommet for J-30 and J-35 Series lamps for flush mounting	100
7	J-60-GM	Black rubber grommet for J-60, J-64, J-65, J-66 and J-67 Series lamps	160
8	J-505-GM	Black rubber grommet for J-515 and J-510 Series lamps	160
9	J-573-GMN	Black rubber grommet for J-573 and J-5735 Series lamps	250
10	J-573-GM	Black rubber grommet for J-573 and J-5735 Series lamps	250
11	J-54-BZC	Chrome Plastic Trim Ring for 3/4” Lights (Fits 53/54/55 Series)	50
12	J-505-BZ-B	Black Plastic Trim Ring for J-515 Series Lights	200
	J-505-BZ-C	Chrome Plastic Trim Ring for J-515 Series Lights	200
13	J-60-BZ-B	Black Plastic Trim Ring for J-65-F and J-66-F J-64-F Series Lights	100
	J-60-BZ-C	Chrome Plastic Trim Ring for J-65-F, J-66-F, and J-64-F Series Lights	100
14	J-40-FC	Chrome Plastic Flange for J-40 and J-45 Series Lights	50
	J-40-FB	Black Plastic Flange for J-40 and J-45 Series lamps	
	J-40-X	Red Reflex Ring mounts on-top of the J-40-F	50

Ref. # 1

Ref. # 2

Ref. # 3

Ref. # 4

Ref. # 5

Ref. # 6

* * * * Mounting Brackets* * * *

REF. NO.	PART NO.	DESCRIPTION	QTY
1	J-10-BRK	Black Powder Coated Bracket for J-10 and J-15 Series Lights	100
	J-20-BRK	Black Powder Coated Bracket for J-20 and J-25 Series Lights	100
	J-40-BRK	Black Powder Coated Bracket for J-40 and J-45 Series Lights	50
	J-60-BRK	Black Powder Coated Bracket for J-60 and J-65 Series Lights	50
2	J-LFB-N	Black Plastic License Plate Bracket	50
	J-LFB-L	Black Plastic License Plate Bracket with Light	50
3	J-2024-9B	Zinc Coated Steel License Plate Bracket	100
4	T-65-BRK	Oval Black Powder Coated Bracket for J-60 / 64 / 66 / 67 Series Lights	50
5	J-2023-BRK	Grey Plastic License Plate Bracket (flexible)	200
6	J-99-BBO	Black Steel License Bracket	100

REF. # 1

REF. # 2

REF. # 3

REF. # 4

REF. # 5

REF. # 6

REF. # 7

REF. # 8

REF. # 9

REF. # 10

REF. # 11

* * * * Wiring and Electrical * * * *

REF. NO.	PART NO.	DESCRIPTION	Gauge Wire	QTY
1	J-573-WH	#8 Male Hot wire harness 12" length.	18	1000
2	J-576-P2	9: wire harness w/ 2 female contacts for J-576 series lights	18	200
3	J-10-WH	6", 2 wire harness with 2 contact male plug for #'s J-10, J-20, J-105, J-573 (right angle plug)	18	800
4	J-60-WH	9", 3 wire harness w/ 3 contact male plug for #'s J-40 & J-60 (right angle plug)	18	400
5	J-404-WH	4 plug harness system for front of truck body	18	150
	J-407-WH	7 plug harness system for rear of truck body	18	48
6	J-60-ADP	3-Way AMP Superseal to Female PL3 Adapter	18	400
7	J-801-WC	Wire connectors for 14-18 gauge wire Blue or White	N/A	6000
8	J-4024-1-WH	4 way flat trailer side connector with 12" leads	18	50
	J-4024-24-WH	4 way flat trailer side connector with 48" leads	18	50
9	J-4024-WH	25' trailer harness with 4 way flat connector & 4' vehicle harness with mating connector	18	48
	J-4224-WH	20' trailer harness with 4 way flat connector & 4' vehicle harness with mating connector	18	48
10	J-5214-WH	20' One way trailer harness w/ 4 way flat connector	18	24
	J-5224-WH	20' Wishbone trailer harness w/ 4 way flat connector	18	24
	J-5024-WH	25' Wishbone trailer harness w/ 4 way flat connector	18	24
	J-5324-WH	30' Wishbone trailer harness w/ 4 way flat connector	18	24
	J-5524-WH	35' Wishbone trailer harness w/ 4 way flat connector	18	24
11	J-5025-WH	25' Wishbone trailer harness w/ 5 way flat connector	18	24
	J-5325-WH	30' Wishbone trailer harness w/ 5 way flat connector	18	24
	J-5525-WH	35' Wishbone trailer harness w/ 5 way flat connector	18	24
	J-54025-WH	40' Wishbone trailer harness w/ 5 way flat connector	18	24
	J-54525-WH	45' Wishbone trailer harness w/ 5 way flat connector	18	24

REF. # 1

REF. # 2

REF. # 3

REF. # 4

* * * * Wiring and Electrical* * * *

REF. NO.	PART NO.	DESCRIPTION	QTY
1	J-5086-WH	8' trailer harness with 6 way round connector Gauge Wire: 14	20
2	J-5007-WH	7 way Round - Flat Pin RV Style Plug only	100
3	J-5067-WH	6' trailer harness w/ 7 way flat pin connector Gauge Wire: 10,10,12,14,14,14,14	24
	J-5087-WH	8' trailer harness w/ 7 way flat pin connector Gauge Wire: 10,10,12,14,14,14,14	12
	J-5107-WH	10' trailer harness w/ 7 way flat pin connector Gauge Wire: 10,10,12,14,14,14,14	12
	J-5157-WH	15' trailer harness w/ 7 way flat pin connector Gauge Wire: 10,10,12,14,14,14,14	10
	J-5257-WH	25' trailer harness w/ 7 way flat pin connector Gauge Wire: 10,10,12,14,14,14,14	10
4	J-JB	7-Way Junction Box with hardware 6-3/4" x 3-1/2" Model J-JBC with Colored Terminals	50
5	J-AEM	Ag Enhance Flasher Module for Incandescent and LED Agricultural Lights. 4-Wire Input. Custom Wire Termination Available.	24
6	J-AG2-WH	Wire Harness Adapter: 2 Way Weather Pack to 2 wire molded .180 (Not pictured)	1
6	J-AG3-WH	Wire Harness Adapter: 3 Way Weather Pack to 3-Way .180 Molded Plug.	1
9	J-AG4-WH	Wire Harness Adapter: 4 Way Weather Pack to .180 bullets	1
7	J-AGM-WH	35' Main Harness w/ 7-Way Ag Plug to 4-way weather pack connector.	10
10	J-AGW-WH	20' Rear Wishbone Harness for 3-wire AG Lights. Mates to J-AGM-WH.	10
8	J-7007-WH	7-Way Plug (ATA/Ag/Round Pin) with Spring Hanger	50

REF. # 5

REF. # 8

REF. # 6





REF. # 9

REF. # 7

REF. # 10

REF. # 1

REF. # 2

REF. # 3

REF. # 4

REF. # 5

REF. # 6

REF. # 7

REF. # 8

REF. # 9



REF. # 10 & 11

* * * * Miscellaneous Trailer Accessories* * * *

REF. NO.	PART NO.	DESCRIPTION	QTY
1	J-D1	2” Straight Aluminum Doorstop w/ rubber cap	100
2	J-D2	3” Short Bent Aluminum Doorstop w/ rubber cap	100
3	J-D3	4” Long Bent Aluminum Doorstop w/ rubber cap	100
4	J-B1	2-1/2" Round Rubber Bumper	200
5	J-B15	1-1/2" Round Rubber Bumper w/ washer	200
6	J-B2	1" Round Rubber Bumper	400
7	J-P1	2-1/2" Round Plastic Tube Cap	400
8	J-P2	1-1/2" Square Plastic Tube Cap	400
9	J-P3	3-7/8" Round Plastic Coupler Cap	200
10	J-19102	9” 3 Piece Grey Plastic Door Catch	150
11	J-19062	6” 3 Piece Grey Plastic Door Catch	150
12	J-6000-TDZ	6,000 lb D-Ring floor tie down - Zinc Finish with Round or Square Holes. (4-1/2” x 4-7/8”)	24
	J-6000-TDR	6,000 lb D-Ring floor tie down - Raw Finish (4-1/2” x 4-7/8”)	24
13	J-19314	Aluminum Grab Handle - Regular holes Center to Center 11”	100
14	J-19101-B	9 1/4” Black Plastic Door Handle	100
	J-19101-G	9 1/4” Grey Plastic Door Handle	100
	J-19101-W	9 1/4” White Plastic Door Handle	100
15	J-TPZ	Spring loaded non pinching steel latch for tilt bed trailer Zinc	20
	J-TPR	Spring loaded non pinching steel latch for tilt bed trailers - Raw	20

REF. # 12

REF. # 13

REF. # 14

REF. # 15

Ref. # 1

Ref. # 2

Ref. # 3

Ref. # 4

Ref. # 5

Ref. # 6

* * * * Miscellaneous Trailer Accessories* * * *

REF NO.	PART NO.	DESCRIPTION	QUANTITY
1	J-11241	Pull Pin with Clip	50
2	J-11210	1/2” Hitch Pin with Clip	50
	J-11220	5/8” Hitch Pin ONLY	50
	J-11230	5/8” Hitch Pin Clip ONLY	500
3	J-11252	Jack Pin with Steel Lanyard and Safety Clip	50
4	J-QL	3/8” Quick Link	200
5	J-11775	Spring Latch with Galvanized Finish and SS Spring	50
6	J-13001	4” Steel C-Clamp	36

Ref. # 7

Ref. # 8

Ref. # 9

Ref. # 10

Ref. # 11

* * * * Door Hardware * * * *

REF NO.	PART NO.	DESCRIPTION	QUANTITY
7	TDRH01	1” x 10” Weld On Ramp Door Hinge with Grease Fitting, RAW Finish	25
8	TBH02	4-1/2” Weld On Ramp Door Butterfly Hinge with Grease Fitting, RAW Finish	40
9	TDL01	Cargo Trailer Door Locking Latch with 4 Matching Keys	20
10	TBL36	36” Bar Lock, Zinc Finish	10
	TBL45	45” Bar Lock, Zinc Finish	10
11	T16	Cargo Trailer Door Strap Hinge, 16” length, 1/2” Offset, Zinc Plated	25
	T16S	Cargo Trailer Door Strap Hinge, 16” length, NO Offset, Zinc Plated	25

Ref. # 1 J-BBK

Ref. # 2 J-BBKL

Ref. # 3 J-TMK

* * * * Breakaway System * * * *

REF NO.	PART NO.	DESCRIPTION	MOUNT	Box WIRING	Switch/ Charger	QTY
1	J-BBK	Trailer Breakaway System with battery, black powder coated mounting plate, removable plastic battery box, and breakaway switch.	Bolt or Weld	Not Wired	Yes/No	8
2	J-BBKL	J-BBK with LED Test Button wired with Built In Charger		15" leads	Yes/Yes	8
3	J-TMK	Breakaway System (Jack Mount) with switch + Battery	Tension Bolt	Not Wired	Yes/No	8
4	J-FJK	Flange Mount Breakaway System. Includes Plastic Battery Box, J-ELEC Breakaway Switch, and 12volt / 5 Ah Battery.	4 screw	15" (+) & (-)	Yes/No	8
5	J-FJKL	LED Top Load Flange Mount Breakaway System. Includes J-ELEC Breakaway Switch & 12 Volt/5 Amp Battery.	4 screw	15" leads	Yes/Yes	8
6	J-CRTK	Clam Shell Break Away System. Includes Battery Box, J-ELEC Breakaway Switch, and 12volt / 5 Ah Battery.	Bolt on	15" (+) & (-)	Yes/No	10
7	J-BRTK	Full Set Up Clam Shell Break Away System. Includes Battery Box, J-ELEC Breakaway Switch, and Battery.	Bolt on	15" leads	Yes/Yes	8
8	J-ELEC	Breakaway Switch with 48" lanyard	screw	48" leads	N/A	50
9	J-BCH	Battery Charger for 12V breakaway system	N/A	17" leads	N/A	100
10	J-BREK	LED Full Set Up Clam Shell Break Away System. Includes Battery Box, J-ELEC Breakaway Switch, and Battery.	Bolt on	15" leads	Yes/Yes	8
	J-TAP	Self Tapping Bolt for Clam Shell / Bolt On Kits	N/A	N/A	N/A	400
	J-BWH	Pre Terminated Hot & Ground Wire for Break Away Systems	N/A	17" leads	N/A	100

Ref. # 4 J-FJK

Ref. # 5 J-FJKL

Ref. # 6 J-CRTK

Ref. # 7 J-BRTK

Ref. # 8

Ref. # 9

Ref. # 10 J-BREK

* * * * Trailer Hitch Balls * * * *

PART NO.	BALL DIA.	SHANK DIA.	SHANK LTH.	GTW LBS.	FINISH	QTY
J-12100	2”	1”	2-1/8”	5000	chr	25
J-12101	2”	1”	2-1/2”	5000	chr	25
J-12103	2”	1”	3”	5000	chr	25
J-12104	2”	1”	3-3/8”	6000	chr	25
J-12105	2”	1-1/4”	2-1/4”	7500	chr	12
J-12106	2”	1/1-4”	2-1/2’	8000	chr	16
J-12107	2”	1”	2-1/8”	7500	chr	25
J-12189	2”	1”	2-1/2”	5000	oil	25
J-12301	2”	3/4”	2-1/2”	3500	chr	25
J-12340	2”	3/4”	2-1/8”	3500	chr	25
J-12380	2”	3/4”	2-1/2”	3500	oil	25
J-12516	2-5/16”	1”	2-3/4”	7500	chr	12
J-12517	2-5/16”	1-1/4”	2-1/8”	7500	chr	16
J-12518	2-5/16”	1-1/4”	2-3/4” 1”RISER	10000	chr	12
J-12519	2-5/16”	1-1/4”	2-3/4” 2” RISER	10000	chr	12
J-12527	2-5/16”	1-1/4”	2-3/4”	10000	chr	16
J-12577	2-5/16”	1-1/4”	2-3/4”	30000	heat treated	12
J-12578	2-5/16”	1-1/4”	2-3/4” 1” Riser	30000	heat treated	12
J-12579	2-5/16”	1-1/4’	2-3/4” 2” Riser	30000	heat treated	12

PART NO.	BALL DIA.	SHANK DIA.	SHANK LTH.	GTW LBS.	FINISH	QTY
J-12580	2-5/16”	Goose Neck		30000	heat treated	6
J-12581	2-5/16”	2”	3-1/2”	20000	oil	6
J-12586	2-5/16”	1”	2-3/4”	7500	oil	16
J-12587	2-5/16”	1-1/4”	2-3/4”	10000	oil	12
J-17523	1-1/4”	5/8”	Sway Control		chr	100
J-17801	1-7/8”	1”	2-1/8”	5000	chr	25
J-17813	1-7/8”	1”	2-1/2”	5000	chr	25
J-17834	1-7/8”	3/4”	2-1/8”	3500	chr	25
J-17838	1-7/8”	3/4”	2-1/2”	3500	chr	25
J-17881	1-7/8”	1”	2-1/2”	5000	oil	25
J-17884	1-7/8”	3/4”	2-1/2”	5000	oil	25

* * * * Spare Tire Locks * * * *

PART NO.	DESCRIPTION	QTY
J-19200	Weatherlock with brass tumbler in plastic case and 2 keys	100
J-19202	Weatherlock with brass tumbler in plastic case, 48” plastic coated cable and 2 keys	50

* * * * Pinchless Boat Seat Hinges* * * *

Swan/Bright White



Yolk/Cream White

Flat Black

Silver

Coffee Tan

Moonstone

Pewter

Powder Coated 5005 Aluminum with Stainless Rivets
Conforms to ABYC H-31 Impact Testing Standard

PART NO.	DESCRIPTION	QTY
J-1550-Y	Small Yolk Hinge	20
J-1550-SW	Small Swan White Hinge	20
J-1550-BL	Small Black Hinge	20
J-1550-S	Small Silver Hinge	20
J-1550-CT	Small Coffee Tan Hinge	20
J-1550-MS	Small Moonstone Hinge	20
J-1550-P	Small Pewter Hinge All hinges sold 20 pair per carton	20

Small Hinge Open Dimensions:
8” bottom, 9.75” back

PART NO.	DESCRIPTION	QTY
J-1551-Y	Large Yolk Hinge	20
J-1551-SW	Large Swan White Hinge	20
J-1551-BL	Large Black Hinge	20
J-1551-S	Large Silver Hinge	20
J-1551-CT	Large Coffee Tan Hinge	20
J-1551-MS	Large Moonstone Hinge	20
J-1551-P	Large Pewter Hinge All hinges sold 20 pair per carton	20

Large Hinge Open Dimensions:
8” bottom, 12” back

PART NO.	DESCRIPTION	STD CTN	CTN WT	
T2	Weld on Spring Hanger, Raw Steel 1.88" inside legs, ½ " dia. Bolt Holes .225" thickness 2.38" high, 1.50" wide	100	50	
T7	Spring Shackle Hot Dipped Galvanized, 2.63" hole centers, .250" thickness ½ " dia. U-bolt holes, 1.49" width , 4.14" long	155	56	
T9	Axle Tie Plate - 3 hole - Hot Dipped Galvanized center hole .625" 2 outside holes accept 1/2" dia. U-bolts 1.49" width, 4.60" long, .250" thickness	140	54	
T11	Axle Tie Plate - 5 hole - Hot Dipped Galvanized center hole .66" 4 outside holes accept 1/2" dia. U-bolts 3.9" width, 4.19" long, .250" thickness	50	55	
T19	Axle Tie Plate - 3 hole - Hot Dipped Galvanized center hole .625" 2 outside holes accept 1/2" dia. U-bolts 1.49" width, 5.06" long, .250" thickness	125	54	
T203	Swivel Bracket - Hot Dipped Galvanized - 11 Gauge Top Flange holes accept 3/8" bolt Swivel hole accepts 1/2" dia. Bolt	125	39	
T203A T203AS	Swivel Bracket - Aluminum Extruded Top Flange holes accept 3/8" bolt Swivel hole accepts 1/2" dia. Bolt Slotted	200 7000	50 1 Pallet	

* * * * Boat Trailer Components* * * *

PART NO.	DESCRIPTION	STD CTN	CTN WT	
T38	Bolster Bracket - 8” Hot Dipped Galvanized - 11 Gauge 2.50” width, 2 each 2.75” slots & swivel attachment hole for 1/2” dia bolt	40	41	
T310	Bolster Bracket - 10” Hot Dipped Galvanized - 11 Gauge 2.50” width, 2 each 3.75” slots & swivel attachment hole for 1/2” dia bolt	30	38	
T312	Bolster Bracket - 12” Hot Dipped Galvanized - 11 Gauge 2.50” width, 2 each 4.75” slots & swivel attachment hole for 1/2” dia bolt	25	39	
T563	Vertical Bunk Bracket 5” x 6” Hot Dipped Galvanized .250” thick mounting holes for 1/2” dia. bolts	15	53	
T583	Vertical Bunk Bracket 5” x 8” Hot Dipped Galvanized mounting holes for 1/2” dia. bolts .250” thick	15	46	
T5103	Vertical Bunk Bracket 5” x 10” Hot Dipped Galvanized mounting holes for 1/2” dia. bolts .250” thick	40	55	
T563A	Vertical Bunk Bracket 5” x 6” Aluminum mounting holes for 1/2” dia. bolts	40	44	
T583A	Vertical Bunk Bracket 5” x 8” Aluminum mounting holes for 1/2” dia. bolts	40	55	

PART NO.	DESCRIPTION	STD CTN	CTN WT	
T652G	Y-Guide Bracket - 7 Gauge Hot Dipped Galvanized Secures 2” square tube vertically Mounting holes for 1/2” dia. bolts	28	61	
T652A	Y-Guide Bracket - Aluminum Secures 2” square tube vertically Mounting holes for 1/2” dia. bolts	40	56	
TSJ	Stabilizer Jack	6	26	
J11210	Safety Pin with Clip 1/2” Diameter	50	16	
TPFSL (Left) TPFSR (Right)	Weld On Pontoon Frame Supports, RAW Finish, Left and Right Sides. Dimensions: 6" x 2" with 1-7/8" Fin. Hole Pattern: TWO 1/2" x 1" Slots Spaced 3-7/16" Apart.	50	42	
T753L (Left) T753R (Right)	Dimpled Fender Step Pads, RAW Finish. Slotted for Bolt-On application. Left and Right Sides. Dimensions: 7" x 3.5" x 1.5" Hole Pattern: TWO 7/16" x 1-7/16" Slots Spaced 1-3/4" Apart.	40	45	

* * * * Boat Trailer Components* * * *

PART NO.	DESCRIPTION	STD CTN	CTN WT	
T492	Heavy Duty Slotted Double U-Bolt Bracket, Hot dipped Galvanized Finish. Dimensions: 10.75" x 4" x 1.375" with 4x 3" Slots on 1.75" Centers & 1x 0.53" Diameter Hole	15	45	
T672	Heavy Duty Compression Bracket. Hot dipped Galvanized Finish.	20	45	
T683	Keel Roller Bracket. Hot dipped Galvanized Finish. Dimensions: 11.5" x 1.5" with 1" Offset. 7x 3/8" Holes & 1x 0.67" Hole	40	40	

PART NO.	DESCRIPTION	STD CTN	CTN WT	
TPB1H	Pontoon Bunk Bracket. Hot dipped Galvanized Finish.	30	58	

IMPORTANT NOTE: Every lamp, reflex reflector, and conspicuity treatment must be permanently attached in the location specified below and must comply with all applicable requirements prescribed for it by FMVSS/CMVSS 108. The face of any device on the front/rear and sides should be, respectively perpendicular and parallel to the vehicle's centerline, unless it is photometrically certified at installation angle. No part of the vehicle shall prevent any device from meeting its prescribed requirements unless an auxiliary device meeting all prescribed requirements is installed.

IN CANADA: Manufacturers and importers of vehicles must have the proper certification test records demonstrating compliance of lighting components with all prescribed requirements.

BASIC EQUIPMENT REQUIRED ON ALL TRAILERS

DESCRIPTION				MANDATORY REQUIREMENTS			
Area	Equipment	SAE Lens Coding	Functional Purpose	Quantity	Color	Location	Height mm(in.) from the ground
1	Tail Lamps	(T)	Indicate vehicle's presence and width	Minimum 2	Red	On the rear - symmetrical as far apart as practicable	380-1830 (15-72)
	Stop Lamps	(S)	Indicate braking	Minimum 2	Red	On the rear - symmetrical as far apart as practicable	380-1830 (15-72)
	Rear Turn Signal Lamps	(I)	Indicate direction of turn	Minimum 2	Red or Yellow	On the rear - symmetrical as far apart as practicable	380-2110 (15-83)
	Rear Reflex Reflectors	(A)	Indicate vehicle's presence and width	Minimum 2	Red	On the rear - symmetrical as far apart as practicable facing rearward	380-1530 (15-60)
2	License Plate Lamp(s)	(L)	Illuminates license plate	Minimum 1	White	On the rear - above or at the sides of license plate	No requirement
3	Rear Side Marker Lamps *photometrically certified at installation angle	(P2, PC* or) P3, PC2*)	Front and rear side marker lamps / side reflex reflectors indicate vehicle's presence and length	Minimum 2	Red	Each side at rear as far back as practicable	380-1530 (15-60) no max. for veh. under 2032mm (80") wide
	Rear Side Reflex Reflectors	(A)		Minimum 2	Red	Each side at rear as far back as practicable	380-1530 (15-60) facing sideward
4 a	Front Side Marker Lamps *photometrically certified at installation angle	(P2, PC* or P3, PC2*)		Minimum 2	Yellow	Each side at front as far forward as practicable	380 (15) minimum
4 b	Front Side Reflex Reflectors	(A)		Minimum 2	Yellow	Each side at front as far forward as practicable facing sideward	380-1530 (15-60)

ADDITIONAL EQUIPMENT FOR TRAILERS EXCEEDING THE FOLLOWING PARAMETERS

Length 9.1m (30 ft.) or longer

DESCRIPTION				MANDATORY REQUIREMENTS			
Area	Equipment	SAE Lens Coding	Functional Purpose	Quantity	Color	Location	Height mm(in.) from the ground
5 a	Intermediate Side Marker Lamps	(P2 or P3)	Indicate presence of a long vehicle	Minimum 2	Yellow	Each side near center facing sideward	380 (15) minimum
5 b	Intermediate Side Reflex Reflectors	(A)	Indicate presence of a long vehicle	Minimum 2	Yellow	Each side near center facing sideward	380-1530 (15-60)

Width 2032mm (80 in.) or wider

DESCRIPTION			MANDATORY REQUIREMENTS				
Area	Equipment	SAE Lens Coding	Functional Purpose	Quantity	Color	Location	Height
6	**Rear Clearance Lamps** *photometrically certified at installation angle	**(P2, PC* or P3, PC2*)**	**Show vehicle's width MAY NOT be combined with tail lamps**	**Minimum 2**	**Red**	**At widest point - symmetrical on the rear or near the rear facing rearward**	**As high as practicable may be lower only if ID lamps are at the top**
7	Rear Identification (ID) Lamps	(P2 or P3)	Indicate presence of a wide vehicle	Exactly 3	Red	On the rear - center horizontally spaced 150mm (6 in.) to 300mm (12 in.) apart facing rearward	**In Canada:** at the top - may be lower if door header narrower than 25mm **In USA:** as high as practicable
8	Front Clearance Lamps *photometrically certified at installation angle	(P2, PC* or P3, PC2*)	Show vehicle's width	Minimum 2	Yellow	At widest point - symmetrical on the front or near the front facing forward	As high as practicable

Width 2032mm (80 in.) or wider AND GVWR 4536 kg (10,000 lb.) or more

DESCRIPTION		MANDATORY REQUIREMENTS					
Area	Conspicuity Treatment	DOT Coding	Quantity	Color	Location	Height	Options
9	Rear Upper Body Markings	DOT-C DOT-C2 DOT-C3 DOT-C4	Exactly 2 pairs of 300mm long strips	White	On the rear upper corners facing rearward	At the top	Reflex reflectors may not be required if they are replaced in their required location with conspicuity treatment. **Optional in Canada:** Rear lower body and side conspicuity treatment may also be solid white, solid yellow, or white and yellow.
10	Bumper Bar Marking		Continuous	Red/White	On the rear bumper bar's horizontal element full width - facing rearward	No requirement	
11	Rear Lower Body Marking		Continuous	Red/White *(see options)*	On the rear full width of the vehicle facing rearward	As horizontal as practicable and as close as practicable to the range of 375 to 1525mm from the ground	
12	Side Marking		(see location)	Red/White *(see options)*	Each side - facing sideward continuous, or evenly spaced over minimum of 50% of length starts and ends as close to the front and rear of the vehicle as practicable	As horizontal as practicable and as close as practicable to the range of 375 to 1525mm from the ground	



Jammy Inc.
www.jammyinc.com

Order Toll-Free:
800.537.3136


5ab
4ab
3
12
12
8
9
6 1
2
11
1 6
7
10
5a
4a
3
12
* upper OR
lower position
5ab
8
12
4ab
9
7
9
6 1
1 6
2
10
8
5a
4a
3
12
5ab
12
4ab
9
6
7
6
9
1
2
11
1
10

* * * * PARTS INDEX * * * *

Part #	Page #
12100	39
12101	39
12103	39
12104	39
12105	39
12106	39
12107	39
12150	39
12189	39
12301	39
12340	39
12380	39
12516	39
12517	39
12518	39
12519	39
12527	39
12577	39
12578	39
12579	39
12580	39
12581	39
12586	39
12587	39
17523	39
17801	39
17813	39
17834	39
17838	39
17881	39
17884	39
D-21	15
D-22	15
D-23	15
D-24	15
D-25	15
D-272-L	4
D-272-R	4
D-51	
D-61	16
D-63	16
D-91	15
D-91-15-C	24
D-92	15
D-95	16
D-96	16
D-98	15
D-EC6	26
H-1	27
J-002-A	29
J-002-R	29
J-003-A	29
J-003-R	29
J-006-A	29
J-006-R	29
J-1005-C	25
J-1024-15-A	7
J-1024-15-R	7
J-1024-A	17
J-1024-AA	17
J-1024-APC	17
J-1024EM-A	17
J-1024EM-R	17
J-1024-R	17
J-1025-A2	6
J-1025-AA	6
J-1025-R2	6
J-1025-RR	6
J-1055-A	5
J-1055-R	5
J-105-A	21
J-105-R	21
J-10-A	21
J-10-AK	21
J-10-BRK	33
J-10-FFA	21
J-10-FFR	21
J-10-FSA	
J-10-FSR	
J-10-GM	32
J-10-R	21
J-10-RK	21
J-10-WH	34
J-10-WH-30	34
J-11210	43
J-11210	37,43
J-11220	37
J-11230	37
J-11241	37
J-11252	37
J-11775	37
J-11-AK	
J-11-GM	32
J-11-RK	
J-12060	
J-122-A	20
J-122-R	20
J-126-15-A/R/C	7
J-126-AW	20
J-126-RW	20
J-13001	37
J-14110	30
J-14300	31
J-14300-S	31
J-14410-F	30
J-14410-S	30
J-14570	31
J-14570-S	31
J-14575-F	30
J-14600	30
J-14603-F	30
J-14603-S	30
J-14605	30
J-14610	30
J-14655	30
J-14659	31
J-14659B	31
J-14665	
J-14670	31
J-14850	31
J-14935	30
J-151-A	5
J-151-R	5
J-154-AG	19
J-1550-()	40
J-1550-P	40
J-1551-()	40
J-1551-P	40
J-1553-LT	
J-1553-RT	
J-1554-RT/LT	
J-15-A	5
J-15-AC	5
J-15-AGK	5
J-15-AK	5
J-15-AKC	5
J-15-FFA	5
J-15-FFR	5
J-15-FFRH	5
J-15-GCK	5
J-15-R	5
J-15-RC	5
J-15-RGK	5
J-15-RK	5
J-15-RKC	5
J-15-SA	5
J-15-SR	5
J-16-A	4
J-16-AK	
J-16-R	4
J-16-RK	
J-1901-A	25
J-1901-C	25
J-19062	36
J-19101-B	36
J-19101-G	36
J-19101-W	36
J-19102	36
J-19200	39
J-19202	39
J-19314	36
J-2014	23
J-2014-15-R	24
J-2014-L	23
J-2023	23
J-2023-BRK	33
J-2023-L	23
J-2024	23
J-2024-15-R	24
J-20245	11
J-20245-15-R	24
J-20245-KC	13
J-20245-L	11
J-2024-9B	33
J-2024-KCD	13
J-2024-L	23
J-2034	23
J-2034-15-SR	24
J-2034-KCD	
J-2034-L	23
J-2044	23
J-20445	11
J-20445-KCD	13
J-20445-L	11
J-2044-KCD	13
J-2044-L	23
J-205-A	21
J-205-R	21
J-206-15-A	7
J-206-15-R	7
J-2065-A	5
J-2065-R	5
J-206-A	21
J-206-R	21
J-2077	11
J-2077L	11
J-20-A	21
J-20-AGK	21
J-20-AK	21
J-20-BRK	33
J-20-DGM	32
J-20-FFA	21
J-20-FFR	21
J-20-GM	32
J-20-R	21
J-20-RGK	21
J-20-RK	21
J-214-A	29
J-214-R	29
J-222-A	20
J-222-R	20
J-223-A	20
J-223-R	20
J-224-A	6
J-224-R	6
J-225-15-A	7
J-225-15-R	7
J-225-A	6
J-225-R	6
J-226-15-A	7
J-226-15-R	7
J-226-A	20
J-226-R	20
J-227-A	20
J-227-R	20
J-241-A	10
J-241-C	16
J-241-R	10
J-24245	11
J-24245-KC	13
J-24245L	11
J-242-AR	10
J-242-M	10
J-243-ARC	10
J-25-A	5
J-25-AC	5
J-25-AK	5
J-25-AKC	5
J-25-FFA	5
J-25-FFR	5
J-25-R	5
J-25-RC	5
J-25-RK	5
J-25-RKC	5
J-26-A	5
J-26-AGK	5
J-26-AK	5
J-26-R	5
J-26-RGK	5
J-26-RK	5
J-275-A	9
J-275-R	9
J-2-REF-SA	29
J-2-REF-SR	29
J-301-AW	17
J-301-RW	17
J-301-TP	
J-30-A	22
J-30-AK	22
J-30-C	22
J-30-CK	22
J-30-GM	32
J-30-R	22
J-30-RK	22
J-314-R	
J-315-A	7
J-315-R	7
J-323-15-C/A/R	7

* * * * PARTS INDEX * * * *

Part # Page #

J-323-A 20
J-323-C 20
J-323-R 20
J-325-A 6
J-325-C 6
J-325-R 6
J-326-15-A/R....7
J-326-BA 20
J-326-BR 20
J-326-WA 20
J-326-WR 20
J-35-A 9
J-35-A12/24 9
J-35-AGK.....9
J-35-AK 9
J-35-C 9
J-35-CGK.....9
J-35-CK 9
J-35-R 9
J-35-R12/24 9
J-35-RGK.....9
J-35-RK 9
J-37-A 9
J-37-R 9
J-4024-1-WH....34
J-4024-24-WH..34
J-4024-WH.....34
J-4026-WH.....34
J-404-WH.....34
J-407-WH.....34
J-40-A 22
J-40-AK 22
J-40-BRK.....33
J-40-C 22
J-40-CK 22
J-40-FB.....32
J-40-FC.....32
J-40-GM 32
J-40-R 22
J-40-RK.....22
J-40-X 29,32
J-4224-WH.....34
J-422-A 25
J-422-C 25
J-422-R 25
J-422-SC 25
J-423-R 25
J-425-AW 6
J-425-RW.....6
J-426-BA 20
J-426-BR 20
J-426-WA 20
J-426-WR 20
J-42-R 22
J-42-RK.....22
J-44010 .....
J-44030 .....
J-45-RH.....9
J-4512-A 9
J-4512-A12/24 9
J-4512-R12/24 .9
J-4512-C12/24 .9
J-4512-AC 9
J-4512-ACK.....9
J-4512-AK 9
J-4512-C 9
J-4512-CK 9
J-4512-R 9
J-4512-RC 9
J-4512-RCK.....9
J-4512-RGK.....9
J-4512-RK 9
J-455-SC 16
J-45-A 9
J-45-AK 9
J-45-R 9
J-45-RK.....9
J-480-A 20
J-480-R 20
J-485-A 6
J-485-R 6
J-500-15-A 7
J-500-15-R 7
J-500-3BA 24
J-500-3BR 24
J-500-3WA 24
J-500-3WR 24
J-5007-WH.....35
J-500-A 17
J-500-GA 17
J-500-GR.....17
J-500-R 17
J-5024-WH.....34
J-5025-WH.....34
J-505-BZ-B 7,11
J-505-BZ-C 7,11
J-505-GM 32
J-5067-WH.....35
J-5085-R 12
J-5086-WH.....35
J-5087-WH.....35
J-508-R 24
J-5097-WH .....
J-5107-WH.....35
J-510-A 7
J-510-AC 7
J-510-ACS 7
J-510-AS 7
J-510-R 7
J-510-RC 7
J-510-RCS.....7
J-510-RS 7
J-5117-WH .....
J-5127-WH .....
J-5157-WH.....35
J-515-AB 7
J-515-AC 7
J-515-CC 7
J-515-RB 7
J-515-RC 7
J-5214-WH.....34
J-5224-WH.....34
J-5253-R2 .....
J-5253-R3 .....
J-5257-WH.....35
J-526-15-A/R....7
J-5265-A 6
J-5265-R 6
J-526-A 17
J-526-R 17
J-5324-WH.....34
J-5325-WH.....34
J-5353-A3 12
J-5353-AC 12
J-5353-R3 12
J-5353-RC 12
J-5354-R 12
J-5354-RC 12
J-535-A3 10
J-535-AC3 10
J-535-BZC 10
J-535-CC 10
J-535-R 10
J-535-RC 10
J-53-A 4
J-53-R 4
J-54025-WH.....34
J-541 25
J-54525-WH.....34
J-54-A 4
J-54-A24 4
J-54-AC 4
J-54-BZC 32
J-54-GM 32
J-54-R 4
J-54-R24 4
J-54-RC 4
J-5505-A 6
J-5505-R 6
J-550-A 17
J-550-R 17
J-5524-WH.....34
J-5525-WH.....34
J-555-A 12
J-555-AC 12
J-555-R 12
J-555-RC 12
J-55-A 4
J-55-AC 4
J-55-BC 4
J-55-C 4
J-55-GC 4
J-55-R 4
J-55-RC 4
J-5695-R 12
J-569-A 24
J-569-R 24
J-569-WH .....
J-5725-L.....
J-5725-R .....
J-572-L.....18
J-572-R 18
J-573-3BR 24
J-573-3SR 24
J-573-3WR 24
J-5735-3BR 12
J-5735-3SR 12
J-5735-3WR 12
J-5735-A 4
J-5735-AK .....
J-5735-C 4
J-5735-R 4
J-5735-RK .....
J-5735-SA 4
J-5735-SR 4
J-573-A 18
J-573-AGC.....19
J-573-AK 18
J-573-BRK-B 19
J-573-BRK-C 19
J-573-BRKG-B..19
J-573-BRKG-C..19
J-573-C 18
J-573-GM 32
J-573-GMN.....32
J-573-R 18
J-573-RK 18
J-573-SMA 18
J-573-SMR 18
J-573-WH.....34
J-574-A .....
J-574-R .....
J-5765-A 4
J-5765-A/R-FM.4
J-5765-AC 4
J-5765-AK .....
J-5765-AR 4
J-5765-ARC.....4
J-5765-R 4
J-5765-RC 4
J-5765-RK .....
J-576-A 18
J-576-A/R.....18
J-576-A/R-FM...18
J-576-BRK.....19
J-576-BRK-B1 ..19
J-576-BRK-B2 ..19
J-576-BRK-C1 ..19
J-576-FM.....19
J-576-P2 19,34
J-576-R 18
J-5-AC 4
J-5-B 4
J-5-C 4
J-5-GC 4
J-5-RC 4
J-600 26
J-6000-TDR.....36
J-6000-TDZ 36
J-605 27
J-60-A 22
J-60-ADP.....34
J-60-AK 22
J-60-BRK.....33
J-60-BZ-B 32
J-60-BZ-C 32
J-60-C 22
J-60-CK 22
J-60-GM 32
J-60-R 22
J-60-RGK.....22
J-60-RK 22
J-60-WH.....34
J-60-WHS.....34
J-61-R 22
J-61-RK 22
J-625-A 6
J-625-R 6
J-626-15-A 7
J-626-15-R 7
J-626-A 20
J-626-AB 20
J-626-GM .....
J-626-R 20
J-626-RB 20
J-63-A 22
J-63-AK 22
J-64-A 8

* * * * PARTS INDEX * * * *

Part # Page #

J-64-AGK.....8
J-64-AK.....8
J-64-FA.....8
J-65-BZ-B.....8
J-65-BZ-C.....8
J-66-A.....8
J-66-A12/24.....8
J-66-AC.....8
J-66-ACK.....8
J-66-AK.....8
J-66-C.....8
J-66-C12/24.....8
J-66-CGK.....8
J-66-CK.....8
J-66-FA.....8
J-66-FAC.....8
J-66-FC.....8
J-66-FR.....8
J-66-FRC.....8
J-66-R.....8
J-66-R12/24.....8
J-66-RC.....8
J-66-RCK.....8
J-66-RH.....8
J-66-RK.....8
J-67-FR.....8
J-67-FRC.....8
J-67-R.....8
J-67-RC.....8
J-67-RH.....8
J-67-RK.....8
J-70.....23
J-7000-NH.....
J-7007-WH.....35
J-7054.....
J-70-KC.....13
J-70-L.....23
J-71.....
J-71L.....
J-72.....11
J-72-KC.....13
J-72-L.....11
J-73.....23
J-73-KC.....13
J-73-L.....23
J-75.....11
J-750-15-A.....24
J-750-15-R.....24
J-750-A.....22
J-750-C.....22
J-750-R.....22
J-7525-R.....9
J-752-R.....22
J-755-AA.....14
J-755-AR.....14
J-755-RB.....14
J-75-A.....11
J-75-KC.....13
J-75-KC.....13
J-75-L.....11
J-75-LA.....11
J-762.....27
J-801-WCB.....34
J-801-WCW.....34
J-80-SC.....16
J-80-WC.....16
J-84-A.....10
J-84-R.....10
J-855-1-C.....25
J-855-C.....25
J-856-1-C.....25
J-856-C.....25
J-85-A.....10
J-85-A12/24.....10
J-85-C.....10
J-85-R.....10
J-85-R12/24.....10
J-86.....26
J-88.....26
J-90.....23
J-90-15-R.....24
J-90B.....23
J-90BL.....23
J-90-L.....23
J-90L-15-R.....24
J-90-R.....23
J-90-RL.....23
J-91.....15
J-91-15-C.....24
J-915.....16
J-92.....15
J-925.....16
J-96-(XNX).....15
J-96-(XSX).....15
J-96-15-A.....24
J-96-15-C.....24
J-97-(XNX).....15
J-97-(XSX).....15
J-97-15-A.....24
J-97-15-C.....24
J-99.....26
J-995.....27
J-995-BRK.....27
J-99-B.....26
J-99-BBO.....33
J-99-BRK.....26
J-AB1-15-A.....24
J-AB1-15-B.....24
J-AB1-15-R.....24
J-AB1-AA.....14
J-AB1-RB.....14
J-AB2-L3.....14
J-AB2-L4.....14
J-AB2-R3.....14
J-AB2-R4.....14
J-AC1-15-B.....24
J-AC1-AA.....14
J-AC1-AA3F.....24
J-AC1-RB.....14
J-AC1-RB2F.....24
J-AC2-L3.....14
J-AC2-L4.....14
J-AC2-R3.....14
J-AC2-R4.....14
J-AC2-WH3K....
J-AC2-WH4K....13
J-AEM.....13
J-AEM-48.....13, 35
J-AG2-WH.....35
J-AG3-WH.....35
J-AG4-WH.....35
J-AGE-4.....35
J-AGM-WH.....35
J-AGW-WH3.....35
J-AGW-WH4.....35
J-ALS-6Y.....29
J-AMK.....13
J-B1.....36
J-B15.....36
J-B2.....36
J-BBK.....38
J-BBK (104+)....38
J-BBKL.....38
J-BBKL (48+)....38
J-BCH.....38
J-BREK.....38
J-BREK (48+)....38
J-BRTK.....38
J-BRTK (104+).38
J-BWH.....38
J-CRTK.....38
J-CRTK (100+).38
J-D1.....36
J-D2.....36
J-D3.....36
J-EA3.....11
J-EC2.....26
J-EC2C.....26
J-EC4.....26
J-EC5.....26
J-EC7.....26
J-EC75.....26
J-EC9.....26
J-ELEC.....38
J-FJK.....38
J-FJK (96+).....38
J-FJKL.....38
J-FJKL (48+).....38
J-JB.....35
J-JBC.....35
J-LFB-L.....33
J-LFB-N.....33
J-75-A.....11
J-75-LA.....11
J-P1.....36
J-P2.....36
J-P22.....
J-P225.....
J-P3.....36
J-PB201-A.....17
J-PB201-R.....17
J-PGR-9S.....28
J-PGT-61Y.....28
J-PGT-6K.....28
J-PGT-6Y.....28
J-PGT-7K.....28
J-PGT-7S.....28
J-PGT-7Y.....28
J-PGW-12Y.....28
J-PGY-7Y.....28
J-PGY-9S.....28
J-QL.....37
J-RFT-6K.....28
J-RFT-6Y.....28
J-RFT-712Y.....28
J-RFT-71Y.....28
J-RFT-7K.....28
J-RFT-7Y.....28
J-SBK.....
J-TAP.....38
J-TMK.....38
J-TMK (104+)...38
J-TPR.....36
J-TPZ.....36
J-VID.....12
L-99-JF.....27
PL-500.....30
PL-512.....30
PL-612-F.....30
PL-612-S.....30
PL-645-F.....30
PL-645-S.....30
PL-700.....30
PL-712.....30
PL-732.....30
PL-745.....30
PL-845.....30
R-AC1-AA.....
R-AC1-RB.....
R-AC2-L3.....
R-AC2-R3.....
SJ-94-C.....27
SJ-EC-75.....
T11.....41
T1602.....37
T16S.....37
T19.....41
T2.....41
T203.....41
T203A.....41
T203AS.....41
T310.....42
T312.....42
T38.....42
T492.....44
T5103.....42
T563.....42
T563A.....42
T583.....42
T583A.....42
T652A.....43
T652G.....43
T672.....44
T683.....44
T-65-BRK.....33
T7.....41
T9.....41
TBL36.....37
TBL45.....37
TDL01.....37
TDRH01.....37
TDRH02.....37
Toyota Lamp.....27
TPB1H.....44
TPFSL.....43
TPFSR.....43
T753L.....43
T753R.....43
TSJ.....43
U-TRK.....29
X-35-B.....
X-45-B.....
ZR-1-WH.....34

Black - Standard model #'s

Blue - Models found in blue in the item description

Red - Items not listed in the catalog

****About Us****

Jammy Incorporated was founded in 1971 as a contract manufacturing company in automotive lighting and safety products. Jammy Inc. is supported by a full service manufacturing facility with state of the art capabilities in metal stamping and plating, plastic injection tooling and molding, powder coating, and assembly. With new facilities encompassing over 225,000 square feet of available manufacturing space we have the capacity to manufacture most any product to your specific design needs.

Backed by a self compliant photometric testing facility, all lighting meets or exceeds applicable SAE/DOT specifications. To further ensure compliance we employ fully accredited stateside laboratories to audit our photometric results and test all products for applicable standards. Test reports are available upon request.

We maintain multiple warehousing and distribution centers in the US to better serve your needs. Locations in Texas, California, Indiana and Florida ensure adequate stock, availability and timely shipping anywhere in the USA. To support our manufacturing and distribution process our team is dedicated to serving you from our home office in Fort Worth, Texas and we are backed by knowledgeable industry wide sales representatives for most areas of the United States.

With over 42 years of industry experience Jammy has grown into a skilled manufacturer of custom fabricated parts such as mandrel bent tubular steel, step bars, injection molded plastic parts, and any cast, extruded, or stamped metal product. We invite you to consider Jammy as the contract manufacturer of choice for your custom fabrication needs. From design, prototyping, manufacturing, assembly and through delivery, Jammy can fill your needs from start to finish.

Please call us for more information on our contract manufacturing ability and how it can fill your need.

★ Trailer Lighting ★ Trailer Accessories ★ Breakaway Systems
★ Reflective Tape ★ RV Lighting ★ Safety Equipment
★ Pickup Truck Accessories ★ Boat Seat Hinges ★ Hitch Balls

Jammy Incorporated

ANNIVERSARY 40+ YEARS SINCE 1971

P. O. Box 471697 / Fort Worth, Texas 76147
817.737.6566 / Fax 817.737.5960 / 800-537-3136
jammy@airmail.net / www.jammyinc.com