## Textile Rubber & Chemical Co., Inc.

## **OCTOLITE 806**

Version Revision Date: MSDS Number: Date of last issue: 05/16/2017 1.3 03/23/2020 F000000545 Date of first issue: 05/15/2015

#### **SECTION 1. IDENTIFICATION**

Product name : OCTOLITE 806

Product code : F000000545

Manufacturer or supplier's details

Company name of supplier

: Tiarco, LLC

Address

1300 Tiarco Drive Dalton GA 30721

Emergency telephone num-

ber

(CHEMTREC): (800) 424-9300 (CHEMTREC International): (703) 527-3887 Industrial Health/Spill Emergency: (706) 277-

1300 Danny Welch (ehs@trcc.com)

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Reproductive toxicity (Oral) : Category 2

**GHS Label element** 

Hazard pictograms



Signal word : Warning

Hazard statements : H361 Suspected of damaging fertility or the unborn child if swal-

lowed.

Precautionary statements : **Prevention:** 

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention. Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.





Version Revision Date: MSDS Number: Date of last issue: 05/16/2017 1.3 03/23/2020 F000000545 Date of first issue: 05/15/2015

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### **Hazardous components**

Chemical Name	CAS-No.	Concentration (%)
Phenol, 4-methyl-, reaction products with dicy-	68610-51-5	>= 20 - < 30
clopentadiene and isobutylene		
potassium hydroxide	1310-58-3	>= 1 - < 5

## **SECTION 4. FIRST AID MEASURES**

If inhaled : Move to fresh air in case of accidental inhalation of vapours.

Oxygen or artificial respiration if needed.

Call a physician or poison control centre immediately.

In case of skin contact : Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

If symptoms persist, call a physician.

In case of eye contact : In case of eye contact, remove contact lens and rinse imme-

diately with plenty of water, also under the eyelids, for at least

15 minutes.

Keep eye wide open while rinsing.

Seek medical advice.

If swallowed : Do not induce vomiting without medical advice.

If conscious, drink plenty of water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

: None known.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Foam

Carbon dioxide (CO2)

ABC powder Water mist

Specific hazards during fire-

fighting

Exposure to decomposition products may be a hazard to

health.

Burning produces irritant fumes.

Cool closed containers exposed to fire with water spray.

Do not allow run-off from fire fighting to enter drains or water

courses.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Further information : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Fire residues and contaminated fire extinguishing water must

## **OCTOLITE 806**



Date of last issue: 05/16/2017 Version Revision Date: MSDS Number: 1.3 03/23/2020 F000000545 Date of first issue: 05/15/2015

be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Exposure to decomposition products may be a hazard to

health.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

tive equipment and emer-

gency procedures

Personal precautions, protec- : Use personal protective equipment.

Ensure adequate ventilation.

Material can create slippery conditions.

Use non-slip safety shoes in areas where spills or leaks can

occur.

**Environmental precautions** Prevent further leakage or spillage if safe to do so.

Do not let product enter drains.

Do not allow contact with soil, surface or ground water. Do not allow uncontrolled discharge of product into the envi-

ronment.

Methods and materials for

containment and cleaning up

Dam up.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Sweep up and shovel.

Pick up and transfer to properly labelled containers.

Clean contaminated floors and objects thoroughly while ob-

serving environmental regulations.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against

fire and explosion

: No special protective measures against fire required. The

product is not flammable.

Advice on safe handling : Wear personal protective equipment.

Handle with care.

Take care to avoid waste and spillage when weighing, loading

and mixing the product.

No smoking. Conditions for safe storage

Keep in properly labelled containers.

Observe label precautions.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Materials to avoid Do not freeze.

> Keep away from food and drink. Keep away from tobacco products.

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Components with workplace control parameters

Components CAS	S-No. Value type	Control parame-	Basis
----------------	------------------	-----------------	-------



## **OCTOLITE 806**

Version Revision Date: MSDS Number: Date of last issue: 05/16/2017 1.3 03/23/2020 F000000545 Date of first issue: 05/15/2015

		(Form of exposure)	ters / Permissible concentration	
potassium hydroxide	1310-58-3	С	2 mg/m3	ACGIH
		С	2 mg/m3	NIOSH REL
		С	2 mg/m3	OSHA P0

## Hazardous components without workplace control parameters

Components	CAS-No.
Phenol, 4-methyl-, reaction	68610-51-5
products with dicyclopentadi-	
ene and isobutylene	

**Engineering measures** : Handle only in a place equipped with local exhaust (or other

appropriate exhaust).

Maintain air concentrations below occupational exposure

standards.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Use NIOSH approved respiratory protection.

Hand protection

Material : Impervious gloves

Eye protection : Safety glasses with side-shields

Tightly fitting safety goggles

Face-shield

Skin and body protection : Chemical resistant apron

Footwear protecting against chemicals Skin should be washed after contact.

Change working clothes after each workshift.

Protective measures : Avoid contact with skin.

When using do not eat, drink or smoke.

Personal protective equipment comprising: suitable protective

gloves, safety goggles and protective clothing

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance

at the specific workplace.

Hygiene measures : Do not smoke.

Keep away from food and drink.

Avoid contact with skin, eyes and clothing. Change working clothes after each workshift.

Remove and wash contaminated clothing and gloves, includ-

ing the inside, before re-use.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid
Colour : off-white
Odour : characteristic

## SAFETY DATA SHEET





Version Revision Date: MSDS Number: Date of last issue: 05/16/2017 1.3 03/23/2020 F000000545 Date of first issue: 05/15/2015

pH : 9.0 - 10.8

Melting point/range : No data available

Boiling point/boiling range : > 200 °F

Flash point : > 200 °F

Method: ASTM D 93

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Density : 920 kg/m3

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

: No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Stable

Possibility of hazardous reac-

tions

Stable under recommended storage conditions.

Conditions to avoid : Protect from frost. Incompatible materials : Oxidizing agents

Strong acids and strong bases

Hazardous decomposition : Carbon dioxide (CO2), carbon monoxide (CO), oxides of ni-

products trogen (NOx), dense black smoke.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

## **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

#### Components:

Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Remarks: No data available

Acute inhalation toxicity : LC50 (Rat): > 165 mg/l

Exposure time: 1 h

## SAFETY DATA SHEET





Version Revision Date: MSDS Number: Date of last issue: 05/16/2017 1.3 03/23/2020 F000000545 Date of first issue: 05/15/2015

Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Remarks: No data available

Skin corrosion/irritation

**Product:** 

Remarks: This information is not available.

Serious eye damage/eye irritation

**Product:** 

Remarks: This information is not available.

Respiratory or skin sensitisation

**Product:** 

Remarks: This information is not available.

Carcinogenicity

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

**Components:** 

Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene:

Effects on foetal develop-

ment

Test Type: Fertility/early embryonic development

Species: Rabbit, female

General Toxicity Maternal: No observed adverse effect level:

50 mg/kg body weight

Developmental Toxicity: No observed adverse effect level: 15

mg/kg body weight

Symptoms: Skeletal malformations Method: OECD Test Guideline 414

Reproductive toxicity - As-

sessment

: Suspected of damaging fertility. Suspected of damaging the

unborn child.

# Textile Rubber & Chemical Co., Inc.

## **OCTOLITE 806**

Version Revision Date: MSDS Number: Date of last issue: 05/16/2017 1.3 03/23/2020 F000000545 Date of first issue: 05/15/2015

## **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

**Product:** 

Toxicity to fish

Remarks: No data available

Toxicity to daphnia and other

aquatic invertebrates

Remarks: No data available

Toxicity to algae

Remarks: No data available

## Persistence and degradability

No data available

#### Bioaccumulative potential

No data available

## Mobility in soil

No data available

#### Other adverse effects

No data available

## **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Can be landfilled or incinerated, when in compliance with local

regulations.

Contaminated packaging : Clean container with water.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

## **SECTION 14. TRANSPORT INFORMATION**

## **International Regulation**

#### **UNRTDG**

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

## **IMDG-Code**

Not regulated as a dangerous good

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code



## **OCTOLITE 806**

Version Revision Date: MSDS Number: Date of last issue: 05/16/2017 1.3 03/23/2020 F000000545 Date of first issue: 05/15/2015

Not applicable for product as supplied.

## **National Regulations**

#### **49 CFR**

Not regulated as a dangerous good

#### 49 CFR

Not regulated as a dangerous good

#### **SECTION 15. REGULATORY INFORMATION**

SARA 302 : No chemicals in this material are subject to the reporting re-

quirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.


## California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **SECTION 16. OTHER INFORMATION**

## **Further information**

## NFPA:



Special hazard.

## HMIS III:

HEALTH	2
FLAMMABILITY	1
PHYSICAL HAZARD	

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

Revision Date : 03/23/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

## SAFETY DATA SHEET



## **OCTOLITE 806**

Version Revision Date: MSDS Number: Date of last issue: 05/16/2017 1.3 03/23/2020 F000000545 Date of first issue: 05/15/2015

US / EN