

**West Virginia Department of Health & Human
Resources
Berkeley County Health Department**



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information	
Facility Name Piggy's	Facility Type Food Service Establishment
Licensee Name Wilber Alger	Facility Telephone # 304 229-0235
Facility Address 12639 Winchester Ave Ridgeway , WV	Licensee Address ,

Inspection Information		
Inspection Type Routine	Inspection Date 08/17/2017	Total Time Spent 1.30

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk in cooler	39
Sandwich cooler	38
beer cooler	40
Small cooler	41

Food Temperatures	
Description	Temperature (Fahrenheit)
Soup	163

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Bar3baysink	chem		400		

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations**Total # 5****Repeated # 1****3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING***This is a critical violation***OBSERVATION: (CORRECTED DURING INSPECTION):** Multiple containers of food , not dated and labeled**3-501.18 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DISPOSITION***This is a critical violation***OBSERVATION: (CORRECTED DURING INSPECTION):** Multiple dented cans around the seams**4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS***This is a critical violation***REPEAT OBSERVATION (CORRECTED DURING INSPECTION):** Can opener blade needs cleaned**4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS***This is a critical violation***REPEAT OBSERVATION (CORRECTED DURING INSPECTION):** All the sharp kitchen knives and several ladles and scrappers were stored unclean**6-501.111 - CONTROLLING PESTS***This is a critical violation***OBSERVATION:** Mouse feces in back storage room**Observed Non-Critical Violations****Total # 7****Repeated # 1****4-501.12 - CUTTING SURFACES****OBSERVATION:** Cuttingboards need bleached**4-601.11(C) - NON-FOOD CONTACT SURFACES****OBSERVATION:** Under all the cooking equipment shelf needs cleaned**4-601.11(C) - NON-FOOD CONTACT SURFACES****OBSERVATION:** Black grill stand needs cleaned**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR****REPEAT OBSERVATION** Floors need repaired in multiple areas of the building**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR****OBSERVATION:** Mens room urinal needs repaired, est. placed out of order sign on it**6-501.111 - CONTROLLING PESTS****OBSERVATION:** Flies in multiple areas of the kitchen**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS****OBSERVATION:** Floors need cleaned especially under and behind equipment and shelving units

Inspection Outcome

Comments

Disclaimer

Person in Charge



donna smythe

Sanitarian



Glenn GCO Ondick