

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name <b>Martinsburg Moose Lodge</b>	Facility Type <b>Food Service Establishment</b>	
Licensee Name <b>Martinsburg Moose Lodge</b>	Facility Telephone # <b>304 267-8471</b>	
Facility Address <b>201 Woodbury Ave Martinsburg , WV</b>	Licensee Address <b>,</b>	
<b>Inspection Information</b>		
Inspection Type <b>Routine</b>	Inspection Date <b>12/04/2018</b>	Total Time Spent <b>1.50</b>

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Walk-In	36
Beer Walk-In	40
Gibson	37
Beer Cooler with Limes/Lemons	
Drink Mix/Milk Cooler	

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Dishwasher3-BaySinkBucket	ChemicalChemicalChemical		100100	ChlorineChlorine	

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 3</b>
<b>Repeated # 4</b>
<b>3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING</b>
<b>This is a critical violation</b>
<b>OBSERVATION:</b> Macaroni Salad/Potato salad undated in walk-in refrigerator
<b>3-501.18 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DISPOSITION</b>
<b>This is a critical violation</b>
<b>OBSERVATION:</b> Dips in Walk-In refrigerator past 7 day hold time (11-14-2018) Hot Dogs (11-12-2018)
<b>4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE</b>
<b>This is a critical violation</b>
<b>OBSERVATION:</b> Inside of ice machine needs cleaned (mold)

**Observed Non-Critical Violations**

**Total # 7**

**Repeated # 4**

**3-302.12 - FOOD STORAGE CONTAINERS WITH COMMON NAME OF FOOD**

**OBSERVATION:** Unlabeled foods in Walk-In refrigerator (dips/macaroni salad/potato salad) Need to label foods outside original containers

**4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION**

**OBSERVATION:** Water laying in bottom of beer cooler with Pabst Blue Ribbon beer (condensation??)

**4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION**

REPEAT OBSERVATION Water laying in bottom of keg cooler at main bar (drain clogged??)

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Floor tiles under oven/grill need replaced/repaired

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

REPEAT OBSERVATION Water stained ceiling tiles need replaced

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

REPEAT OBSERVATION Roof/Ceilings throughout establishment need repaired/replaced (water damage)

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

REPEAT OBSERVATION Fan cover in men's bathroom in kitchen needs repaired

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge

Sanitarian



Alex Campbell



Keith Allison