

**West Virginia Department of
Health & Human Resources
Berkeley County Health
Department**



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information	
Facility Name South Berkeley Little League	Facility Type Food Service Establishment
Licensee Name South Berkeley Little League	Facility Telephone # 304
Facility Address Rt 11 Rt Inwood, WV	Licensee Address S Route 11 Inwood, WV 25428

Inspection Information		
Inspection Type Routine	Inspection Date March 28, 2019	Total Time Spent 0.75

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Pepsi refrig-back	40
Pepsi refrig-front	39
cream color refrig	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0 Repeated # 0

Observed Non-Critical Violations
Total # 4 Repeated # 0
4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION OBSERVATION: Gasket on Pepsi refrigerator needs replaced (torn)
4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION OBSERVATION: Outside of ice machine needs repaired
4-602.13 - NONFOOD CONTACT SURFACES OBSERVATION: (CORRECTED DURING INSPECTION): Inside of Kenmore refrigerator needs cleaned
6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

COPY

OBSERVATION: Women's toilet needs tightened in bathroom

Inspection Outcome

Comments

Disclaimer

Person in Charge

Richard Burcham

Sanitarian



Keith Allison