

Referring Veterinarian:
JESSICA KIRKPATRICK
SORENSEN VETERINARY HOSPITAL
215 BOLINGER RD.
BELGRADE, MT 59714
UNITED STATES

Patient ID: 14193
Radiography Date: 28 Jan 2016

Owner/Responsible Person:
KELLY COOKE

Patient:	
Patient Name: ECHO TO SILENCE OF LABAKAN	Species: CANINE
Reg. Name: ECHO TO SILENCE OF LABAKAN	Breed: AUSTRALIAN SHEPHERD
Reg. #: Tattoo:	Date of Birth: 4 Jul 2014 Age: 18 mo.
Microchip:	Gender: M Weight: 51 lbs.

RESULTS			
LEFT	Distraction Index (DI)	0.25	DI is less than or equal to 0.30, with no radiographic evidence of OA.
	Osteoarthritis (OA)	None	
	Cavitation	No	
	Other Findings	Not Applicable	
RIGHT	Distraction Index (DI)	0.20	DI is less than or equal to 0.30, with no radiographic evidence of OA.
	Osteoarthritis (OA)	None	
	Cavitation	No	
	Other Findings	Not Applicable	

Please note that the PennHIP DI is a measure of hip joint laxity, it does not allude to a "passing" or "failing" hip score.

LAXITY PROFILE RANKING										
The laxity profile ranking is based on the hip with the greater laxity (DI). This interpretation is based on a cross-section of 1,081 CANINE animals of the AUSTRALIAN SHEPHERD breed. The median DI for this group is 0.44.										
Percentiles										
	90th	80th	70th	60th	50th	40th	30th	20th	10th	
> 90th					Median					< 10th
↑										
The chart above indicates the ranking of your animal's passive hip laxity (DI) in relation to all CANINE animals of the AUSTRALIAN SHEPHERD breed in our database. This result means that 1) your animal's hips are tighter than over 90% of the animals in this group, and 2) your animal's hip laxity is in the tighter half of the laxity profile. Breed-specific evaluations are analyzed semi-annually. Consequently, the average laxity and range of laxity for any given group will change over time.										

PennHIP does not make specific breeding recommendations. Selection of sire and dam for mating is the decision of the breeder.

NOTE: As a minimum breeding criterion, we propose that breeding stock be selected from the population of animals having hip laxity in the tighter half of the breed (to the left of the median mark on the graph). Higher selection pressure equates to more rapid expected genetic change per generation.

By implementing selection based on passive hip laxity, we expect the breed average DI over the years to move toward tighter hip configuration, meaning lower hip dysplasia susceptibility. The PennHIP database permits scientific adjustment of criteria to reflect these shifts; the average laxity and range of laxity for a particular breed will change over time.



PennHIP

Member:
JESSICA KIRKPATRICK

PennHIP Reference #:
925861

Report Date:
31 Jan 2016

RADIOGRAPH EVALUATION COMMENTS

Thanks for repeating. For future reference, Distraction views carry more importance than Compression views so we'd prefer 2 Distractions over 2 Compressions like you sent on this repeat study.