



West Virginia Department of Health & Human Resources

Berkeley Health Department

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours for Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 CSR 17-3.1.j).

OBSERVATIONS TOTALS: PRIORITY \_\_\_\_\_ PRIORITY FOUNDATION \_\_\_\_\_  
CORE \_\_\_\_\_ TOTAL \_\_\_\_\_

ESTABLISHMENT: AM VETS Post 38 PERMIT NO.: \_\_\_\_\_ DATE: 1-8-90  
 ADDRESS: 180 Bent Dull Dr. CITY: Falling Waters STATE: WV ZIP: \_\_\_\_\_  
 PERSON IN CHARGE/TITLE: X Donald Hughes Finance Off TELEPHONE: \_\_\_\_\_  
 RECEIVED BY (SIGNATURE): Donald Hughes SANITARIAN (SIGNATURE): [Signature]  
 INSPECTION TYPE: ROUTINE  FOLLOW-UP  COMPLAINT  OTHER: \_\_\_\_\_ TIME: 3:45

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
			4-602.12	FTW between cooking equipment needs cleaned/grease
			6501.12	Floor behind equipment + along TR walls need cleaned
			4-602.13	Inside wooden cabinets need cleaned
✓	✓		4-602.1	Can opener base needs cleaned
			4-602.13	Dustpan needs cleaned
			6501.12	Floor Fans need dusted
	✓		4-602.11	Power slicer needs cleaned including blade
			6501.12	AC units need cleaned
✓	✓		4-602.11	Multiple knives, turners, cups stored under bar.
			6501.11	Floor in walkin cooler needs report
			4-602.11	Walkin cooler shelves need cleaned

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
Sandwich Cook	39F	Beer Cooler	38F				
W/C cooler	35F						
Floor Fans							
Walkin Cook	39F						