

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Outback Steakhouse	Facility Type Food Service Establishment	
Licensee Name Outback Steakhouse	Facility Telephone # 304 262-2406	
Facility Address 790 Foxcroft Ave Martinsburg , WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 08/15/2018	Total Time Spent 2.50

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Bar fridge	40
To go Fridge	38
Salad Prep Unit	23
Saute Prep	33
Meat Fridge	36
glass beer reachin	41
walkin	40
Dessert cooler	36
reach in-fry	36
Traulsen Freezer/Fridge	36
lettuce bin	23
New Low Boy grill cooler	29-32 s
ice cream freezer	12

<b>Food Temperatures</b>	
Description	Temperature (Fahrenheit)
ice bath items	32-36
clam chowder	170+
horse radish	25
buff sauce	26
strawberries	26
honey mustard	39
tomatoes	32
salmon in drawer	28

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Dishmachineveg sinkbucketbackbu cketlinebucketsbar bucketgrillbucketb ar3bay	Heatchemicalche micalchemicalche micalchemical	160	300100/3 00200400	quatquatchemi cal	

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

**Observed Critical Violations**

**Total # 4**

**Repeated # 4**

**3-304.11 - FOOD CONTACT WITH EQUIPMENT AND UTENSILS**

**This is a critical violation**

**OBSERVATION: (CORRECTED DURING INSPECTION):** knife stored between equipment not approved-not cleanable area

**3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING**

**This is a critical violation**

**OBSERVATION: (CORRECTED DURING INSPECTION):** few items found past date-bar, server station, grill refrigerator

**4-501.114 - MANUAL AND MECHANICAL WAREWASHING EQUIPMENT - SANITIZER NOT BEING USED PER MANUFACTURER**

**This is a critical violation**

**REPEAT OBSERVATION (CORRECTED DURING INSPECTION):** back sanitizer bucket-not reading at least 200ppm-corrected 300ppm

**4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS**

**This is a critical violation**

**OBSERVATION: (CORRECTED DURING INSPECTION):** few pans,cups found not clean-back of house

**Observed Non-Critical Violations**

**Total # 29**

**Repeated # 4**

**4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION**

**OBSERVATION:** ice build up-Traulsen refrig/freezer and in walkin freezer(on box)

**4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION**

**OBSERVATION:** soda machine-drip tray needs replaced

**4-501.12 - CUTTING SURFACES**

**OBSERVATION:** green cutting board needs replaced

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** prep table holding broken glass bin needs cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** shelving needs cleaned in back beside keg cooler

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** dry storage and alcohol storage shelving needs cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** gaskets on Traulsen reachin need cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** couple shelves in walkin need cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

REPEAT OBSERVATION bar-drink bottle wells need cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** bar-fruit cooler needs cleaned inside

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** racks need cleaned holding sugar containers

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** shelves and cambro tray need cleaned opposite grill line

**4-901.11 - EQUIPMENT AND UTENSILS, AIR DRYING REQUIRED**

**OBSERVATION:** air drying needed before pans are stored..

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** trim/wall needs repaired around beer refrigerator (aware of freezer trim repair)

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** area over back door needs to be repaired

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** mop sink faucet dripping; 3 bay sink faucet dripping; leak beneath 3 bay sink and back prep handsink

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** alcohol closet-shelf needs repaired and trim on bottom shelf

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** floor discoloring in back of house

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** all faucet/handsink fixtures need detailed cleaning

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** ceiling vents need cleaned in kitchen

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION womens restroom-fixtures and floor needs cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** 2 bay sink-pipes and floor drain need cleaned; bar area floor drain needs cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** mop sink needs cleaned-dispose of mop heads when wet

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** employee restroom needs cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION floor grates need cleaned-food buildup and mold

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION spray nozzle at disharea needs cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** dishroom-shelving needs cleaned beneath shelf liner

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** bar-shelf needs cleaned beneath black shelf liner holding glasses

**6-501.13 - CLEANING FLOORS, DUSTLESS METHODS**

**OBSERVATION:** (*CORRECTED DURING INSPECTION*): floor needs swept at bar behind curtain

**Inspection Outcome**

**Comments**

Pest control-August 6th

Disclaimer

Person in Charge

Sanitarian



CNH RS / h.v.t. / Edwards  
Amy ARE Edwards