

# 20<sup>th</sup> Guards Combined Arms Army 118<sup>th</sup> Independent Tank Regiment

HQ 118ITR 15-11-5 <sup>T</sup>	TOC 118ITR V-2 <sup>R</sup>	1R 118ITR 1-1-4 <sup>WA</sup>	2R 118ITR 1-1-4 <sup>WA</sup>	3R 118ITR 5-2-4 <sup>TA</sup>	4R 118ITR 5-2-4 <sup>TA</sup>	HQ 118ITR Deployed			
1E 118ITR 4-2-3 <sup>T</sup>	2E 118ITR 3-1-3 <sup>WA</sup>	3E 118ITR P-L	4E 118ITR V-2 <sup>R</sup>	5E 118ITR 15-9-3 <sup>T</sup>	6E 118ITR 15-9-4 <sup>T</sup>	7E 118ITR 15-9-4 <sup>T</sup>	8E 118ITR 15-9-4 <sup>T</sup>	9E 118ITR 3-1-3 <sup>WA</sup>	
1AD 118ITR 6-3-4 <sup>T</sup>	2AD 118ITR 3-1-3 <sup>T</sup>	3AD 118ITR 6-3-4 <sup>T</sup>	4AD 118ITR 3-1-3 <sup>T</sup>	HQRPLUA2469 V-4 <sup>W</sup>	HQRPL 118ITR P-L	AIFV			Deployed
HQ1 118ITR 15-11-5 <sup>T</sup>	AIFV		HQ2 118ITR 15-11-5 <sup>T</sup>	AIFV		HQ3 118ITR 15-11-5 <sup>T</sup>	Deployed	Deployed	Deployed
1A1 118ITR 15-11-5 <sup>T</sup>	2A1 118ITR 15-11-5 <sup>T</sup>	3A1 118ITR 15-11-5 <sup>T</sup>	4A1 118ITR 15-11-5 <sup>T</sup>	5A1 118ITR 15-11-5 <sup>T</sup>	6A1 118ITR 15-11-5 <sup>T</sup>	7A1 118ITR 15-11-5 <sup>T</sup>	8A1 118ITR 15-11-5 <sup>T</sup>	9A1 118ITR 15-11-5 <sup>T</sup>	8
1B1 118ITR 15-11-5 <sup>T</sup>	2B1 118ITR 15-11-5 <sup>T</sup>	3B1 118ITR 15-11-5 <sup>T</sup>	4B1 118ITR 15-11-5 <sup>T</sup>	5B1 118ITR 15-11-5 <sup>T</sup>	6B1 118ITR 15-11-5 <sup>T</sup>	7B1 118ITR 15-11-5 <sup>T</sup>	8B1 118ITR 15-11-5 <sup>T</sup>	9B1 118ITR 15-11-5 <sup>T</sup>	4
1C1 118ITR 15-11-5 <sup>T</sup>	2C1 118ITR 15-11-5 <sup>T</sup>	3C1 118ITR 15-11-5 <sup>T</sup>	4C1 118ITR 15-11-5 <sup>T</sup>	5C1 118ITR 15-11-5 <sup>T</sup>	6C1 118ITR 15-11-5 <sup>T</sup>	7C1 118ITR 15-11-5 <sup>T</sup>	8C1 118ITR 15-11-5 <sup>T</sup>	9C1 118ITR 15-11-5 <sup>T</sup>	10
				HQ4 118ITR 15-11-5 <sup>T</sup>	AIFV		HQ5 118ITR 15-11-5 <sup>T</sup>	AIFV	
				1A4 118ITR 15-11-5 <sup>T</sup>	2A4 118ITR 15-11-5 <sup>T</sup>	3A4 118ITR 15-11-5 <sup>T</sup>	4A4 118ITR 15-11-5 <sup>T</sup>	5A4 118ITR 15-11-5 <sup>T</sup>	6A4 118ITR 15-11-5 <sup>T</sup>
				1B4 118ITR 15-11-5 <sup>T</sup>	2B4 118ITR 15-11-5 <sup>T</sup>	3B4 118ITR 15-11-5 <sup>T</sup>	4B4 118ITR 15-11-5 <sup>T</sup>	5B4 118ITR 15-11-5 <sup>T</sup>	6B4 118ITR 15-11-5 <sup>T</sup>
HQ6 118ITR 3-1-3 <sup>TA</sup>	HQ6 118ITR P-L			1C4 118ITR 15-11-5 <sup>T</sup>	2C4 118ITR 15-11-5 <sup>T</sup>	3C4 118ITR 15-11-5 <sup>T</sup>	4C4 118ITR 15-11-5 <sup>T</sup>	5C4 118ITR 15-11-5 <sup>T</sup>	6C4 118ITR 15-11-5 <sup>T</sup>
DPA6 118ITR 3-1-3 <sup>TA</sup>	DPA6 118ITR P-L	1A6 118ITR 4-2-4 <sup>TA</sup>	2A6 118ITR 4-2-4 <sup>TA</sup>			Deployed	Deployed	Deployed	
DPB6 118ITR 3-1-3 <sup>TA</sup>	DPB6 118ITR P-L	1B6 118ITR 4-2-4 <sup>TA</sup>	2B6 118ITR 4-2-4 <sup>TA</sup>			Deployed	Deployed	Deployed	
DPC6 118ITR 3-1-3 <sup>TA</sup>	DPC6 118ITR P-L	1C6 118ITR 4-2-4 <sup>TA</sup>	2C6 118ITR 4-2-4 <sup>TA</sup>			Deployed	Deployed	Deployed	
LOG 118ITR V-4 <sup>W</sup>	LOG 118ITR P-S	L1 118ITR V-3 <sup>W</sup>	L2 118ITR V-3 <sup>W</sup>	L3 118ITR V-3 <sup>W</sup>	L4 118ITR V-3 <sup>W</sup>	L5 118ITR V-3 <sup>W</sup>	R1 118ITR 6-3-4 <sup>T</sup>	R2 118ITR 6-3-4 <sup>T</sup>	R3 118ITR 6-3-4 <sup>T</sup>