

**West Virginia Department of Health
& Human Resources
Berkeley County Health Department**

No image found with name: Berkeley.png. Image files needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information	
Facility Name Dollar General-Inwood	Facility Type Retail Food Store
Licensee Name Dollar General #134	Facility Telephone # 304 229-3013
Facility Address 496 Middleway Pike Inwood , WV	Licensee Address ,

Inspection Information		
Inspection Type Routine	Inspection Date 10/06/2017	Total Time Spent 1.25

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Cooler case	34
Soda coolers	38
Walk in cooler	38
Starbucks cooler	39

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 1

Observed Non-Critical Violations
Total # 2
Repeated # 1
6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR
OBSERVATION: Walk in freezer compressor and or piping leaking, forming ice on floor.
6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS
REPEAT OBSERVATION Floors need cleaned behind and under equipment

Inspection Outcome

Comments

Disclaimer

Person in Charge


Helen Sellman

Sanitarian


Glenn GCO Ondick