



Quality Wholesale Window Coverings
Contract • Hospitality • Residential



SOFTSTYLE

SHADES

Effective February 3, 2020

design simplified™

TABLE OF CONTENTS

• Features & Benefits	2
• Pattern Information	3
• Color Charts	4-6
• Pricing and Options— Standard Rectangular	7-16
• Motorization Surcharges and Options	17

Rectangular Configuration Specifications

• Standard Cordlock	18
• Two-on-One Rail	18
• Top-Down and Top-Down/Bottom-Up	19
• Cut-Outs	19
• Cordless Lift	20
• Cordless Lift & Lock™	21
• Continuous Cord Loop	22

TriLight Shades®

• Smart Facts	23
• Selecting a TriLight Shade	23
• Sheer Pleated Color Chart	24
• Pricing and Options	25
• Configuration Specifications	26-28
• RemoteLift™ 2.0 Motorization	29-33
• Simplicity and PowerWand™	34-39
• Vertical Application	40-42
• Classic Skylight and Skylight with Simplicity Motorization	43-46
• Arches	47-48
• Specialty Shapes	49-50
• Size Standards Summary	51-54
• Product Components	55-66

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 96" or more in width (or Vertical Applications over 96" in height) are considered oversize. Therefore, a net shipping charge of \$45 per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

FEATURES & BENEFITS



- Thick cellular fabric provides superior insulation for reduced heating and cooling bills. It also absorbs sound, making rooms more comfortable.
- Semi-opaque and blackout cellular fabrics are available in multiple sizes, including 2" Hybrid Pleat, providing a choice for every window size and desired light and privacy control.
- The neutral white backing provides a consistent appearance to the outside of the home.
- Shades feature the same reliable 3/4" standard headrail used with Cellular Shades.
- Offered with a wide selection of control options, including top-down/bottom-up, continuous loop, cordless lift, cordless Lift & Lock™, vertical application and motorized control, to fit any need.
- Features TriLight Shades® for enhanced versatility.
- Limited Lifetime Warranty ensures your customers' satisfaction.

CELLULAR SHADE PATTERN INFORMATION

Pattern Name	# of Cells	Price Group (Standard)	Winter R-Values	Care Code	Light Control	Hardware Restrictions	Hardware Options	
Semi Opaque - Single Cell							• Standard Cordlock – 3/4" Rail System • Continuous Cord Loop System • Continuous Cord Loop Top-Down/Bottom-Up • Cordless Lift System • Cordless Lift System Top-Down/Bottom-Up • Cordless Lift & Lock • Cordless Lift & Lock Top-Down/Bottom-Up • Top-Down • Top-Down/Bottom-Up • Two-On-One Rail • Vertical Application • Classic Skylight • Arches • Angles • Specialty Shapes • Battery Operated Motorization • TriLight	
SoftStyle Beginnings Semi-Opaque – Large Single Cell	S50	Single	2-SS	**	1, 2 & 3	C		
SoftStyle Semi-Opaque – Small Single Cell	S11	Single	1-SS	**	1, 2 & 3	C		Vertical Application
SoftStyle Semi-Opaque – Large Single Cell	S21	Single	4-SS	**	1, 2 & 3	C		
Semi Opaque - Double Cell								
SoftStyle Beginnings Semi-Opaque – Double Cell	S51	Double	3-SS	**	1, 2 & 3	C		Vertical Application
SoftStyle Semi-Opaque – Double Cell	S31	Double	5-SS	**	1, 2 & 3	C		Vertical Application
Blackout - Single Cell								
SoftStyle Blackout – Small Single Cell	S13	Single	6-SS	**	1 & 3	E		Vertical Application
SoftStyle Blackout – Large Single Cell	S23	Single	7-SS	**	1 & 3	E		
SoftStyle Subdue Blackout - Large Single Cell	S61	Single	8-SS	**	1 & 3	E		
Blackout - Double Cell								
SoftStyle Blackout – Double Cell	S32	Double	8-SS	**	1 & 3	E		Vertical Application
Hybrid Pleat								
2" Hybrid Pleat – Semi-Opaque	HPF	Single	Hybrid Pleat Semi-Opaque	4.53	1, 2 & 3	C		Standard Cordlock, Skylight, Arches, Angles, Specialty Shapes, PowerWand
2" Hybrid Pleat – Blackout	HPR	Single	Hybrid Pleat Blackout	4.78	1, 2 & 3	E	Standard Cordlock, Skylight, Arches, Angles, Specialty Shapes, PowerWand	
** Comparable test data on SoftStyle shades is not available.								
Care Method 1 Dusting with a feather, or synthetic, non-abrasive, material duster is recommended for cellular shade surfaces which are lightly soiled.		Care Method 2 Wiping with a soft, damp sponge or cloth, of non-abrasive material, with lukewarm water is recommended for cellular shade surfaces which need spot cleaning.		Care Method 3 Vacuuming with a soft bristle vacuum cleaner brush attachment is recommended for cellular shade surfaces which are heavily soiled.				



A. Sheer
Softly filters light and reduces glare. Images, shapes and people can be seen clearly. Provides the least amount of light and shape screening.



B. Semi-Sheer
Filters strong light. Images, shapes and people can be seen with some clarity. Provides a modest degree of light and shape screening.



C. Semi-Opaque
Significantly reduces light. Images, shapes and people cannot be seen clearly. Provides a moderate to strong degree of light and shape screening. Darker colored materials tend to provide stronger screening than lighter colored materials in this category.



D. Opaque
Blocks out virtually all light (except light that may enter on the sides of the shade) for maximum privacy and darkness.

CELLULAR COLOR CHART

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
SMALL SINGLE CELL - Semi-Opaque (Price Group 1-SS)				
S11	589	Afternoon Light	127	N/A
S11	1553	Birdbath	810	
S11	522	Cake Batter	320	
S11	1556	Caribbean Sky	135	
S11	515	Cavern	361	
S11	510	Celadon	958	
S11	581	Coastal Eddy	018	
S11	528	Daisy White	320	
S11	1558	Dark Raisin	849	
S11	1554	Desert Sun	954	
S11	523	Dill	621	
S11	1567	Espresso Bean	849	
S11	1562	Evening Horizon	450	
S11	1559	Fly Fishing	849	
S11	1563	Four Leaf Clover	958	
S11	524	Gold Treasure	952	
S11	513	Graystone	810	
S11	1565	Ground Cloves	960	
S11	1552	Gunnysack	862	
S11	526	Ice Age	320	
S11	1550	Ice Rink	885	
S11	1560	Lava Rock	405	
S11	529	Lemon Frost	674	
S11	500	Marshmallow	661	
S11	507	Mountain Top	320	
S11	525	Mustard Seed	630	
S11	1557	Night Blue	450	
S11	1566	Oak Branch	849	
S11	584	Ocean Blue	450	
S11	527	Pale White *	785	
S11	520	Pure Honey	952	
S11	1564	Redwood	956	
S11	1561	Rock Garden	765	
S11	588	Rocking Chair	083	
S11	517	Rye	630	
S11	503	Scone	320	
S11	509	Silver Dollar	405	
S11	582	Steel	018	
S11	1555	Summer Storm	765	
S11	1551	Sweet Butter	674	
S11	521	Trail	810	
S11	501	Veil	320	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
LARGE SINGLE CELL - Semi-Opaque (Price Group 4-SS)				
S21	589	Afternoon Light	127	862
S21	1553	Birdbath	810	810
S21	522	Cake Batter	320	862
S21	1556	Caribbean Sky	135	661
S21	515	Cavern	361	862
S21	510	Celadon	958	862
S21	581	Coastal Eddy	018	276
S21	528	Daisy White	320	785
S21	1558	Dark Raisin	849	661
S21	1554	Desert Sun	954	083
S21	523	Dill	621	841
S21	1567	Espresso Bean	849	810
S21	1562	Evening Horizon	450	276
S21	1559	Fly Fishing	849	810
S21	1563	Four Leaf Clover	958	785
S21	524	Gold Treasure	952	082
S21	513	Graystone	810	810
S21	1565	Ground Cloves	960	785
S21	1552	Gunnysack	862	862
S21	526	Ice Age	320	862
S21	1550	Ice Rink	885	661
S21	1560	Lava Rock	405	276
S21	529	Lemon Frost	674	882
S21	500	Marshmallow	661	661
S21	507	Mountain Top	320	862
S21	525	Mustard Seed	630	082
S21	1557	Night Blue	450	661
S21	1566	Oak Branch	849	810
S21	584	Ocean Blue	450	661
S21	527	Pale White *	785	785
S21	520	Pure Honey	952	082
S21	1564	Redwood	956	083
S21	1561	Rock Garden	765	276
S21	588	Rocking Chair	083	083
S21	517	Rye	630	841
S21	503	Scone	320	862
S21	509	Silver Dollar	405	276
S21	582	Steel	018	276
S21	1555	Summer Storm	765	276
S21	1551	Sweet Butter	674	661
S21	521	Trail	810	810
S21	501	Veil	320	862

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
DOUBLE CELL - Semi-Opaque (Price Group 5-SS)				
S31	589	Afternoon Light	127	N/A
S31	1553	Birdbath	810	
S31	522	Cake Batter	320	
S31	1556	Caribbean Sky	135	
S31	515	Cavern	361	
S31	510	Celadon	958	
S31	581	Coastal Eddy	018	
S31	528	Daisy White	320	
S31	1558	Dark Raisin	849	
S31	1554	Desert Sun	954	
S31	523	Dill	621	
S31	1567	Espresso Bean	849	
S31	1562	Evening Horizon	450	
S31	1559	Fly Fishing	849	
S31	1563	Four Leaf Clover	958	
S31	524	Gold Treasure	952	
S31	513	Graystone	810	
S31	1565	Ground Cloves	960	
S31	1552	Gunnysack	862	
S31	526	Ice Age	320	
S31	1550	Ice Rink	885	
S31	1560	Lava Rock	405	
S31	529	Lemon Frost	674	
S31	500	Marshmallow	661	
S31	507	Mountain Top	320	
S31	525	Mustard Seed	630	
S31	1557	Night Blue	450	
S31	1566	Oak Branch	849	
S31	584	Ocean Blue	450	
S31	527	Pale White *	785	
S31	520	Pure Honey	952	
S31	1564	Redwood	956	
S31	1561	Rock Garden	765	
S31	588	Rocking Chair	083	
S31	517	Rye	630	
S31	503	Scone	320	
S31	509	Silver Dollar	405	
S31	582	Steel	018	
S31	1555	Summer Storm	765	
S31	1551	Sweet Butter	674	
S31	521	Trail	810	
S31	501	Veil	320	

NOTE: Pale White (color 527) has a yellow hue. Please review the color carefully during the selection process.

CODE KEY:

STD = Standard cordlock (Cordless, Cordless Lift & Lock, Continuous Cord Loop, Simplicity and RemoteLift with coordinated rails)
VA = Vertical application shades

CELLULAR COLOR CHART

FABRIC					HARDWARE					FABRIC					HARDWARE					FABRIC					HARDWARE				
Code	Color #	Color Name	STD	VA	Code	Color #	Color Name	STD	VA	Code	Color #	Color Name	STD	VA	Code	Color #	Color Name	STD	VA	Code	Color #	Color Name	STD	VA	Code	Color #	Color Name	STD	VA
SMALL SINGLE CELL - Blackout					LARGE SINGLE CELL - Blackout					DOUBLE CELL - Blackout					DOUBLE CELL - Blackout					DOUBLE CELL - Blackout					DOUBLE CELL - Blackout				
(Price Group 6-SS)					(Price Group 7-SS)					(Price Group 8-SS)					(Price Group 8-SS)					(Price Group 8-SS)					(Price Group 8-SS)				
S13	1743	Birdbath	810	N/A	S23	1743	Birdbath	810	810	S32	1743	Birdbath	810	N/A	S32	1743	Birdbath	810	N/A	S32	1743	Birdbath	810	N/A	S32	1743	Birdbath	810	N/A
S13	760	Blue	685		S23	760	Blue	685	661	S32	760	Blue	685		S32	760	Blue	685		S32	760	Blue	685		S32	760	Blue	685	
S13	762	Blush	127		S23	762	Blush	127	862	S32	762	Blush	127		S32	762	Blush	127		S32	762	Blush	127		S32	762	Blush	127	
S13	709	Buttercream	320		S23	709	Buttercream	320	862	S32	709	Buttercream	320		S32	709	Buttercream	320		S32	709	Buttercream	320		S32	709	Buttercream	320	
S13	781	Coastal Eddy	018		S23	781	Coastal Eddy	018	276	S32	781	Coastal Eddy	018		S32	781	Coastal Eddy	018		S32	781	Coastal Eddy	018		S32	781	Coastal Eddy	018	
S13	703	Crème Brulee	882		S23	703	Crème Brulee	882	882	S32	703	Crème Brulee	882		S32	703	Crème Brulee	882		S32	703	Crème Brulee	882		S32	703	Crème Brulee	882	
S13	1741	Dried Oregano	621		S23	1741	Dried Oregano	621	785	S32	1741	Dried Oregano	621		S32	1741	Dried Oregano	621		S32	1741	Dried Oregano	621		S32	1741	Dried Oregano	621	
S13	1747	Espresso Bean	849		S23	1747	Espresso Bean	849	862	S32	1747	Espresso Bean	849		S32	1747	Espresso Bean	849		S32	1747	Espresso Bean	849		S32	1747	Espresso Bean	849	
S13	706	Goose Down	661		S23	706	Goose Down	661	661	S32	706	Goose Down	661		S32	706	Goose Down	661		S32	706	Goose Down	661		S32	706	Goose Down	661	
S13	1748	Gray Gust	018		S23	1748	Gray Gust	018	276	S32	1748	Gray Gust	018		S32	1748	Gray Gust	018		S32	1748	Gray Gust	018		S32	1748	Gray Gust	018	
S13	1744	Ground Pepper	765		S23	1744	Ground Pepper	765	276	S32	1744	Ground Pepper	765		S32	1744	Ground Pepper	765		S32	1744	Ground Pepper	765		S32	1744	Ground Pepper	765	
S13	710	Ice Princess	885		S23	710	Ice Princess	885	785	S32	710	Ice Princess	885		S32	710	Ice Princess	885		S32	710	Ice Princess	885		S32	710	Ice Princess	885	
S13	702	Irish Coffee	862		S23	702	Irish Coffee	862	862	S32	702	Irish Coffee	862		S32	702	Irish Coffee	862		S32	702	Irish Coffee	862		S32	702	Irish Coffee	862	
S13	711	Moon Dust	882		S23	711	Moon Dust	882	882	S32	711	Moon Dust	882		S32	711	Moon Dust	882		S32	711	Moon Dust	882		S32	711	Moon Dust	882	
S13	1750	Night Blue	450		S23	1750	Night Blue	450	661	S32	1750	Night Blue	450		S32	1750	Night Blue	450		S32	1750	Night Blue	450		S32	1750	Night Blue	450	
S13	1784	Ocean Blue	450		S23	1784	Ocean Blue	450	661	S32	1784	Ocean Blue	450		S32	1784	Ocean Blue	450		S32	1784	Ocean Blue	450		S32	1784	Ocean Blue	450	
S13	700	Pebble	361		S23	700	Pebble	361	841	S32	700	Pebble	361		S32	700	Pebble	361		S32	700	Pebble	361		S32	700	Pebble	361	
S13	701	Pitch Black	048		S23	701	Pitch Black	048	048	S32	701	Pitch Black	048		S32	701	Pitch Black	048		S32	701	Pitch Black	048		S32	701	Pitch Black	048	
S13	707	Pristine Palace	320		S23	707	Pristine Palace	320	862	S32	707	Pristine Palace	320		S32	707	Pristine Palace	320		S32	707	Pristine Palace	320		S32	707	Pristine Palace	320	
S13	1745	Red Sand	956		S23	1745	Red Sand	956	083	S32	1745	Red Sand	956		S32	1745	Red Sand	956		S32	1745	Red Sand	956		S32	1745	Red Sand	956	
S13	704	Richwood	849		S23	704	Richwood	849	810	S32	704	Richwood	849		S32	704	Richwood	849		S32	704	Richwood	849		S32	704	Richwood	849	
S13	708	Sand Sculpture	882		S23	708	Sand Sculpture	882	882	S32	708	Sand Sculpture	882		S32	708	Sand Sculpture	882		S32	708	Sand Sculpture	882		S32	708	Sand Sculpture	882	
S13	1746	Sandstone Gray	810		S23	1746	Sandstone Gray	810	810	S32	1746	Sandstone Gray	810		S32	1746	Sandstone Gray	810		S32	1746	Sandstone Gray	810		S32	1746	Sandstone Gray	810	
S13	763	Silver Dollar	405		S23	763	Silver Dollar	405	276	S32	763	Silver Dollar	405		S32	763	Silver Dollar	405		S32	763	Silver Dollar	405		S32	763	Silver Dollar	405	
S13	705	Stone Path	630		S23	705	Stone Path	630	841	S32	705	Stone Path	630		S32	705	Stone Path	630		S32	705	Stone Path	630		S32	705	Stone Path	630	
S13	1749	Streetlight	450		S23	1749	Streetlight	450	661	S32	1749	Streetlight	450		S32	1749	Streetlight	450		S32	1749	Streetlight	450		S32	1749	Streetlight	450	
S13	740	Thunder Cloud	405		S23	740	Thunder Cloud	405	276	S32	740	Thunder Cloud	405		S32	740	Thunder Cloud	405		S32	740	Thunder Cloud	405		S32	740	Thunder Cloud	405	
S13	1742	Yucca Cactus	135		S23	1742	Yucca Cactus	135	785	S32	1742	Yucca Cactus	135		S32	1742	Yucca Cactus	135		S32	1742	Yucca Cactus	135		S32	1742	Yucca Cactus	135	

CODE KEY:

STD = Standard cordlock (Cordless, Cordless Lift & Lock, Continuous Cord Loop, Simplicity and RemoteLift with coordinated rails)
VA = Vertical application shades

Hardware Colors

		STD	VA			STD	VA
018	Satin Silver	X	N/A	685	Blue Sky	X	N/A
048	Black	X	X	765	Silver Maple	X	N/A
082	Camel	N/A	X	785	Aspen White	X	X
083	Cocoa	X	X	810	Mushroom	X	X
127	Cameo	X	N/A	841	Dark Blonde	N/A	X
135	Whisper Heather	X	N/A	849	Mocha	X	N/A
276	Silverado	N/A	X	862	Gardenia White	X	X
320	Rich Cream	X	N/A	882	Honey Bisque	X	X
361	Tender Taupe	X	N/A	885	Flex White	X	N/A
405	Gray Flannel	X	N/A	952	Pristine Beach	X	N/A
450	Skyline	X	N/A	954	Tranquil Tea	X	N/A
621	Putty	X	N/A	956	Renaissance Clay	X	N/A
630	Gold Leaf	X	N/A	958	Velvet Fern	X	N/A
661	White Tiara	X	X	960	Terra Cotta Um	X	N/A
674	Bamboo Stalk	X	N/A				

CELLULAR COLOR CHART

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" HYBRID PLEAT - Semi-Opaque				
<i>Where applicable, coordinates with cellular color of the same name</i>				
HPF	2753	Caribbean Sky	135	661
HPF	715	Cavern	361	862
HPF	2750	Coastal Eddy	018	276
HPF	739	Earth	810	810
HPF	2755	Gold Treasure	952	082
HPF	2752	Lava Rock	405	276
HPF	700	Marshmallow	661	661
HPF	2754	Ocean Blue	450	661
HPF	727	Pale White *	785	785
HPF	741	Sandrift	810	810
HPF	2751	Summer Storm	765	276
HPF	735	Whitecap	862	862

NOTE: Pale White (color 727) has a yellow hue. Please review the color carefully during the selection process.

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" HYBRID PLEAT - Blackout				
<i>Where applicable, coordinates with cellular color of the same name</i>				
HPR	2950	Birdbath	810	810
HPR	2952	Coastal Eddy	018	276
HPR	2951	Gray Gust	018	276
HPR	910	Ice Princess	885	661
HPR	919	Sand Storm	810	810
HPR	917	Whisper	785	785

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
LARGE SINGLE CELL - Semi-Opaque (Price Group 2-SS)				
S50	537	Boulder	765	276
S50	530	Ecru	882	882
S50	540	Lunar	450	661
S50	531	Merino	661	661
S50	534	Teak	630	841
S50	532	Wafer	810	810

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
DOUBLE CELL - Semi-Opaque (Price Group 3-SS)				
S51	537	Boulder	765	N/A
S51	530	Ecru	882	
S51	540	Lunar	450	
S51	531	Merino	661	
S51	534	Teak	630	
S51	532	Wafer	810	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
LARGE SINGLE CELL - Blackout (Price Group 8-SS)				
S61	3744	Birdbath	810	810
S61	3741	Goose Down	885	661
S61	3745	Gray Gust	018	276
S61	3742	Ice Princess	885	661
S61	3747	Ocean Blue	450	661
S61	3743	Pristine Palace	862	862
S61	3746	Silver Dollar	405	276

CODE KEY:

STD = Standard cordlock (Cordless, Cordless Lift & Lock, Continuous Cord Loop, Simplicity and RemoteLift with coordinated rails)
VA = Vertical application shades

Note: 2" Hybrid Pleat shades are not available with standard cordlock or PowerWand.

GROUP 1-SS (Standard Rectangular)

• SOFTSTYLE 9/16" SEMI-OPAQUE (S11)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$108	122	139	154	171	187	202	215	233	266	299	333	367
42"	116	130	150	171	187	202	221	239	255	292	330	368	407
48"	124	145	161	181	202	221	241	262	281	320	362	402	447
54"	129	151	173	195	215	238	260	283	304	348	394	439	486
60"	139	160	187	208	231	255	276	303	328	377	425	476	523
66"	150	171	197	223	246	272	298	323	350	402	458	510	563
72"	154	179	208	236	265	289	318	346	371	429	489	543	604
78"	161	190	218	245	280	308	338	366	397	458	517	580	641
84"	169	198	230	262	291	320	353	384	415	478	544	608	676
90"	175	207	241	272	308	341	371	406	439	510	577	645	714
96"	181	214	251	286	320	354	390	425	460	532	605	676	750
108"	198	234	271	310	351	386	425	465	505	585	662	741	823
120"	212	252	296	338	382	423	464	509	549	633	723	810	888

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- Color-Coordinated Rails
- Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket
- Hold Down Brackets
- Cut-Outs – up to 3" wide (see page 19 for details)
- Special Cord Lengths – standard cord is 40% of the height of the shade unless otherwise specified
- Hardware Color Override

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- Fabric-Wrapped Rail Optionadd \$22
- Top-Down & Top-Down/Bottom-Upadd \$87
- Continuous Cord Loop*add \$55
 - Top-Down/Bottom-Up*add \$141
- Cordless Lift System*add \$87
 - Two-On-One Headrail* price as 2 separate shades and add \$174 (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades and add \$260 (not available in Top-Down/Bottom-Up)
 - Top-Down/Bottom-Up*add \$174
- Cordless Lift & Lockadd \$44
 - Cordless Lift & Lock Two-On-One Headrailadd \$87
 - Cordless Lift & Lock Three-On-One Headrailadd \$130
 - Top-Down/Bottom-Up*add \$130
 - Premium Headrail Upgrade*add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091\$22
- 5' to 10' Cordless Extension Pole #400036-81511\$37
- Rectangular Shade and Arch – price as 2 separate shades; One Arch and One Rectangular
- TriLight Shades – see pages 23-28
- Angle Cutadd \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 17 for motorization surcharges

GROUP 2-SS (Standard Rectangular)

• SOFTSTYLE 3/4" BEGINNINGS SEMI-OPAQUE (S50)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$120	135	153	169	189	202	218	238	254	290	328	362	399
42"	128	147	166	189	207	225	245	266	285	324	366	406	448
48"	135	158	178	200	223	242	265	285	308	351	397	441	487
54"	141	165	190	213	238	259	284	306	331	377	427	476	529
60"	154	177	204	227	255	281	305	333	359	413	464	519	574
66"	164	191	217	246	275	304	332	360	388	448	505	563	623
72"	173	198	227	259	291	319	348	381	413	473	537	598	659
78"	184	213	246	281	314	344	379	413	448	513	581	649	720
84"	191	224	259	295	332	366	402	437	473	543	617	691	765
90"	199	236	273	312	351	386	424	462	502	578	654	732	811
96"	208	246	285	327	368	405	447	486	528	608	693	772	855
108"	224	266	312	357	402	444	486	533	577	666	752	845	936
120"	246	291	342	390	442	490	538	589	636	736	836	936	1037

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 19 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$22
 - **Top-Down & Top-Down/Bottom-Up**add \$87
 - **Continuous Cord Loop***add \$55
 - **Top-Down/Bottom-Up***add \$141
 - **Cordless Lift System***add \$87
 - **Two-On-One Headrail*** price as 2 separate shades and add \$174 (not available in Top-Down/Bottom-Up)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$260 (not available in Top-Down/Bottom-Up)
 - **Top-Down/Bottom-Up***add \$174
 - **Cordless Lift & Lock**add \$44
 - **Cordless Lift & Lock Two-On-One Headrail**add \$87
 - **Cordless Lift & Lock Three-On-One Headrail**add \$130
 - **Top-Down/Bottom-Up***add \$130
 - **Premium Headrail Upgrade***add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$22
 - **5' to 10' Cordless Extension Pole #400036-81511**\$37
 - **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
 - **TriLight Shades** – see pages 23-28
 - **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 17 for motorization surcharges

GROUP 3-SS (Standard Rectangular)

• SOFTSTYLE BEGINNINGS DOUBLE CELL SEMI-OPAQUE (S51)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$114	126	146	162	179	192	211	226	242	276	311	344	381
42"	122	140	158	179	195	215	232	252	271	309	348	386	427
48"	128	150	172	191	213	231	252	271	294	334	379	421	463
54"	137	155	179	202	226	249	270	292	314	361	408	454	504
60"	148	169	194	218	244	268	292	319	343	394	442	496	548
66"	154	181	208	233	263	289	317	343	371	426	484	537	594
72"	165	190	218	249	279	305	333	363	394	452	513	571	631
78"	174	202	234	267	299	330	362	394	426	489	556	620	686
84"	181	214	249	283	317	348	383	416	452	517	589	658	730
90"	191	224	262	298	334	369	405	441	479	553	626	697	774
96"	198	233	271	310	351	386	425	462	504	581	659	736	816
108"	214	252	298	338	383	423	462	509	551	634	720	805	893
120"	233	279	327	372	421	466	514	561	608	701	797	893	991

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 19 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$22
- **Top-Down & Top-Down/Bottom-Up**add \$87
- **Continuous Cord Loop***add \$55
 - **Top-Down/Bottom-Up***add \$141
- **Cordless Lift System***add \$87
 - **Two-On-One Headrail*** price as 2 separate shades and add \$174 (not available in Top-Down/Bottom-Up)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$260 (not available in Top-Down/Bottom-Up)
 - **Top-Down/Bottom-Up***add \$174
- **Cordless Lift & Lock**add \$44
 - **Cordless Lift & Lock Two-On-One Headrail**add \$87
 - **Cordless Lift & Lock Three-On-One Headrail**add \$130
 - **Top-Down/Bottom-Up***add \$130
 - **Premium Headrail Upgrade***add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$22
- **5' to 10' Cordless Extension Pole #400036-81511**\$37
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **TriLight Shades** – see pages 23-28
- **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 17 for motorization surcharges

GROUP 4-SS (Standard Rectangular)

• SOFTSTYLE 3/4" SEMI-OPAQUE (S21)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$138	154	176	194	216	232	251	273	292	333	377	416	459
42"	148	168	191	216	238	259	282	306	328	372	420	465	515
48"	154	181	206	231	256	279	305	328	354	405	457	509	561
54"	164	189	218	244	273	296	327	351	381	434	491	548	608
60"	177	204	234	262	293	322	350	383	413	475	535	597	658
66"	188	219	250	284	317	348	382	414	447	515	581	648	715
72"	198	228	262	296	334	367	401	437	475	543	618	688	759
78"	211	244	284	322	361	396	435	475	515	590	669	747	826
84"	219	257	296	341	382	420	462	502	543	626	709	793	879
90"	230	270	315	360	405	444	487	531	577	666	751	842	933
96"	239	284	328	376	424	464	514	558	607	700	797	888	983
108"	257	306	360	409	462	511	558	613	665	765	866	972	1076
120"	284	334	392	451	510	563	619	676	732	847	960	1076	1192

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 19 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$22
- **Top-Down & Top-Down/Bottom-Up**add \$87
- **Continuous Cord Loop***add \$55
 - **Top-Down/Bottom-Up***add \$141
- **Cordless Lift System***add \$87
 - **Two-On-One Headrail*** price as 2 separate shades and add \$174 (not available in Top-Down/Bottom-Up)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$260 (not available in Top-Down/Bottom-Up)
 - **Top-Down/Bottom-Up***add \$174
- **Cordless Lift & Lock**add \$44
 - **Cordless Lift & Lock Two-On-One Headrail**add \$87
 - **Cordless Lift & Lock Three-On-One Headrail**add \$130
 - **Top-Down/Bottom-Up***add \$130
 - **Premium Headrail Upgrade***add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$22
- **5' to 10' Cordless Extension Pole #400036-81511**\$37
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **TriLight Shades** – see pages 23-28
- **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 17 for motorization surcharges

GROUP 5-SS (Standard Rectangular)

• SOFTSTYLE DOUBLE CELL SEMI-OPAQUE (S31)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$146	161	186	207	230	246	268	289	308	353	399	440	486
42"	155	178	200	230	250	275	295	322	347	395	445	493	546
48"	165	192	219	244	270	294	322	347	377	427	483	538	593
54"	174	198	231	259	289	318	345	372	401	461	522	580	645
60"	188	216	249	280	311	343	372	407	437	502	566	631	697
66"	197	232	266	296	334	369	405	438	475	544	618	685	759
72"	211	242	280	318	354	388	426	463	502	576	655	730	805
78"	223	259	299	342	383	420	462	502	544	626	710	792	877
84"	232	273	318	361	405	445	489	531	576	662	751	842	933
90"	243	286	333	381	427	473	516	564	611	706	798	891	990
96"	252	296	347	397	448	492	543	592	645	743	843	941	1042
108"	273	322	381	433	489	539	592	649	704	811	918	1030	1140
120"	296	354	416	476	538	597	656	719	777	896	1017	1140	1265

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 19 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$22
- **Top-Down & Top-Down/Bottom-Up**add \$87
- **Continuous Cord Loop***add \$55
 - **Top-Down/Bottom-Up***add \$141
- **Cordless Lift System***add \$87
 - **Two-On-One Headrail*** price as 2 separate shades and add \$174 (not available in Top-Down/Bottom-Up)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$260 (not available in Top-Down/Bottom-Up)
 - **Top-Down/Bottom-Up***add \$174
- **Cordless Lift & Lock**add \$44
 - **Cordless Lift & Lock Two-On-One Headrail**add \$87
 - **Cordless Lift & Lock Three-On-One Headrail**add \$130
 - **Top-Down/Bottom-Up***add \$130
 - **Premium Headrail Upgrade***add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$22
- **5' to 10' Cordless Extension Pole #400036-81511**\$37
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **TriLight Shades** – see pages 23-28
- **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 17 for motorization surcharges

GROUP 6-SS (Standard Rectangular)

• SOFTSTYLE 9/16" BLACKOUT (S13)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$146	161	184	202	224	244	265	286	308	350	396	439	486
42"	154	174	198	223	244	270	290	315	341	390	439	489	541
48"	169	192	219	245	271	299	324	354	382	437	497	553	614
54"	179	203	234	266	295	323	353	384	415	478	540	605	670
60"	195	216	251	286	315	348	380	415	448	516	585	654	723
66"	203	231	266	303	340	371	406	445	480	553	630	706	782
72"	216	246	288	327	364	402	439	483	519	602	685	765	850
78"	228	262	303	344	386	427	467	513	553	640	730	816	906
84"	238	272	319	364	407	451	493	541	585	679	771	864	959
90"	251	289	341	385	434	481	528	578	628	726	825	927	1030
96"	262	303	354	403	457	505	553	607	658	763	870	978	1086
108"	282	329	386	442	501	556	608	670	724	840	958	1076	1199
120"	303	357	420	480	558	604	667	731	791	918	1047	1179	1305

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- Color-Coordinated Rails
- •Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket
- Hold Down Brackets
- Cut-Outs – up to 3" wide (see page 19 for details)
- Special Cord Lengths – standard cord is 40% of the height of the shade unless otherwise specified
- Hardware Color Override

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- Fabric-Wrapped Rail Optionadd \$22
 - Top-Down & Top-Down/Bottom-Upadd \$87
 - Continuous Cord Loop*add \$55
 - Top-Down/Bottom-Up*add \$141
 - Cordless Lift System*add \$87
 - Two-On-One Headrail* price as 2 separate shades and add \$174 (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades and add \$260 (not available in Top-Down/Bottom-Up)
 - Top-Down/Bottom-Up*add \$174
 - Cordless Lift & Lockadd \$44
 - Cordless Lift & Lock Two-On-One Headrailadd \$87
 - Cordless Lift & Lock Three-On-One Headrailadd \$130
 - Top-Down/Bottom-Up*add \$130
 - Premium Headrail Upgrade*add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091\$22
 - 5' to 10' Cordless Extension Pole #400036-81511\$37
 - Rectangular Shade and Arch – price as 2 separate shades; One Arch and One Rectangular
 - TriLight Shades – see pages 23-28
 - Angle Cutadd \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 17 for motorization surcharges

GROUP 7-SS (Standard Rectangular)

SOFT STYLE 3/4" BLACKOUT (S23)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$171	190	215	238	264	289	312	337	362	413	465	517	574
42"	184	206	234	263	289	319	342	371	402	461	517	576	640
48"	199	226	260	290	320	353	383	416	451	515	585	652	724
54"	213	239	275	314	348	382	415	453	489	563	637	712	789
60"	232	255	295	337	371	410	447	489	529	608	691	772	853
66"	239	271	314	357	401	438	478	525	566	652	743	834	921
72"	255	291	338	384	429	475	517	570	611	709	809	901	1003
78"	269	307	357	406	455	504	552	605	652	753	861	961	1068
84"	281	322	376	429	480	531	581	640	691	801	910	1018	1130
90"	295	341	402	454	511	568	621	681	740	857	972	1092	1213
96"	307	357	416	476	538	596	652	714	777	899	1027	1152	1280
108"	331	386	455	522	590	655	717	789	854	991	1129	1269	1412
120"	357	420	496	566	657	710	786	863	933	1083	1235	1389	1539

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 19 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$22
 - **Top-Down & Top-Down/Bottom-Up**add \$87
 - **Continuous Cord Loop***add \$55
 - **Top-Down/Bottom-Up***add \$141
 - **Cordless Lift System***add \$87
 - **Two-On-One Headrail*** price as 2 separate shades and add \$174 (not available in Top-Down/Bottom-Up)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$260 (not available in Top-Down/Bottom-Up)
 - **Top-Down/Bottom-Up***add \$174
 - **Cordless Lift & Lock**add \$44
 - **Cordless Lift & Lock Two-On-One Headrail**add \$87
 - **Cordless Lift & Lock Three-On-One Headrail**add \$130
 - **Top-Down/Bottom-Up***add \$130
 - **Premium Headrail Upgrade***add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$22
 - **5' to 10' Cordless Extension Pole #400036-81511**\$37
 - **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
 - **TriLight Shades** – see pages 23-28
 - **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 17 for motorization surcharges

GROUP 8-SS (Standard Rectangular)

- SOFTSTYLE SUBDUE 3/4" SINGLE CELL BLACKOUT (S61)
- SOFTSTYLE DOUBLE CELL BLACKOUT (S32)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$175	194	221	244	270	295	321	345	371	424	479	531	589
42"	188	212	241	269	295	328	351	382	413	474	531	592	656
48"	204	232	267	296	330	362	392	427	462	529	601	669	744
54"	218	246	284	322	359	390	426	464	502	579	655	731	811
60"	238	262	305	345	382	423	459	502	543	626	709	792	876
66"	246	280	322	364	410	451	491	538	581	669	762	854	945
72"	262	298	347	395	441	487	531	583	629	728	829	925	1030
78"	276	315	364	416	467	517	566	620	669	774	884	988	1096
84"	288	331	386	441	492	546	597	656	709	823	934	1046	1162
90"	305	350	413	465	525	582	637	700	759	879	998	1123	1246
96"	315	364	427	489	553	611	669	733	798	922	1055	1183	1313
108"	341	397	467	536	607	673	736	811	877	1017	1160	1303	1450
120"	364	433	509	581	675	730	805	886	958	1111	1268	1425	1581

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 19 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$22
 - **Top-Down & Top-Down/Bottom-Up**add \$87
 - **Continuous Cord Loop***add \$55
 - **Top-Down/Bottom-Up***add \$141
 - **Cordless Lift System***add \$87
 - **Two-On-One Headrail*** price as 2 separate shades and add \$174 (not available in Top-Down/Bottom-Up)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$260 (not available in Top-Down/Bottom-Up)
 - **Top-Down/Bottom-Up***add \$174
 - **Cordless Lift & Lock**add \$44
 - **Cordless Lift & Lock Two-On-One Headrail**add \$87
 - **Cordless Lift & Lock Three-On-One Headrail**add \$130
 - **Top-Down/Bottom-Up***add \$130
 - **Premium Headrail Upgrade***add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$22
 - **5' to 10' Cordless Extension Pole #400036-81511**\$37
 - **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
 - **TriLight Shades** – see pages 23-28
 - **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 17 for motorization surcharges

2" HYBRID PLEAT (Standard Rectangular)

NOTE: A control option must be selected.

• 2" HYBRID PLEAT - SEMI-OPAQUE

WIDTH TO:	18"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:																	
30"	\$171	177	194	203	211	236	250	268	282	340	358	380	398	413	433	516	604
36"	177	180	202	211	223	246	265	284	303	361	382	405	423	442	463	552	644
42"	180	197	210	218	232	257	277	299	318	383	405	429	448	471	492	589	686
48"	187	203	216	229	243	270	308	317	336	402	428	454	476	499	520	627	726
54"	190	211	224	237	251	281	317	328	351	425	449	479	502	529	552	657	765
61"	194	217	234	250	264	295	336	348	367	448	474	510	536	564	588	696	810
66"	211	232	252	268	281	307	338	359	385	471	494	530	555	588	614	731	849
73"	212	241	259	276	289	320	345	379	405	492	520	559	590	623	646	769	
78"	246	279	299	321	344	374	406	444	476	510	541	577	609	645	674	803	
84"	252	285	308	329	351	386	423	463	494	530	566	604	635	672	707		
90"	259	295	318	344	363	401	436	478	515	551	589	630	665	702	735		
96"	265	304	327	351	377	413	452	496	533	572	610	653	689	728			
108"	288	333	362	392	423	467	515	566	610	655	704	752					
120"	309	362	400	434	468	520	575	633	687	740	793						

OPTIONS: NO EXTRA CHARGE

- Color-Coordinated Rails
- Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket
- Hold Down Brackets
- Hardware Color Override

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- Fabric-Wrapped Rail Optionadd \$22
- Continuous Cord Loop*add \$55
 - Top-Down/Bottom-Up*add \$141
- Cordless Lift System*add \$87
 - Two-On-One Headrail* price as 2 separate shades and add \$174 (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades and add \$260 (not available in Top-Down/Bottom-Up)
 - Top-Down/Bottom-Up*add \$174
- Cordless Lift & Lockadd \$44
 - Cordless Lift & Lock Two-On-One Headrailadd \$87
 - Cordless Lift & Lock Three-On-One Headrailadd \$130
 - Top-Down/Bottom-Up*add \$130
 - Premium Headrail Upgrade*add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091\$22
- 5' to 10' Cordless Extension Pole #400036-81511\$37
- TriLight Shades – see pages 23-28

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

NOTE: 2" HYBRID PLEAT IS NOT AVAILABLE WITH POWERWAND MOTORIZATION.

See page 17 for motorization surcharges

2" HYBRID PLEAT (Standard Rectangular)

NOTE: A control option must be selected.

• 2" HYBRID PLEAT - BLACKOUT

WIDTH TO:	18"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:																	
30"	\$215	230	244	253	266	295	311	340	357	425	449	476	500	522	541	648	758
36"	221	239	252	265	280	309	330	358	379	454	478	506	531	556	580	695	812
42"	227	247	262	279	291	324	346	377	401	480	505	540	564	593	618	743	862
48"	231	253	275	286	303	340	363	398	421	505	536	570	597	630	656	786	914
54"	239	264	284	298	319	353	382	413	442	533	564	604	632	666	695	829	962
61"	244	276	293	311	328	370	401	436	459	564	596	640	672	708	735	878	1017
66"	264	291	320	337	351	384	413	453	484	588	627	666	701	736	772	920	1068
73"	270	299	325	346	362	401	433	474	505	618	654	705	740	783	813	969	
78"	309	349	377	403	433	471	511	559	597	640	679	728	769	809	850	1009	
84"	330	379	409	442	473	522	568	627	672	720	769	823	867	917	965		
90"	363	415	451	485	522	571	629	686	738	789	848	901	956	1009	1061		
96"	388	455	501	544	588	655	723	799	862	932	999	1072	1138	1206			
108"	451	542	597	656	719	804	895	992	1077	1165	1259	1351					
120"	497	607	675	749	824	932	1040	1156	1263	1367	1481						

OPTIONS: NO EXTRA CHARGE

- Color-Coordinated Rails
- Control Positions – left or right side of the shade (Exception: for Two-On-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket
- Hold Down Brackets
- Hardware Color Override

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- Fabric-Wrapped Rail Optionadd \$22
- Top-Down & Top-Down/Bottom-Upadd \$87
- Continuous Cord Loop*add \$55
 - Top-Down/Bottom-Up*add \$141
- Cordless Lift System*add \$87
 - Two-On-One Headrail* price as 2 separate shades and add \$174 (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades and add \$260 (not available in Top-Down/Bottom-Up)
 - Top-Down/Bottom-Up*add \$174
- Cordless Lift & Lockadd \$44
 - Cordless Lift & Lock Two-On-One Headrailadd \$87
 - Cordless Lift & Lock Three-On-One Headrailadd \$130
 - Top-Down/Bottom-Up*add \$130
 - Premium Headrail Upgrade*add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091\$22
- 5' to 10' Cordless Extension Pole #400036-81511\$37
- TriLight Shades – see pages 23-28

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

NOTE: 2" HYBRID PLEAT IS NOT AVAILABLE WITH POWERWAND MOTORIZATION.

See page 17 for motorization surcharges

SIMPLICITY SURCHARGE AND OPTIONS
EXTRA CHARGE – SPECIFY ON ORDER

USE APPROPRIATE HONEYCOMB SHADE GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- **Standard Simplicity Motorization** (Battery wand included in the price)add \$262 per shade
 - 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$44 each
 - 14 Channel Remote – Available in White Only (Part #CS52136)add \$65 each
 - 48" Extension Wire (Part #CS5133Z)add \$8 each
 - DC Power Supply (Part #CS5151)add \$36 each
- **Simplicity Rechargeable Motorization**add \$262 per shade
 - 2-on-1 Headrailprice as 2 separate shades
 - 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$44 each
 - 14 Channel Remote – Available in White Only (Part #CS52136)add \$65 each
 - 48" Extension Wire (Part #CS5133Z)add \$8 each
 - Solar Panel (Part #CS52096)add \$159 each
 - Plug-In Charger (Part #CS5199)add \$33 each
- **Simplicity Rechargeable Top-Down/Bottom-Up**add \$262 per shade + TD/BU Surcharge \$76 per shade
 - 14 Channel Remote – Available in White Only (Part #CS52136)add \$65 each
 - 48" Extension Wire (Part #CS5133Z)add \$8 each
 - Solar Panel (Part #CS52096)add \$159 each
 - Plug-In Charger (Part #CS5199)add \$33 each
- **PowerWand™**add \$120 per shade
 - PowerWand™ Options (must be specified): **No Charge**
 - 1) Control Side (Left or Right)
 - 2) Wand Color (Black or White)
 - 3) Wand Length:
 - 1 foot (12")
 - 2 feet (24")
 - 3 feet (36")
 - 4 feet (48")
 - 5 feet (60")
 - Plug-In Charger (Part #CS5199)add \$33 each

Note: 2" Hybrid Pleat is Not Available with PowerWand™ Motorization
REMOTELIFT 2.0 SURCHARGE AND OPTIONS


- **RemoteLift 2.0**add \$302
- **Remote Control** #2984495100add \$57
- **Wireless Wall Switch** #2986350100add \$78
- **RemoteLift Top-Down**add \$47
- **Satellite Battery Pack** #KIT2791 – select with wire length below:
 - **Satellite Battery Pack (15" Wire)** #2989899000add \$67
 - **Satellite Battery Pack (4' Wire)** #2989900000add \$72
 - **Satellite Battery Pack (10' Wire)** #2989901000add \$84
 - **Satellite Battery Pack (20' Wire)** #2989902000add \$93
- **18V DC Power Supply** #7806000000 – select with wire length below:
 - **DC Power Supply (15" Wire)** #2989899000add \$97
 - **DC Power Supply (4' Wire)** #2989900000add \$99
 - **DC Power Supply (10' Wire)** #2989901000add \$103
 - **DC Power Supply (20' Wire)** #2989902000add \$107
- **Daisy Chain cable option requires DC Power Supply**
Daisy Chain Adapter (Select with wire length below) #2989875000
 - (with 15" cable) #2989899000add \$48
 - (with 4' cable) #2989900000add \$55
 - (with 10' cable) #2989901000add \$59
 - (with 20' cable) #2989902000add \$64
- **Momenta** (must be submitted as part order)
 - **Momenta App Bridge Kit** #2920072100add \$128 NET Cost
 - **Momenta Extender Kit** #2920075100add \$47 NET Cost

 REMOTELIFT 2.0 SPECIFICATIONS HAVE BEEN UPDATED. PLEASE
 VERIFY SIZE RESTRICTIONS ON PAGE 31 PRIOR TO ORDERING.

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

STANDARD RECTANGLE – STANDARD CORDLOCK



- Headrail Color – color coordinated with fabric
- Installs with standard snap-in brackets
- End mount brackets also available
- Standard cord length is 40% of the height of the shade unless otherwise specified

2" Hybrid Pleat is not available with standard cordlock.

STANDARD RECTANGULAR – SIZE STANDARDS

	All Single Cell Semi-Opaque	All Double Cell Semi-Opaque	Subdue Blackout (\$61)	All other Blackout Fabrics
Min. Width (net)*	8"	8"	8"	8"
Max. Width	60"	60"	60"	60"
Max. Width-End Mount	36"	36"	36"	36"
Min. Height	12"	12"	12"	12"
Max. Height*	120"	120"	120"	120"
Max. Area (sq. ft.)	50	40	40	60

* For shades under 12" widths, the maximum height is 80"

NOTE: Standard Cordlock is **not available** with 2" Hybrid Pleat Fabrics

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	– 3/16"
Shade height	ordered height
Fabric width	– 3/8"
Outside (OB) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	– 3/16"
End (EB) Mount	
Headrail unit	– 3/16"
Shade height	ordered height
Fabric width	– 3/8"
2 on 1 Headrail	
Gap between panels	– 1/4"

NOTE: Measurements may vary $\pm 1/8"$

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	
Minimum mounting depth:	
Standard installation bracket	1-1/4"
Swivel bracket	1/2"
Minimum mounting depth, flush mount:	
Standard installation bracket	2-1/4"
Swivel bracket	2"
End mount bracket	2"
Outside (OB) Mount	
Minimum flat vertical surface	1"


NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

2 ON 1 HEADRAIL (PRICE AS 2 SEPARATE SHADES)



Cover patio doors and other large expanses by placing two independently operated shades side-by-side on the same headrail. Note: there will be a 1/4" minimum to a 1/2" maximum light gap between the two shades.

Finished Dimensions & Mounting Requirements:

see "Standard Rectangle" or "Continuous Cord" section.

STANDARD CORDLOCK TWO-ON-ONE – SIZE STANDARDS

	All Single Cell Semi-Opaque	All Double Cell Semi-Opaque	Subdue Blackout (\$61)	All other Blackout Fabrics
Min. Width (per panel)	8"	8"	8"	8"
Min. Width (overall)	16"	16"	16"	16"
Max. Width (per panel)	60"	60"	60"	60"
Max. Width (overall)	120"	120"	120"	120"
Max. Width (end mount)	36"	36"	36"	36"
Min. Height	12"	12"	12"	12"
Max. Height	120"	120"	120"	120"
Max. Area (sq. ft.)	50	40	40	60


* For shades under 12" widths, the maximum height is 80"

NOTE: Standard Cordlock is **not available** with 2" Hybrid Pleat Fabrics

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

TOP-DOWN OR TOP-DOWN/BOTTOM-UP – STANDARD CORDLOCK



Conveniently open shades from the top down or from both top and bottom.

Installs with standard snap-in brackets

Top-Down/Bottom-Up features one cord connector tassel per pull cord.

Finished Dimensions & Mounting Requirements:

- See "Standard Rectangle" or "Cordless Lift" section.
- End mount brackets also available.

NOTE: Measurements may vary $\pm 1/8$ "

NOTES:

- The standard TD/BU control positions are: RIGHT operates the top-middle moving rail and LEFT operates the bottom rail. REVERSE CONTROLS also are available (operate opposite as described above). Specify REVERSE CONTROLS when ordering.
- Standard cord length is 40% of the height of the shade unless otherwise specified.

STANDARD CORDLOCK TOP-DOWN – SIZE STANDARDS

	All Single Cell Semi-Opaque	All Double Cell Semi-Opaque	Subdue Blackout (\$61)	All other Blackout Fabrics
Min. Width (net)*	10"	10"	10"	10"
Max. Width	60"	60"	60"	60"
Max. Width-End Mount	36"	36"	36"	36"
Min. Height	12"	12"	12"	12"
Max. Height*	96"	96"	96"	96"
Max. Area (sq. ft.)	50	40	40	60

* For shades under 12" widths, the maximum height is 80"

NOTE: Standard Cordlock is **not available** with 2" Hybrid Pleat Fabrics

STANDARD CORDLOCK TOP-DOWN/BOTTOM-UP – SIZE STANDARDS


	All Single Cell Semi-Opaque	All Double Cell Semi-Opaque	Subdue Blackout (\$61)	All other Blackout Fabrics
Min. Width (net)*	10"	10"	10"	10"
Max. Width	72"	72"	72"	72"
Max. Width-End Mount	36"	36"	36"	36"
Min. Height	12"	12"	12"	12"
Max. Height*	96"	96"	96"	96"
Max. Area (sq. ft.)	50	40	40	60

* For shades under 12" widths, the maximum height is 80"

NOTE: Standard Cordlock is **not available** with 2" Hybrid Pleat Fabrics

On top-down/bottom-up shades a fabric insert is standard. This is an extra two-cell fabric gasket attached to the top headrail and acts as a seal to eliminate light leakage between the headrail and center rail when the shade is closed.

CUT-OUTS



The portion of the shade above the cut-out will not stack tightly when the shade is raised.

Available on standard cordlock, continuous cord loop and RemoteLift bottom-up shades only.

Not available on 2" Hybrid Pleat shades.


CUT-OUTS - SIZE STANDARDS

Min. Cut-out Width	1/8"
Max. Cut-out Width	3"
Min. Shade Width	12"
Max. Shade Width	120"
Min. Shade Height	12"
Max. Shade Height	120"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT SYSTEM



Uses steel snap-in brackets. Cordless easily lifts and lowers using the bottomrail handle. No lift cord is necessary.

All Cordless shades can be ordered with the fabric covered headrail and bottomrail for a surcharge, or with the color coordinated non-wrapped rails at no additional charge. Must be specified when order is placed.

Cordless cellular shades come with a color-coordinated textured handle pre-inserted, a clear textured handle or clear plastic insert are optional.

Shades over 42" will have two handles. Single handle available, must be selected during order entry.

Cut-Outs are not available.



CORDLESS LIFT – SIZE STANDARDS


	Cellular			2" Hybrid Pleat
	All Semi-Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	Semi-Opaque & Blackout
Min. Width (net)	16"	16"	16"	16"
Max. Width	120"	84"	96"	120"
Max. Width – End Mount	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"
Max Area (sq. ft.)	70	49	56	60

Note: Cut-outs are not available on Cordless Lift shades.

CORDLESS LIFT TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

	Cellular			2" Hybrid Pleat
	All Semi-Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	Semi-Opaque & Blackout
Min. Width (net)	16"	16"	16"	16"
Max. Width	96"	84"	96"	120"
Max. Width – End Mount	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"
Max Area (sq. ft.)	56	49	56	60

Note: Cut-outs are not available on Cordless Lift shades.



Top Down Bottom Up shades are now available with white striker plates and magnet caps when shades are ordered with fabric-wrapped rails. Zinc striker plates & magnets comes standard on shades ordered with color-coordinated rails. Striker plate & magnet placement:

Shades under 42" Wide – one magnet on each end of the shade

Shades 42" - 78" wide – one magnet on each end of the shade and one offset 3" from the center cord

Shades 78" - 96" wide – one magnet on each end of the shade and one in the center of the shade.

Shades over 96" wide – one magnet on each end of the shade and one at 3" to the left and right of the center routes.

CORDLESS LIFT TWO-ON-ONE – SIZE STANDARDS

	Cellular			2" Hybrid Pleat
	All Semi-Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	Semi-Opaque & Blackout
Min Width (per panel)	16"	16"	16"	16"
Min Width (overall)	32"	32"	32"	32"
Max Width (per panel)	100"	84"	96"	100"
Max Width (overall)	120"	120"	120"	120"
Min Height	12"	12"	12"	12"
Max Height	84"	84"	84"	84"
Max Area (per panel) (Sq/Ft)	70	49	56	60

* Two-On-One Headrail is not available in Top-Down/Bottom-Up or Trilight

Note: End mount not available. Not available with Hold Down Brackets

Note: Cut-outs are not available on Cordless Lift shades.

CORDLESS LIFT THREE-ON-ONE – SIZE STANDARDS

	Cellular			2" Hybrid Pleat
	All Semi-Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	Semi-Opaque & Blackout
Min Width (per panel)	16"	16"	16"	16"
Min Width (overall)	48"	48"	48"	48"
Max Width (per panel)	100"	84"	96"	120"
Max Width (overall)	174"	174"	174"	174"
Min Height	12"	12"	12"	12"
Max Height	84"	84"	84"	84"
Max Area (per panel) (Sq/Ft)	70	49	56	60

* Three-On-One Headrail is not available in Top-Down/Bottom-Up or Trilight

Note: End mount not available. Not available with Hold Down Brackets

Note: Cut-outs are not available on Cordless Lift shades.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 3/8"
End (EB) Mounts		
Headrail unit	– 1/2"	– 1/2"
Shade height	ordered height	ordered height
Fabric width	– 5/8"	– 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 1/8"
2-on-1 & 3-on-1 Headrail		
Gap between panels	–1/4"	–1/4"

NOTE: Measurements may vary $\pm 1/8"$

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	SoftStyle	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"


Fabric -5/8"

Bottomrail -1/2"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT & LOCK SYSTEM



Press a button on the bottom rail to lift and lower the shade. Release the button to securely lock the shade into place.

No exposed cords on bottom up shades. Lift cords on Top-Down/Bottom-Up are on the far sides of the shade. Child-safe option.

All Cordless shades can be ordered with the fabric covered headrail and bottomrail **for a surcharge**, or with the color coordinated non-wrapped rails at **no additional charge**. **Must be specified** when order is placed.

Cordless Lift & Lock shades can be ordered with the Premium headrail **for a surcharge**. Premium headrail option is not available with Top-Down/Bottom-Up or TriLight.

CORDLESS LIFT & LOCK – SIZE STANDARDS			
	Cellular		2" Hybrid Pleat
	All Semi-Opaque Fabrics	All Blackout Fabrics	Semi-Opaque & Blackout
Min. Width (net)	9-1/2"	9-1/2"	9-1/2"
Max. Width	84"	84"	84"
Max. Width – End Mount	48"	48"	48"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (sq. ft.)	49	49	49

Top-Down/bottom-Up Lift & Lock shades under 42" will have one magnet in the middle.

Shades over 42" will have one magnet in the middle, and one approximately 3" from each end to provide better closure between the middle rail and top rail.

CORDLESS LIFT & LOCK TWO-ON-ONE & THREE-ON-ONE – SIZE STANDARDS			
	Cellular		2" Hybrid Pleat
	All Semi-Opaque Fabrics	All Blackout Fabrics	Semi-Opaque & Blackout

Two-on-One

Min. Width (net - per panel)	9-1/2"	9-1/2"	9-1/2"
Min Width (overall)	20"	20"	20"
Max. Width (per panel)	84"	84"	84"
Max. Width (overall)	168"	168"	168"

Three-on-One

Min. Width (net - per panel)	9-1/2"	9-1/2"	9-1/2"
Min Width (overall)	30"	30"	30"
Max. Width (per panel)	84"	84"	84"
Max. Width (overall)	168"	168"	168"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (per panel) (sq. ft.)	49	49	49

NOTE: 2-on-1 or 3-on-1 Headrail is **not available** in Top-Down/Bottom-Up or Trilight or End Mount

CORDLESS LIFT & LOCK TOP-DOWN/BOTTOM-UP – SIZE STANDARDS			
	Cellular		2" Hybrid Pleat
	All Semi-Opaque Fabrics	All Blackout Fabrics	Semi-Opaque & Blackout
Min. Width (net)	16"	16"	16"
Max. Width	84"	84"	84"
Max. Width – End Mount	48"	48"	42"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (sq. ft.)	49	49	49

FINISHED DIMENSIONS – STANDARD

Adjustments are taken from ordered dimensions.

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit (includes end caps)	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
End (EB) Mounts		
Headrail unit (includes end caps)	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 5/8"
Outside (OB) Mount		
Headrail unit (includes end caps)	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"
2-on-1 & 3-on-1 Headrail		
Gap between panels	-1/4"	-1/4"

NOTE: Measurements may vary $\pm 1/8"$

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	SoftStyle	2" Hybrid Pleat
Standard Headrail		
Inside (IB) Mount		
Minimum mounting depth	1-1/4"	1-1/4"
Minimum mounting depth, flush mount:	2-1/4"	2-1/4"
End (EB) Mount		
Minimum flat vertical surface	2"	2"
Outside (OB) Mount		
Minimum flat vertical surface	1"	1"


	SoftStyle	2" Hybrid Pleat
Premium Headrail		
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:
Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.



CONTINUOUS CORD LOOP SYSTEM



Uses steel snap-in brackets.

Continuous cord loop system easily lifts any shade – even large or hard-to-reach – and stops the shade exactly where you want. No more tangled cords!

All continuous cord loop shades can be ordered with the fabric covered headrail and bottomrail for a surcharge, or with the color coordinated non-wrapped rails at no additional charge. **Must be specified** when order is placed.



SHADE HEIGHT	CORD LOOP DROP
up to 18"	18" loop
18" to 42"	24" loop
42-1/8" - 54"	36" loop
54-1/8" - 72"	48" loop
72-1/8" - 90"	60" loop
90-1/8" - 110"	72" loop
110-1/8" - 130"	96" loop
130-1/8" - 144"	120" loop

FINISHED DIMENSIONS – STANDARD

Adjustments are taken from ordered dimensions.

	SoftStyle	2" Hybrid Pleat*
Inside (IB) Mount		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 5/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 7/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 3/8"

*An extra 1/4" deduction will be taken from the fabric with the Top-Down/ Bottom-Up option for Hybrid Pleat

NOTE: Measurements may vary $\pm 1/8"$

FINISHED DIMENSIONS – 2 ON 1

Adjustments are taken from ordered dimensions.

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mount		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width (includes gap deduction)	- 5/8"	- 7/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 3/8"
2 on 1 Headrail		
Gap between panels	- 1/4"	- 1/4"

NOTE: Measurements may vary $\pm 1/8"$

CONTINUOUS CORD LOOP – SIZE STANDARDS

	Cellular			2" Hybrid Pleat
	All Semi-Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	Semi-Opaque & Blackout
Min. Width (net)*	18"	18"	18"	18"
Max. Width	120"	120"	120"	120"
Max. Width – End Mount	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"
Max. Height*	120"	120"	120"	120"
Max. Area (sq. ft.)	100	90	100	60

CONTINUOUS CORD LOOP TWO-ON-ONE – SIZE STANDARDS

	Cellular		2" Hybrid Pleat
	All Semi-Opaque Fabrics	All Blackout Fabrics	Semi-Opaque & Blackout
Min. Width (per panel)	18"	18"	18"
Min. Width (overall)	36"	36"	36"
Max. Width (per panel)	100"	96"	102"
Max. Width (overall)	120"	120"	120"
Min. Height	12"	12"	12"
Max. Height	120"	120"	120"
Max. Area (sq. ft.)	83	80	60

NOTE: End mount not available.

CONTINUOUS CORD LOOP TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

	Cellular			2" Hybrid Pleat
	All Semi-Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	Semi-Opaque & Blackout
Min. Width (net)*	24"	24"	24"	24"
Max. Width	120"	120"	120"	120"
Max. Width – End Mount	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"
Max. Height*	120"	120"	120"	120"
Max. Area (sq. ft.)	100	90	100	60

On top-down/bottom-up Cellular shades a fabric insert is standard (Does not apply to Hybrid Pleat). This is an extra two-cell fabric gasket attached to the top headrail and acts as a seal to eliminate light leakage between the headrail and center rail when the shade is closed.

Right control operates the center moving rail; left control operates the bottomrail. Reverse controls are available.

NOTE: Inside mount with hold down brackets deductions:
Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

SMART FACTS



- The beautiful combination of a sheer pleated shade on top and cellular or 2" Hybrid Pleat shade on the bottom provides maximum versatility in a single window covering.
- Wide array of color options from whites, neutrals, and muted tones to bold colors.
- Four sheer pleated styles in multiple colors to meet most decorating tastes.
- Semi-opaque and blackout cellular fabrics are available in multiple sizes, providing a choice for every window size and desired light and privacy control.
- Cellular fabric provides superior insulation for reduced heating and cooling bills. It also absorbs sound, making rooms more comfortable.
- The continuous cord loop option lifts any shade -- even large or hard-to-reach -- and positions it exactly where you want without any dangling cords.
- The Cordless and Cordless Lift & Lock options provide safe, simple operation by raising and lowering the shade using handles instead of cords. Ideal in homes with children and pets.

SELECTING A TRILIGHT SHADE

1. Choose a fabric, cell size and color for the bottom shade.
2. Choose a sheer pleated fabric for the top shade. See Sheer Pleated Color Chart.
3. Refer to the cellular and 2" Hybrid Pleat price grids on pages 7-16 to determine your bottom shade price.
4. Refer to the sheer pleated grids on page 25 to find your top shade price. Add the bottom shade, sheer pleated and control option prices together to determine your final price.
 - TriLight Shades are available as standard rectangle only.
 - Continuous Cord Loop – right operates the middle rail; left operates the bottom rail. Reverse controls are available; grouped controls are NOT available.

SHEER PLEATED COLOR CHART

Sheer Pleated Price Group A		
Style Name	Color #	Color Name
Nova Sheer	P33-824	Blush
Nova Sheer	P33-820	Bridal White
Nova Sheer	P33-823	Crème
Nova Sheer	P33-821	Glacier White
Nova Sheer	P33-822	Light Lemon
Nova Sheer	P33-825	Tea

Sheer Pleated Price Group B		
Style Name	Color #	Color Name
Carousel Sheer	P32-804	Blush
Carousel Sheer	P32-800	Bridal White
Carousel Sheer	P32-803	Crème
Carousel Sheer	P32-801	Glacier White
Carousel Sheer	P32-802	Light Lemon

Sheer Pleated Price Group A		
Style Name	Color #	Color Name
Willa Sheer	P05-506	Bisque
Willa Sheer	P05-508	Chocolate
Willa Sheer	P05-504	Crystal
Willa Sheer	P05-502	Heirloom
Willa Sheer	P05-501	Ice
Willa Sheer	P05-507	Latte
Willa Sheer	P05-505	Light Taupe
Willa Sheer	P05-500	Snow White
Willa Sheer	P05-503	Soft Ivory
Willa Sheer	P05-509	Twilight

Sheer Pleated Price Group B		
Style Name	Color #	Color Name
Lyssa Sheer	P04-405	Blush
Lyssa Sheer	P04-400	Bridal White
Lyssa Sheer	P04-402	Crème
Lyssa Sheer	P04-401	Glacier White
Lyssa Sheer	P04-403	Light Lemon
Lyssa Sheer	P04-407	Tea

SHEER PLEATED MAXIMUM WIDTHS		% UV BLOCKAGE
Nova Sheer	96"	60
Carousel Sheer	96"	60
Willa Sheer	83"	50
Lyssa Sheer	96"	60

Determine the top shade price by using the charts below.
Add the sheer pleated, bottom shade and control option prices together to determine your final price.

GROUP A (Sheer Pleated)

- Nova Sheer (96")
- Willa Sheer (83")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"
HEIGHT TO:											
36"	\$52	58	63	73	81	87	94	100	108	123	138
42"	56	62	69	81	87	94	102	112	119	136	153
48"	59	65	76	85	94	102	112	121	129	150	167
54"	62	69	82	91	100	111	121	129	141	161	182
60"	64	75	87	96	107	119	128	139	152	175	197
66"	68	81	93	102	116	125	137	151	162	186	213
72"	73	84	96	111	123	135	147	160	173	198	225
78"	76	88	102	115	129	142	156	168	185	213	239
84"	80	93	106	121	136	150	163	178	192	220	252
90"	83	96	112	125	142	158	173	188	204	236	266
96"	85	100	117	133	150	163	180	197	214	245	279

GROUP B (Sheer Pleated)

- Carousel Sheer (96")
- Lyssa Sheer (96")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"
HEIGHT TO:											
36"	\$61	68	80	87	96	104	114	121	132	148	167
42"	64	74	85	96	104	114	124	135	143	164	186
48"	69	81	91	102	114	124	135	146	158	180	204
54"	74	85	97	111	121	134	146	159	168	195	221
60"	80	90	104	117	128	143	156	168	182	211	238
66"	84	96	112	124	139	153	166	181	195	225	256
72"	87	101	117	133	148	163	178	194	210	242	275
78"	91	106	122	138	158	173	189	205	223	256	291
84"	95	112	128	146	163	180	198	216	232	267	305
90"	100	117	135	153	173	191	207	227	246	284	321
96"	102	121	141	161	180	198	218	238	257	298	338

OPTIONS: NO EXTRA CHARGE

- Cordless Lift – Single handle on shades over 42" wide
- Extension Brackets
- End Mount Brackets
- Hold Down Brackets
- Spacer Blocks
- Special Cord Loop Length
- Color Coordinated Rails


CONTROL OPTIONS

A CONTROL OPTION MUST BE SELECTED.

- Cordless Lift & Lock System.....add \$44
- Cordless Lift System.....add \$87
- Continuous Cord Loopadd \$55
- Fabric-Wrapped Rail Optionadd \$22

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CONTINUOUS CORD LOOP



Features same headrail as continuous cord loop system.

Options:

- Color-Coordinated painted rails – no extra charge
– rails, end caps, cord loops, and cord tensioner will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
– fabric wrap rails, end caps, cord loops, and cord tensioner will color-coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric – surcharge applies
– Bottomrail, middle rail, end caps, cord loops, and cord tensioner will color-coordinate to the bottom (honeycomb) fabric

NOTES:

- Right loop control operates the middle rail, left loop control operates the bottomrail.

Cut-outs are not available on TriLight Shades.

CONTINUOUS CORD LOOP SIZE STANDARDS

	All Semi- Opaque Fabrics	All Blackout Fabrics	2" Hybrid Pleat
Min. Width (net)	24"	24"	24"
Max. Width*	83" - 96"	83" - 96"	83" - 96"
Max. Width-End Mount	48"	48"	42"
Min. Height	12"	12"	12"
Max. Height	96"	96"	96"
Max. Area (sq. ft.)	64	50	60

*See sheer pleated maximum width limitations

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 7/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 1-1/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 5/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	SoftStyle	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:


Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CORDLESS



Sheer pleated lifts and lowers from the middle rail.
Honeycomb and 2" Hybrid Pleat lift and lower from the bottomrail. No lift cords are necessary.

Options:

- Color-Coordinated painted rails - no extra charge
– Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
– Fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric - surcharge applies
– Bottomrail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric

NOTES:

- Shades over 42" will have two handles in the middle rail and two handles in the bottomrail. Single handle available, must be selected during order entry.

Cut-outs are not available on TriLight Shades.

CORDLESS LIFT SYSTEM – SIZE STANDARDS			
	All Semi- Opaque Fabrics	All Blackout Fabrics	2" Hybrid Pleat
Min. Width (net)	16"	16"	16"
Max. Width**	83" - 96"	83"	83" - 96"
Max. Width-End Mount	48"	48"	42"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max. Area (sq. ft.)	56	49	60

*See sheer pleated maximum width limitations.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	SoftStyle	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:


Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CORDLESS LIFT & LOCK



CORDLESS LIFT & LOCK – SIZE STANDARDS

	All Semi- Opaque Fabrics	All Blackout Fabrics	2" Hybrid Pleat Fabrics
Min. Width (net)	12"	12"	12"
Max. Width	84"	84"	84"
Max. Width - End Mount	48"	48"	42"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max. Area (sq. ft.)	49	49	49

*Maximum width on Whisper Sheer is 83", all other patterns 84".

Options:

- Color-Coordinated painted rails - no extra charge
 - Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 - fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric

Must be specified when order is placed.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	-1/4"	-1/4"
Shade height	Ordered Height	Ordered Height
Fabric width	-3/8"	-3/8"
End (EB) Mounts		
Headrail unit	-1/2"	-1/2"
Shade height	Ordered Height	Ordered Height
Fabric width	-5/8"	-5/8"
Outside (OB) Mount		
Headrail unit	Ordered Width	Ordered Width
Shade height	Ordered Height	Ordered Height
Fabric width	-1/8"	-1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	SoftStyle	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	1-1/4"	1-1/4"
Minimum mounting depth, flush mount:	2-1/4"	2-1/4"
End (OB) Mount		
Minimum flat vertical surface	2"	2"
Outside (OB) Mount		
Minimum flat vertical surface	1"	1"

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

MOTORIZATION CONFIGURATION SPECIFICATIONS





NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

REMOTELIFT™ 2.0 BATTERY-OPERATED MOTORIZATION

- Fits rectangular window openings
- Remote control battery-operated operation
- Two stacking options: 1) standard bottom-up 2) top-down
- Features same headrail as used on Cordless Lift and Continuous Cord Loop. Fabric wrapped rails available for a surcharge or, non-fabric wrapped rails at no additional cost. Must be specified at the time the order is placed.

REMOTELIFT 2.0 – SIZE STANDARDS		
	All SoftStyle Fabrics	2" Hybrid Pleat
Minimum Width	18"	18"
Maximum Width	Refer to chart on page 31	
Max. Width, End Mount	36"	48"
Minimum Height	12"	12"
Maximum Height	Refer to chart on page 31	

** Max square footage for 2" Hybrid Pleat is 60 sq. feet




FINISHED DIMENSIONS


Adjustments are taken from ordered dimensions.

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 3/8"
End (EB) Mounts		
Headrail unit	– 1/2"	– 1/2"
Shade height	ordered height	ordered height
Fabric width	– 5/8"	– 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 1/8"

NOTE: Measurements may vary $\pm 1/8"$



High Mount & Wand



Satellite Pack or DC Power

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	SoftStyle	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	1-1/2"	1-1/2"
Minimum mounting depth, flush mount:	2-7/8"	2-7/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

With (Optional) Satellite Battery Pack or DC Power Supply

Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

IB with HDB deductions: Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

REMOTELIFT 2.0 ORDERING NOTES

- Hardware colors will complement the fabric. Refer to the Hardware Color Guide for colors and more information.
- Specify left-side or right-side placement for sensor eye.
- Remote controls are ordered separately. Specify the number of remotes you desire.
- To operate multiple shades independently in Radio Frequency, additional remotes will need to be ordered if you have more than 4 shades.
- If ordering a satellite battery pack, specify wire length – 15', 4', 10' or 20'.
- If ordering the DC power supply, specify wire length – 15', 4', 10' or 20'.
- Specify "Channel 2" operation for independent operation of adjacent shades.

MOTORIZATION CONFIGURATION SPECIFICATIONS

REMOTELIFT™ 2.0 SYSTEM OPTIONS

BATTERY WAND

Battery wands are the standard power source whether inside (IB), outside (OB) or end (EB) mount, if applicable. Battery wands are mounted on the rear of the headrail. The redesigned battery wand will allow for batteries to be changed without removing the window covering from the window.

- 12 AA 1.5V alkaline batteries.
- Battery life is approximately one year, depending on usage.
- Replace batteries when the window covering(s) begin to operate slowly.



18V Battery Wand
(Part #7520062000)

SATELLITE BATTERY PACK

The satellite battery pack is an optional power source. The battery pack connects to the same side of the headrail where the receiver eye or satellite eye is located. The satellite battery pack is the best choice when the window covering is mounted in a high window, restricting access to a battery wand.

- 18V satellite battery pack:
 - Available in 15", 4', 10' and 20' wire lengths.
 - 12 AA 1.5V alkaline batteries.
- Battery life is approximately one year, depending on usage.
- Replace batteries when the window covering(s) begin to operate slowly.
- Mounting options: top of headrail, next to molding or under the sill.
- Satellite battery pack cover can be painted.



18V Satellite Battery Pack
(Part # KIT2791)

Wire Part #'s:
15" (Part #2989899000)
4ft (Part #2989900000)
10ft (Part #2989901000)
20ft (Part #2989902000)

DC POWER SUPPLY

The DC power supply is an optional power source. The DC power supply plugs into any standard household outlet.

- 18V DC power supply:
 - Available in 15", 4', 10' and 20' wire lengths.
- Eliminates need to change batteries.



18V DC Power Supply
(Part #7806000000)

DAISY CHAIN

The optional Daisy Chain Adapter allows up to 3 shades to run off of one DC power supply. You must specify the cable wire length when order is placed.

Note: Keep in mind which side the sensor eye is positioned on each side when determining daisy-chain length.



Daisy-Chain Adapter/Connector
(Part #2989875000)

SIZE STANDARDS – REMOTELIFT™ 2.0 MOTORIZATION

REMOTELIFT 2.0 MAXIMUM HEIGHTS – STANDARD AND TOP-DOWN																
CODE	SHADE WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
Max Square Footage:		55 Square Feet													35 Square Feet	
S50	SOFTSTYLE BEGINNINGS SEMI-OPAQUE - SINGLE CELL	108"	108"	108"	108"	108"	108"	108"	108"	108"	100"	94"	88"	90"	46"	42"
Max Square Footage:		35 Square Feet													20 Square Feet	
S51	SOFTSTYLE BEGINNINGS SEMI-OPAQUE - DOUBLE CELL	108"	108"	108"	108"	104"	92"	84"	76"	70"	64"	60"	56"	52"	26"	24"
Max Square Footage:		55 Square Feet													35 Square Feet	
S11	SOFTSTYLE SEMI-OPAQUE - SMALL SINGLE CELL	108"	108"	108"	108"	108"	108"	108"	108"	108"	100"	94"	88"	90"	46"	42"
Max Square Footage:		55 Square Feet													40 Square Feet	
S21	SOFTSTYLE SEMI-OPAQUE - LARGE SINGLE CELL	108"	108"	108"	108"	108"	108"	108"	108"	108"	100"	94"	88"	90"	54"	48"
Max Square Footage:		30 Square Feet													20 Square Feet	
S31	SOFTSTYLE SEMI-OPAQUE - DOUBLE CELL	108"	108"	108"	102"	90"	80"	72"	64"	60"	54"	50"	48"	44"	26"	24"
Max Square Footage:		45 Square Feet													20 Square Feet	
S13	SOFTSTYLE BLACKOUT - SMALL SINGLE CELL	108"	108"	108"	108"	108"	108"	108"	98"	90"	82"	76"	72"	68"	26"	24"
Max Square Footage:		50 Square Feet													20 Square Feet	
S23	SOFTSTYLE BLACKOUT - LARGE SINGLE CELL	108"	108"	108"	108"	108"	108"	108"	108"	100"	90"	84"	80"	74"	26"	24"
Max Square Footage:		25 Square Feet														
S32	SOFTSTYLE BLACKOUT - DOUBLE CELL	108"	108"	100"	84"	74"	66"	60"	54"	50"	46"	42"	40"	36"	n/a	
Max Square Footage:		25 Square Feet														
S61	SOFTSTYLE SUBDUE BLACKOUT - SINGLE CELL	108"	108"	100"	84"	74"	66"	60"	54"	50"	46"	42"	40"	36"	n/a	

Max Square Footage:		35 Square Feet														
HPF	2" HYBRID PLEAT - SEMI-OPAQUE	108"	108"	108"	108"	104"	92"	84"	76"	70"	64"	60"	56"	52"	n/a	
Max Square Footage:		30 Square Feet														
HPR	2" HYBRID PLEAT - BLACKOUT	108"	108"	108"	102"	90"	80"	72"	64"	60"	54"	50"	48"	44"	n/a	

NOTE: SPECIFICATIONS HAVE BEEN UPDATED. PLEASE REVIEW WHEN ORDERING.

REMOTELIFT 2.0

RemoteLift 2.0 uses a combination of two different types of wireless signals to control window coverings: radio waves and an infrared signal.

By combining these two signal methods, RemoteLift 2.0 gives consumers the best features and control in the industry. Whether opening a single window covering or partially closing a roomful of coverings at the same time, RemoteLift 2.0 provides the ultimate in control.

WHAT IS RADIO FREQUENCY?

Radio frequency (RF) in today's world simply refers to the use of radio waves of a given frequency to wirelessly send data from a transmitter to a receiver. RemoteLift 2.0 uses radio waves in the 2.4GHz (pronounced "gigahertz") frequency range to send commands from the remote or to the receiver at the window covering.

Radio waves, due to their nature, pass through solid objects and radiate in every direction. That means a remote sending an RF signal does not need to be pointed at a window covering in order to control it. The remote does not have to be in the same room as the window covering it operates nor does the satellite eye need to be visible.

People use products that send radio frequency signals every day. From cell phones and keyless car FOBs, to baby monitors and even garage door openers. Each device sends out RF signals (radio waves) to a receiver on the other end. If the receiver on the other end doesn't "hear" the signal being sent, nothing happens (or a cell phone call gets dropped).

Operational Distance of Radio Waves

Range of operation may vary due to common household construction, layout and other wireless devices in the home. Much like reception with a cell phone, there may be better locations within a home to use radio frequency than others.

WHAT IS INFRARED?

An infrared (IR) signal uses an invisible beam of energy to send commands from a limited distance (usually less than 30 feet) to an electronic device. Similar to a flashlight, a clear line of sight between the device sending the signal and the device receiving the signal is necessary. Likewise, an infrared beam reflects off solid surfaces, bouncing around a room, which could activate a window covering unintentionally.

Products that use an infrared signal as a means of communication are so common, people seldom think about it. The most common device that uses an infrared signal sent from a remote in today's world is the television. By pointing the TV remote at the television and pressing a button, the television responds by changing channels, changing the volume level or powering off.


Operational Distance of Infrared Signals

The maximum operational distance an infrared signal can travel is 30 feet or less in a straight line. There cannot be any physical obstructions (like a drapery, top-treatment or cornice) between the remote and the receiver eye.


Also, an infrared signal can be compromised by direct sunlight or bright interior light. Keep all infrared receivers out of direct sunlight for better operation.

REMOTELIFT™ 2.0 MOTORIZATION: OVERVIEW


REMOTELIFT 2.0



Operation of a group of window coverings using radio frequency.



Operation of multiple groups of window coverings using radio frequency.



Operation of a single window covering using infrared or radio frequency.

SIMPLICITY MOTORIZATION SPECIFICATIONS POWERWAND™ MOTORIZATION SPECIFICATIONS

SIMPLICITY AND POWERWAND MOTORIZATION



- Features the same headrail and bottomrail as Cordless Lift, Continuous Cord Loop, and RemoteLift 2.0. Fabric wrapped rails are available **for a surcharge**. Color-coordinated rails are available at **no additional charge**. Must be specified when ordering.

Standard SIMPLICITY, SIMPLICITY Rechargeable & POWERWAND - SIZE STANDARDS		
	All Cellular Fabrics	2" Hybrid Pleat *
Minimum NET Width - Bottom-Up	18"	18"
Minimum NET Width - Top-Down/Bottom-Up	24"	24"
Maximum Width	96"	96"
Maximum Width, End Mount ***	36"	36"
Minimum Height	12"	12"
Maximum Height	96"	96"

** PowerWand **not available** with 2" Hybrid Pleat fabrics

*** Rechargeable Simplicity Top-Down/Bottom-Up **not available** as End Mount

NOTE: Size Standards are the same for standard Simplicity, Rechargeable Simplicity **Bottom-Up**, and PowerWand

NOTE: Min Width for Rechargeable Simplicity Top-Down/Bottom-Up is 24"

NOTE: Max height varies by width and fabric type. Refer to chart on page 39.

SIMPLICITY Rechargeable 2-on-1 HEADRAIL - SIZE STANDARDS		
	All Cellular Fabrics	2" Hybrid Pleat
Minimum NET Width (per panel)	20"	20"
Minimum NET Width (overall)	40"	40"
Maximum Width (per panel)	96"	96"
Maximum Width (overall)	144"	144"
Minimum Height	12"	12"
Maximum Height	96"	96"

NOTE: Simplicity 2-on-1 **ONLY** available with **Rechargeable** battery. **Not available** with standard Simplicity, PowerWand or Top-Down/Bottom-Up

NOTE: Max height varies by width and fabric type. Refer to chart on page 39.

FINISHED DIMENSIONS

Standard, Rechargeable Bottom-Up and Top-Down/Bottom-Up, and PowerWand

Adjustments are taken from ordered dimensions.

	Cellular	Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"
End (EB) Mount*		
Headrail unit	- 1/2"	ordered width
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 1/8"

* End Mount is **not available** with Top-Down/Bottom-Up

Simplicity Rechargeable ONLY

2-on-1 Headrail		
Gap between panels	-1/4"	-1/4"

NOTE: 2-on-1 Headrail is **not available** with Top-Down/Bottom-Up

NOTE: Measurements may vary $\pm 1/8"$

NOTE: PowerWand is **not available** with Hybrid Pleat fabrics

MOUNTING REQUIREMENTS

Standard, Rechargeable Bottom-Up, and PowerWand

Use a metal tape measure for all measurements.

Cellular & Hybrid Pleat	
Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Rechargeable Top-Down/Bottom-Up Mounting Requirements

Use a metal tape measure for all measurements.

Cellular & Hybrid Pleat	
Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount	
Over 36" wide	2-1/4"
Under 36" wide (spacer blocks required)	3"

Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

STANDARD SIMPLICITY MOTORIZATION: OVERVIEW

Standard Simplicity Motorization


- Standard Simplicity Motorization features either a battery powered motor utilizing a single battery wand or plug-in DC transformer. Simplicity motors are compact and use a radio controlled remote to raise or lower the shades.
- Either batteries or 12 Volt DC power supply/transformer is available. The battery wand can be clipped to the headrail or wall or ceiling mounted utilizing battery wand clips. The 12 volt battery wand measures 17", and comes with eight AA alkaline batteries, and is white in color. The battery wire is 10" long. The DC power supply is white and comes with a 80" wire, must be plugged into a standard outlet to power the motor and can power a single shade.
- A 48" extension wire is available (Part #CS5133Z).



SIMPLICITY RECHARGEABLE MOTORIZATION: OVERVIEW

Simplicity Rechargeable

- The Rechargeable Simplicity motor program features an integrated rechargeable lithium ion battery in the motor casing and is fully concealed by the inner tube.
- Rechargeable battery is included with the motor. The average battery charge will last 6-12 months based on an average sized shade raised and lowered once per day. The life of the battery charge will vary based on the type of window covering selected, the size and weight of the window covering and the number of times the shade is operated on a daily basis. The battery can be recharged up to 500 times. It takes approximately 5 hours to recharge the motor when fully depleted.



Charging Port

Battery Charger


- An 8.4 Volt charger requires a standard power outlet to recharge the battery. The charger must be specified when ordering Simplicity Rechargeable Motorized shade option. The charger plugs into the charging port of the motor. The charger is black and comes with a 156" wire. The dimensions are 1" wide x 2-1/2" length x 1-3/4" deep. Sold separately.



(Part #CS5199)

Solar Panel Recharge Option

- Plugs in to any Simplicity Rechargeable motorized shading (does not work with PowerWand™). Provides constant trickle charge to 7.4v Li-ION Rechargeable battery packs. Does not require direct sunlight, but performs best in regular direct sunlight applications. Will prolong the life of the charge of the 7.4v rechargeable battery packs, and in some applications will maintain charge indefinitely.
- Life of charge is subject to application variables such as, size and weight of shade, frequency of use, amount of direct sunlight exposure, etc.



(Part #CS52096)
Dimensions of panel
18½" x 1½"

5 Channel Remote

- The remote can operate up to five shadings simultaneously, individually or in groups. Remotes and holders are available in white or black. The remote comes with a holder which can be mounted to a wall for easy storage. The range of the remote is approximately 80 feet.



White
(Part #CS5138W)

Black
(Part #CS5138)

Please Note:

- Not all motors run at the same rate of speed.
- Simplicity motors have a "Favorites" position setting. To set a "Favorites" position, follow instructions provided in the installation instructions.

SIMPLICITY RECHARGEABLE TOP-DOWN/BOTTOM-UP: OVERVIEW

Rechargeable Simplicity Motors

- The Simplicity TDBU Motor program features a battery powered motor utilizing a rechargeable battery hidden inside the shade head rail. If shades are less than 36" in width, an external snap-on battery pack is necessary.

Top-Down/Bottom-Up Simplicity 14 Channel Remote

- The TDBU remote has 14-channels and an ALL option. Each channel has a setting able to operate the middle rail and a setting able to operate the bottom rail. The TDBU remote is required for TDBU motors, but can be used with other motors as well. The 14 Channel TDBU remote can operate up to fourteen shades individually or 14 groups (not recommended). Simplicity Rechargeable Motorized Cellular Shades are programmed at the factory with the "up and down" limits. Please ensure each shade is linked to the remote prior to installation.
- Simplicity TDBU remotes and holders are white in color. The remote comes with a holder which can be mounted to a wall for easy storage. The range of the remote is approximately 80 feet. The 14 Channel remote can be utilized on all Simplicity motorized shades.



(Part #CS52136)

Simplicity Rechargeable Battery for Top-Down/Bottom-Up

- For shades 36" and wider the rechargeable battery is fully concealed in the head rail and is recharged via a charging port on the back of the shade. Shades under 36" in width require an externally mounted battery pack. Both the internal and external rechargeable batteries come fully charged from the factory.



Internal Battery
charging port



External Battery Pack

Battery Charger

- Utilizes the same 8.4 Volt charger as Simplicity Rechargeable Bottom-Up and PowerWand



(Part #CS5199)

Solar Panel Recharge Option

- Uses the same Solar Panel recharge option as Simplicity Rechargeable Bottom-up.



(Part #CS52096)
Dimensions of panel
18½" x 1½"

POWERWAND™ MOTORIZATION: OVERVIEW

PowerWand™ Motorization

- Honeycomb Shades can be fabricated with the PowerWand™ Rechargeable Push Button Control option. The PowerWand™ Rechargeable option is an easy, cord free motorized operation for the budget savvy homeowner. PowerWand™ Rechargeable uses Simplicity motors and components.

PowerWand™ Rechargeable Shades Operation

- Press the up or down button on the pendant to raise or lower the shading to your desired position. No programming is required with PowerWand™ as upper and lower limits are set at the factory. If desired, upper and lower limits can be adjusted in the field.
- Please refer to the installation instructions for instructions on resetting the upper and lower limits and setting a favorites position can be programmed on-site.

PowerWand™ Appearance

- The PowerWand™ Rechargeable wand and pendant is attached to the head rail and requires no additional mounting.
- The wand and pendant hangs down the front of the shades from the head rail.
- Pendant is 2-1/2" long.
- The pendant does not need to be mounted to the wall to operate the shade.



PowerWand™ Options

- Wand is available in Black or White (there is no default)
- Wand is available in 1 foot increments from 1 to 5 feet (there is no default)
- Wand is available on either the right or left side of the shade (there is no default)



White



Black Shown with Plug-In Charger

PowerWand™ Battery Life

- The battery life will vary based on the type of window covering selected, the size and weight of the window covering and the number of times you operate the blind on a daily basis.

Battery Charger

- 8.4 Volt charger requires a standard power outlet to recharge the battery. The charger must be specified when ordering the PowerWand™ motorization option. The charger plugs into the charger port on the side of the pendant. The charger is black and comes with a 156" wire. The dimensions are 1" wide x 2-1/2" length x 1-3/4" deep.



(Part #CS5199)

Note: PowerWand™ is NOT AVAILABLE with 2" Hybrid Pleat Shades

SIZE STANDARDS – SIMPLICITY MOTORIZATION

SIMPLICITY MOTORIZATION (Bottom-Up and Top-Down/Bottom-Up*) & POWERWAND - MAXIMUM HEIGHTS				
CODE	SHADE NET WIDTH TO:	18" – 72" *	84"	96"
S50	SoftStyle Beginnings Semi-Opaque - Single Cell	96"	96"	96"
S51	SoftStyle Beginnings Semi-Opaque - Double Cell	96"	96"	96'
S11	SoftStyle Semi-Opaque - Small Single Cell	96"	96"	96"
S21	SoftStyle Semi-Opaque - Large Single Cell	96"	96"	96'
S31	SoftStyle Semi-Opaque - Double Cell	96"	90"	72"
S13	SoftStyle Blackout - Small Single Cell	96"	96"	96"
S23	SoftStyle Blackout - Large Single Cell	96"	96"	96"
S32	SoftStyle Blackout - Double Cell	96"	90"	72"
S61	SoftStyle Subdue Blackout - Single Cell	96"	90"	72"
HPF	2" Hybrid Pleat Semi-Opaque**	96"	96"	96"
HPR	2" Hybrid Pleat - Blackout**	96"	90"	72"

* **2-on-1 Minimum Panel Width 20"** (available with **Bottom-Up Simplicity Rechargeable ONLY**)

* **Top-Down/Bottom-Up Minimum Panel Width 24"** (available with **Simplicity Rechargeable ONLY**)

****2" Hybrid Pleat is Not Available with PowerWand Motorization**

- SOFTSTYLE 3/4" BEGINNINGS SEMI-OPAQUE (S50)
- SOFTSTYLE 3/4" SEMI-OPAQUE (S21)

GROUP A-SS (Vertical Application)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																		
36"	\$340	369	401	429	458	488	518	546	576	607	632	687	739	789	834	883	954	1024
42"	363	397	431	467	498	530	567	597	630	666	694	748	799	858	907	968	1045	1123
48"	387	423	463	501	536	570	608	649	680	713	750	809	862	940	985	1047	1131	1216
54"	405	451	492	537	571	607	645	682	718	751	789	850	918	987	1049	1112	1202	1292
60"	429	477	525	570	607	645	686	725	764	802	839	913	985	1060	1122	1196	1293	1389
66"	454	503	553	605	648	686	727	773	811	855	895	974	1050	1131	1202	1287	1390	1494
72"	480	531	588	641	684	724	765	822	861	904	951	1039	1117	1204	1283	1373	1484	1594
78"	504	561	619	670	715	754	802	858	899	951	994	1089	1174	1264	1348	1442	1558	1674
84"	530	589	648	704	753	799	850	905	949	1005	1049	1152	1244	1339	1424	1530	1651	1775
90"	552	617	678	735	788	839	892	952	1001	1058	1108	1214	1315	1414	1510	1612	1742	1871
96"	576	643	704	762	818	871	927	992	1043	1102	1152	1267	1365	1475	1580	1683	1816	1954
102"	600	669	735	793	850	909	973	1036	1096	1152	1206	1326	1438	1545	1655	1768	1910	2053
108"	624	695	763	826	889	947	1018	1087	1144	1208	1264	1390	1506	1622	1736	1856	2006	2156
114"	648	721	791	861	922	986	1060	1129	1195	1261	1318	1458	1577	1697	1823	1939	2092	2251
120"	670	750	850	919	985	1050	1128	1206	1270	1343	1393	1538	1663	1791	1916	2040	2204	2370

Note: See "Configuration Specifications" charts for any size restrictions.

- SOFTSTYLE 3/4" BLACKOUT (S23)
- SOFTSTYLE SUBDUE 3/4" SINGLE CELL BLACKOUT (S61)

GROUP B-SS (Vertical Application)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																		
36"	\$399	431	473	505	538	571	610	643	679	713	744	806	870	927	978	1038	1121	1204
42"	425	466	506	548	585	622	665	704	740	782	815	878	940	1009	1066	1138	1229	1321
48"	452	496	544	589	626	671	715	764	798	839	880	951	1013	1103	1156	1232	1330	1430
54"	477	529	577	629	672	713	757	802	844	883	927	998	1079	1162	1234	1308	1413	1519
60"	504	561	617	670	713	757	806	851	897	943	986	1071	1157	1244	1320	1409	1520	1634
66"	537	592	649	712	761	806	855	909	953	1008	1050	1147	1237	1331	1413	1513	1633	1755
72"	565	624	688	753	804	850	900	966	1010	1063	1117	1220	1312	1414	1508	1612	1742	1871
78"	593	657	726	786	842	889	943	1009	1059	1118	1166	1278	1377	1488	1584	1696	1831	1969
84"	622	692	763	827	884	940	996	1064	1116	1181	1234	1352	1464	1575	1675	1798	1942	2087
90"	648	724	796	862	926	985	1047	1120	1177	1241	1300	1427	1543	1662	1773	1895	2048	2202
96"	678	754	826	895	961	1024	1090	1163	1227	1297	1355	1489	1608	1737	1856	1980	2137	2297
102"	705	786	862	930	997	1069	1143	1216	1289	1356	1416	1560	1689	1818	1944	2080	2246	2415
108"	735	818	896	970	1043	1114	1196	1276	1346	1420	1488	1635	1770	1908	2041	2182	2359	2534
114"	762	849	928	1010	1084	1160	1244	1330	1406	1484	1547	1711	1854	1995	2144	2281	2463	2649
120"	786	880	996	1079	1156	1235	1325	1415	1493	1577	1637	1807	1957	2105	2254	2399	2590	2786

Note: See "Configuration Specifications" charts for any size restrictions.



OPTIONS: NO EXTRA CHARGE

- Vertical Application – Left or Right stack location

VERTICAL APPLICATION STACK DESIGN SURCHARGES

- Center Opening – Price as two separate shades.
- Center Stacking.....add \$57 each

NOTE: Stack is 6-1/2" when fully open regardless of ordered width



2" HYBRID PLEAT SEMI-OPAQUE (Vertical Application)

• 2" HYBRID PLEAT – SEMI-OPAQUE (HPF)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																	
36"	\$396	473	474	501	518	554	574	671	697	745	782	910	1026	1129	1231	1342	1440
42"	447	480	491	515	540	568	594	694	721	776	811	933	1056	1161	1267	1380	1485
48"	470	497	504	544	594	601	621	739	758	816	858	984	1129	1242	1355	1476	1586
54"	486	526	530	568	617	620	644	763	789	843	883	1021	1154	1270	1385	1510	1621
60"	489	541	542	594	641	643	667	786	813	878	925	1068	1206	1326	1446	1576	1694
66"	526	574	576	609	641	656	680	813	835	896	955	1099	1242	1368	1490	1624	1746
72"	538	598	598	635	653	688	713	856	874	955	1011	1154	1307	1437	1567	1709	1836
78"	621	680	692	721	748	783	813	853	877	951	1016	1166	1316	1448	1578	1719	1850
84"	640	698	711	743	776	813	842	883	914	988	1061	1217	1368	1502	1638	1787	1919
90"	661	724	726	759	790	836	873	914	947	1021	1100	1261	1417	1558	1699	1853	1992
96"	675	743	748	779	811	862	895	936	975	1053	1130	1296	1464	1610	1753	1914	2056
108"	748	834	836	876	919	971	1031	1077	1124	1221	1321	1511	1697	1867	2035	2217	2385
120"	801	902	935	984	1034	1097	1156	1220	1276	1383	1499	1711	1915	2106	2295	2503	2689

2" HYBRID PLEAT BLACKOUT (Vertical Application)

• 2" HYBRID PLEAT – BLACKOUT (HPR)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																	
36"	\$450	479	484	512	530	565	585	685	710	762	796	930	1047	1151	1255	1368	1469
42"	459	492	500	526	551	581	603	712	736	790	825	954	1079	1188	1295	1411	1517
48"	477	509	515	553	618	623	632	754	773	834	876	1003	1152	1268	1380	1505	1617
54"	494	539	538	582	636	632	654	779	804	862	903	1046	1179	1297	1414	1541	1656
60"	500	551	553	603	674	659	679	802	830	896	939	1087	1227	1349	1469	1604	1723
66"	533	587	587	619	678	673	696	834	851	918	971	1121	1266	1391	1517	1653	1776
72"	551	611	613	644	688	700	725	874	891	973	1027	1177	1331	1464	1595	1739	1869
78"	636	694	702	734	762	800	829	870	896	969	1035	1189	1337	1472	1605	1749	1880
84"	689	757	772	809	845	891	928	973	1009	1097	1177	1348	1513	1664	1812	1976	2124
90"	758	835	841	880	919	970	1012	1063	1101	1193	1285	1474	1657	1824	1987	2166	2329
96"	832	933	951	1001	1051	1121	1175	1239	1293	1410	1521	1739	1957	2153	2348	2559	2751
108"	905	1035	1056	1124	1189	1268	1355	1426	1495	1641	1788	2035	2281	2509	2734	2981	3204
120"	960	1116	1181	1264	1339	1436	1527	1618	1706	1863	2038	2318	2583	2841	3098	3376	3629


OPTIONS: NO EXTRA CHARGE

- Vertical Application – Left or Right stack location

VERTICAL APPLICATION STACK DESIGN SURCHARGES

- Center Opening – Price as two separate shades.
- Center Stacking.....add \$57 each

NOTE: Stack is 6-1/2" when fully open regardless of ordered width



VERTICAL APPLICATION CONFIGURATION SPECIFICATIONS



NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

- Fits rectangular window and door openings
- Opens and closes from side to side; ideal for sliding glass doors & French doors

- Four fabric stacking options:

- 1) left stack
- 2) right stack
- 3) center opening ("split stack")
- 4) center stack

Top Rail Dimensions



VERTICAL APPLICATION – SIZE STANDARDS			
	Cellular		2" Hybrid Pleat
	Large Single Cell Semi-Opaque Fabrics	Large Single Cell Blackout Fabrics	Semi-Opaque & Blackout
Min. Width	12"	12"	12"
Max. Width Side & Center Stack	168"	168"	168"
Max. Width Split Stack	190"	190"	190"
Min. Height	24"	24"	24"
Max. Height	120"	120"	120"
Max Sq. ft. Side & Center Stack	120	120	100
Max Sq. ft. Split Stack	140	140	120

NOTE: Vertical Application **not available** with any Small Single or Double Cell Cellular fabric

Vertical Application not available with 9/16" Single or Double Cell fabrics.

NOTE: Stack is 6-1/2" space per side when fully opened, regardless of shade width.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mount		
Headrail unit	- 3/16"	- 3/16"
Shade height	- 1/2"	- 1/2"
Valance width (non-flush)	+ 1-1/4"	+ 1-1/4"
Valance width (flush)	- 1/8"	- 1/8"
Outside (OB) Mount		
Headrail unit	- 3/16"	- 3/16"
Shade height	ordered height	ordered height
Valance width	+ 1"	+ 1"
Standard Returns		
Outside Mount	3-1/8"	4-1/4"
Inside Non Flush Mount*	1-1/2"	1-1/2"

NOTE: Measurements may vary $\pm 1/8"$

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mount		
Minimum mounting depth	15/16"	15/16"
Minimum mounting depth, flush mount:	3-5/8"	4-1/2"
Outside (OB) Mount		
Minimum flat vertical surface	5/8"	5/8"

*For each spacer block, 1/2" will be added to the length of the valance returns. For extension brackets, 2" will be added unless otherwise specified.

COLOR-COORDINATED HARDWARE

- Hardware colors are currently limited to 10. Refer to the Hardware Color Guide for colors and more information.

EXCLUSIONS

- All 9/16" Single and Double Cell fabrics.

VERTICAL APPLICATION ORDERING NOTES

- Specify inside (IB), outside (OB), inside non flush mount, or flush mount.
- Specify stacking configuration – left stack, right stack, center opening, or center stack. On split stack shades, both panels will be of equal width, unless otherwise specified. Center stacks are a surcharge option.
- Inside non flush mount valance returns are 1-1/2" if returns are selected*
- Standard handle height is 40" to 50" from bottom of moving rail; specify any desired variation from this standard.
- Standard installation hardware (brackets) provided.

- Specify no-charge installation hardware:
 - Spacer blocks
 - Extension brackets
 - Shims (OB)
- Also refer to vertical application measuring in "General Information" section.

NOTE: Cut-outs can be done on movable and stationary rail. 1" is the only cut-out width available for Vertical Application shades. 6" is the maximum cut-out height and the height is measured from the floor to the top of the desired cut-out location.

Cut-outs are not available on 2" Hybrid Pleat.

- SOFTSTYLE 9/16" SEMI-OPAQUE (S11)
- SOFTSTYLE 3/4" BEGINNINGS SEMI-OPAQUE (S50)
- SOFTSTYLE 3/4" SEMI-OPAQUE (S21)

CLASSIC SKYLIGHT A-SS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$217	245	275	309	334	370	396	427	454
42"	228	262	298	331	366	397	429	458	487
48"	241	280	312	350	396	427	468	502	528
54"	256	299	337	376	426	452	502	537	568
60"	265	315	358	400	462	492	539		
66"	281	334	380	427	486	519	565		
72"	292	349	400	450	506	545	598		

Prices in the 66" and 72" columns apply to side stack

↖ Skylight with Simplicity Motorization Maximum Width: 48"

CLASSIC SKYLIGHT B-SS

- SOFTSTYLE BEGINNINGS DOUBLE CELL SEMI-OPAQUE (S51)
- SOFTSTYLE DOUBLE CELL SEMI-OPAQUE (S31)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$254	289	322	362	392	431	466	503	531
42"	266	306	348	388	427	467	505	539	571
48"	282	328	370	413	466	502	548	590	622
54"	303	349	396	441	501	529	590	630	669
60"	311	371	421	472	541	576	632		
66"	330	392	447	503	568	611	666		
72"	345	411	472	529	595	641	705		

Prices in the 66" and 72" columns apply to side stack

↖ Skylight with Simplicity Motorization Maximum Width: 48"

OPTIONS: EXTRA CHARGE

- Classic Skylight Extension Pole (extends 5' to 10')\$37

STANDARD SIMPLICITY SURCHARGE AND OPTIONS EXTRA CHARGE – SPECIFY ON ORDER USE APPROPRIATE ARCH GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- **Standard Simplicity Motorization** (Battery wand included in the price)add \$262 per shade
 - 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$44 each
 - 14 Channel TD/BU Remote – Available in White Only (Part #CS52136)add \$65 each
 - 48" Extension Wire (Part #CS5133Z)add \$8 each
 - DC Power Supply (Part #CS5151)add \$36 each

SIMPLICITY RECHARGEABLE MOTORIZATION SURCHARGE AND OPTIONS EXTRA CHARGE – SPECIFY ON ORDER USE APPROPRIATE ARCH GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- **Simplicity Rechargeable Motorization**add \$262 per shade
 - 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$44 each
 - 14 Channel TD/BU Remote – Available in White Only (Part #CS52136)add \$65 each
 - 48" Extension Wire (Part #CS5133Z)add \$8 each
 - Solar Panel (Part #CS52096)add \$159 each
 - Plug-In Charger (Part #CS5199)add \$33 each

- SOFTSTYLE 9/16" BLACKOUT (S13)
- SOFTSTYLE SUBDUE 3/4" SINGLE CELL BLACKOUT (S61)
- SOFTSTYLE 3/4" BLACKOUT (S23)
- SOFTSTYLE DOUBLE CELL BLACKOUT (S32)

CLASSIC SKYLIGHT C-SS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$265	306	342	380	416	457	494	527	557
42"	284	323	369	411	455	497	537	572	608
48"	297	347	393	439	492	529	579	620	656
54"	321	371	423	468	536	561	623	669	710
60"	333	394	446	499	569	613	671		
66"	349	413	470	529	602	647	713		
72"	370	439	497	561	639	685	749		

Prices in the 66" and 72" columns apply to side stack

↖ Skylight with Simplicity Motorization Maximum Width: 48"

OPTIONS: EXTRA CHARGE

- Classic Skylight Extension Pole (extends 5' to 10')\$37

STANDARD SIMPLICITY SURCHARGE AND OPTIONS

EXTRA CHARGE – SPECIFY ON ORDER

USE APPROPRIATE ARCH GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- **Standard Simplicity Motorization** (Battery wand included in the price)add \$262 per shade
 - 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W).....add \$44 each
 - 14 Channel TD/BU Remote – Available in White Only (Part #CS52136).....add \$65 each
 - 48" Extension Wire (Part #CS5133Z)add \$8 each
 - DC Power Supply (Part #CS5151).....add \$36 each

SIMPLICITY RECHARGEABLE MOTORIZATION SURCHARGE AND OPTIONS


EXTRA CHARGE – SPECIFY ON ORDER

USE APPROPRIATE ARCH GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- **Simplicity Rechargeable Motorization**add \$262 per shade
 - 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W).....add \$44 each
 - 14 Channel TD/BU Remote – Available in White Only (Part #CS52136).....add \$65 each
 - 48" Extension Wire (Part #CS5133Z)add \$8 each
 - Solar Panel (Part #CS52096)add \$159 each
 - Plug-In Charger (Part #CS5199).....add \$33 each

CLASSIC SKYLIGHT CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.




This easy to operate system holds shades in place. Perfect for skylights and other windows beyond reach.




- Hardware color: Aspen White (785)
- Manually operated with handle
- Ends of headrail, moving rail and anchor rail are enclosed by side tracks
- Features 2-cell fabric gasket attached to headrail; eliminates light leakage when shade is closed
- 5' adjustable extension pole – extends to 10'

STACK LOCATION:	WINDOW POSITION:
 Top Bottom Side	 Vertical Sloped Horizontal

Note: Pleats will have a vertical orientation when side stack is ordered.



Optional Extension Pole
Extends 5' to 10'
(Part #400036-81511)



CLASSIC SKYLIGHT – SIZE STANDARDS	
	SoftStyle
	All Fabrics
Min. Width	18"
Max. Width	60"
Min. Height	12"
Max. Height	72"
Max Area (sq. ft.)	25

* Classic Skylight not available with any 2" Hybrid Pleat fabrics

NOTE: Shades over 36" wide require support cords.

Rail stiffener is required when shade is over 42" wide.

CLASSIC SKYLIGHT SIDE STACK – SIZE STANDARDS	
	SoftStyle
	All Fabrics
Min. Width	12"
Max. Width	72"
Min. Height	18"
Max. Height	60"
Max Area (sq. ft.)	25

* Classic Skylight not available with any 2" Hybrid Pleat fabrics

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	– 3/16"
Shade height	ordered height
Fabric width	– 3/4"
Outside (OB) Mount	
Headrail unit	+ 3/4"
Shade height	ordered height
Fabric width	ordered width

NOTE: Measurements may vary $\pm 1/8"$

NOTE: All finished dimensions include side tracks.

MOUNTING REQUIREMENTS


Use a metal tape measure for all measurements.

Inside (IB) Mount	
Minimum mounting depth IB:	1-1/4"
Minimum mounting depth, flush mount:	2-1/2"
Outside (OB) Mount	
Minimum flat vertical surface	1"

SKYLIGHT WITH SIMPLICITY MOTORIZATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

SKYLIGHT WITH SIMPLICITY MOTORIZATION



NOTE:

This is a different Skylight system than the Classic Skylight. Key differences include:

- Headrail and Bottomrail are identical and are the same rail used on standard shades with Simplicity Motorization
- Only available with fabric stack at the bottom of the window



Features

- Inside Mount only
- White Tiara (661) aluminum head and bottom rails. White vinyl side rails
- Use radio frequency controlled Simplicity motors
- The Simplicity wireless remote control operates individual or groups of shades

Operation & Installation Tips

- Shades installed into windows with metal casings may have a reduced radio frequency range, or may not operate at all
- Do not let the antenna on the motor touch any metal objects. This may interfere with signals from the remote control.
- Make sure to leave the top of the headrail open (motor exposed), do not cover; especially with metal materials. This could result in a reduced radio frequency range for the remote control or the shade may not operate at all.
- Skylights with Simplicity Motorization will NOT operate properly if installed in a completely horizontal application. The minimum recommended slope is 5%.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	- 3/16"
Shade height	ordered height
Fabric width	- 1-1/4"

NOTE: Measurements may vary $\pm 1/8"$

HEADRAIL & BOTTOMRAIL DIMENSIONS

Depth of Rail	2"
Depth of Rail & Bracket	2-1/4"
Depth of Rail, Side Tracks & Bracket	2-1/2"
Height of Rail	1-1/2"

NOTE: Skylight with Simplicity Motorization is available with standard Simplicity Motorization or Simplicity Rechargeable Motorization.

NOT AVAILABLE with PowerWand.

SKYLIGHT with SIMPLICITY MOTORIZATION - SIZE STANDARDS

All Cellular Fabrics	
Minimum Width	18"
Maximum Width	48"
Minimum Height	12"
Maximum Height	72"

NOTE: Skylight with Simplicity Motorization is not available with 2" Hybrid Pleat Fabrics

NOTE: Size Standards are the same for Skylight with standard Simplicity and Rechargeable Simplicity

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

- Should not be more than 1/2" out of square to perform as intended
- The widest width of the window cannot exceed the narrowest width of the window by more than 3/8"
- The shade must be mounted with the fabric stack at the bottom or the lowest point in the window

Standard Motorization


Inside (IB) Mounts	
Minimum mounting depth, IB	2-1/2"

Rechargeable Motorization

Inside (IB) Mounts	
Minimum mounting depth, IB	
Over 20" wide	2-1/2"
Under 20" wide	3"

NOTE:

Skylight shades with Rechargeable Motorization **over 20" wide** feature an internal battery with charging port. Skylight shades with Rechargeable Motorization **under 20" wide** require an external battery pack which accounts for the additional mounting depth



- SOFTSTYLE 9/16" SEMI-OPAQUE (S11)
- SOFTSTYLE 3/4" BEGINNINGS SEMI-OPAQUE (S50)
- SOFTSTYLE 3/4" SEMI-OPAQUE (S21)

ARCH A-SS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$90	103	117	138	160	180	207	238	267	305	345
Movable	132	150	172	197	224	257	290	330	370	424	486

ARCH B-SS

- SOFTSTYLE BEGINNINGS DOUBLE CELL SEMI-OPAQUE (S51)
- SOFTSTYLE DOUBLE CELL SEMI-OPAQUE (S31)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$104	120	138	163	185	214	244	279	314	357	402
Movable	152	175	200	229	263	303	341	387	432	498	569

ARCH C-SS

- SOFTSTYLE 9/16" BLACKOUT (S13)
- SOFTSTYLE 3/4" BLACKOUT (S23)
- SOFTSTYLE SUBDUE 3/4" SINGLE CELL BLACKOUT (S61)
- SOFTSTYLE DOUBLE CELL BLACKOUT (S32)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$123	141	163	188	218	251	286	327	370	421	473
Movable	178	206	233	269	308	355	400	454	506	585	670

OPTIONS: EXTRA CHARGE

- **Top-Down Movable Arch Extension Pole** (extends 5' to 10')\$37
- **Movable Arch Extension Pole**
(extends 18"-36") Part #24-213 TEP-2L13091.....\$22
- **Arch and Elliptical Arch** – price using width on Arch price charts for fabric desired.
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

ARCHES

Refer to "Extra Charge Options" for Surcharge and Price Information

INSIDE MOUNT

Locate shape below.

Width: Measure exact width(s)

Height: Measure exact height(s)

OUTSIDE MOUNT

Locate shape below.

Width: Measure desired width(s)

Height: Measure desired height(s)

FAN-FOLD ARCHES


NON-MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE REQUIRED)

FAN-FOLD STATIONARY PERFECT ARCH

Must be perfect arch.



Come standard with arch disc



Width (Diameter)

SIZE STANDARDS

	SoftStyle
	All Fabrics
Min. Width	12"
Max. Width	84"
Min. Height	12"
Max. Height	42"


Not available with 2" Hybrid Pleat




MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE REQUIRED)

FAN-FOLD OPERABLE PERFECT ARCH

Must be perfect arch. Specify L or R arch orientation when ordering.



Shown Here – Fan Fold Left



Width (Diameter)

SIZE STANDARDS

	SoftStyle
	All Fabrics
Min. Width	12"
Max. Width	84"
Min. Height	12"
Max. Height	42"

Not available with 2" Hybrid Pleat



Note: all fan-fold arches require the use of small, clear clips to be installed around the outer edge, which holds the fabric in place. The fabric must be slid out of the clips before the arch can be operated.


NON-MOVABLE ELLIPTICAL ARCH (TEMPLATE REQUIRED)

FAN-FOLD STATIONARY ELLIPTICAL ARCH

Non-perfect arch.



Come standard with arch disc



Width (Diameter)

SIZE STANDARDS

	SoftStyle
	All Fabrics
Min. Width	12"
Max. Width	84"
Min. Height	1/4 of width
Max. Height	1/2 of width

Not available with 2" Hybrid Pleat


Max height of straight sides is 10". Heights must be at least 25% of total width after the straight sides.




TOP-DOWN MOVABLE ARCH (TEMPLATE REQUIRED)

TOP-DOWN OPERABLE PERFECT ARCH

Must be perfect arch. (Template required)



Fabric Pleats Oriented Horizontally.



Width (Diameter)

SIZE STANDARDS

	SoftStyle
	All Fabrics
Min. Width	18"
Max. Width	84"
Min. Height	6"
Max. Height	48"

Not available with 2" Hybrid Pleat

Straight Side Specifications

- * If arch width is wider than 66", the max height=48"
- * If arch width is wider than 72", the max height=48"
- * Non-perfect arch: heights must be at least 25% of total width




Optional Top-Down Movable Arch
Extension Pole
Extends 5' to 10' (Part #400037-0007)

Available as Inside (IB) Mount ONLY


Specify arch trim at order entry:
661 Tiara White
320 Rich Cream

TOP-DOWN OPERABLE ELLIPTICAL ARCH

Non-perfect arch. (Template required)



Fabric Pleats Oriented Horizontally.



Width (Diameter)

SIZE STANDARDS

	SoftStyle
	All Fabrics
Min. Width	18"
Max. Width	84"
Min. Arch Height	1/4 width
Max. Height	48"

Not available with 2" Hybrid Pleat

Top-down arches will have a "flared" look to them when lowered. This is a natural characteristic of this product.
Arch trim kit included with Top-Down arches - available in White Tiara (661) & Rich Cream (320) - See the hardware guides for color example.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CIRCLES, QUARTER CIRCLES & ANGLE CUTS (TEMPLATE REQUIRED)

Refer to "Extra Charge Options" for Surcharge and Price Information

INSIDE MOUNT

Locate shape of window.

Width: Measure exact width(s)

Height: Measure exact height(s)

Diagonal: Measure height of diagonal(s) (for Angle Cuts)

OUTSIDE MOUNT


Locate shape of window.

Width: Measure desired width(s)

Height: Measure desired height(s)


Diagonal: Measure length of diagonal(s) (for Angle Cuts)

CIRCLES & QUARTER CIRCLE (TEMPLATE REQUIRED)



SIZE STANDARDS	
	All Fabrics
Min. Width (diameter)	12"
Max. Width (diameter)	42"
Min. Height	N/A
Max. Height	N/A

Not available with 2" Hybrid Pleat




SIZE STANDARDS	
	All Fabrics
Min. Width	12"
Max. Width	42"
Min. Height	N/A
Max. Height	N/A

Not available with 2" Hybrid Pleat

ANGLE CUTS (TEMPLATE REQUIRED)



ANGLED TOP (TEMPLATE REQUIRED)



- Shades will raise to the shaded area indicated.
- Cordlock must always be at the lower end of the headrail

	SoftStyle Semi-Opaque Fabrics	SoftStyle Small Single Cell Blackout	SoftStyle Large Single Cell Blackout	SoftStyle Double Cell Blackout Fabric
Maximum Height	84	72	72	84
Maximum Area (sq ft)	48	48	48	48
MINIMUM SLOPE WIDTH				
0 - 30 Angle	12	12	12	12
30 - 45 Angle	14	14	14	14
45 - 60 Angle	N/A	17	N/A	N/A
MAXIMUM SLOPE WIDTH				
0 - 30 Angle	55	83	60	60
30 - 45 Angle	67	84	60	60
45 - 60 Angle	N/A	84	N/A	N/A
Minimum Width	12	12	12	12
Maximum width				
0 - 30 Angle	48	70	48	48
30 - 45 Angle	48	60	48	48
45 - 60 Angle	N/A	42	N/A	N/A

HEXAGON & OCTAGON (TEMPLATE REQUIRED)




SIZE STANDARDS	
	All Fabrics*
Min. Width	8"
Max. Width	30"
Min. Height	8"
Max. Height	30"

*Not available with 2" Hybrid Pleat

- Minimum width and minimum height – 8"
- Maximum width and maximum height – 30"
- Operate from bottom to top or top to bottom
- Inside mounts will raise to the shaded area indicated above

TRAPEZOID (ALL PATTERNS) (TEMPLATE REQUIRED)



SIZE STANDARDS	
	All Fabrics*
Min. Width	8"
Max. Width	72"
Min. Height	9"
Max. Height	96"

*Not available with 2" Hybrid Pleat

- Minimum width – 8"
- Maximum width of long rail – 72"
- Maximum reduction for short rail – 9" per side
- Maximum height – 96"
- Maximum area (sq. ft.) – 40
- Opens in the direction of the longest rail (Top-Down or Bottom-Up)

OPTIONS: EXTRA CHARGE

- **Angle Cut**add \$122
(includes Angle Top, Hexagon, Octagon & Trapezoid)
- **Circle** – price as (width price x 1.3) using the Stationary Arch price chart for the fabric desired. Use exact width desired when ordering. (Template required.)
- **Quarter Circle** – price as (width price x 1.3) using the Stationary Arch price chart for the fabric desired. Use exact width desired when ordering.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

ARCHES & QUARTER CIRCLES

FINISHED DIMENSIONS	MOUNTING REQUIREMENTS																																				
Adjustments are taken from ordered dimensions.	Use a metal tape measure for all measurements.																																				
<table> <tr> <th colspan="2">Inside (IB) Mount</th></tr> <tr> <td>Rail unit</td><td>- 3/16"</td></tr> <tr> <td>Arch height</td><td>ordered height</td></tr> <tr> <td>Fabric width</td><td>- 3/8"</td></tr> <tr> <th colspan="2">Outside (OB) Mount</th></tr> <tr> <td>Rail unit</td><td>+ 3/16"</td></tr> <tr> <td>Arch height</td><td>ordered height</td></tr> <tr> <td>Fabric width</td><td>ordered width</td></tr> </table>	Inside (IB) Mount		Rail unit	- 3/16"	Arch height	ordered height	Fabric width	- 3/8"	Outside (OB) Mount		Rail unit	+ 3/16"	Arch height	ordered height	Fabric width	ordered width	<table> <tr> <th colspan="2">Inside (IB) Mount</th></tr> <tr> <td>Minimum mounting depth:</td><td></td></tr> <tr> <td>Standard installation bracket</td><td>1-1/4"</td></tr> <tr> <td>Swivel bracket</td><td>1/2"</td></tr> <tr> <td>Minimum mounting depth, flush mount:</td><td></td></tr> <tr> <td>Standard installation bracket</td><td>2-1/4"</td></tr> <tr> <td>Swivel bracket</td><td>2"</td></tr> <tr> <td>End mount bracket</td><td>2"</td></tr> <tr> <th colspan="2">Outside (OB) Mount</th></tr> <tr> <td>Minimum flat vertical surface</td><td>1"</td></tr> </table>	Inside (IB) Mount		Minimum mounting depth:		Standard installation bracket	1-1/4"	Swivel bracket	1/2"	Minimum mounting depth, flush mount:		Standard installation bracket	2-1/4"	Swivel bracket	2"	End mount bracket	2"	Outside (OB) Mount		Minimum flat vertical surface	1"
Inside (IB) Mount																																					
Rail unit	- 3/16"																																				
Arch height	ordered height																																				
Fabric width	- 3/8"																																				
Outside (OB) Mount																																					
Rail unit	+ 3/16"																																				
Arch height	ordered height																																				
Fabric width	ordered width																																				
Inside (IB) Mount																																					
Minimum mounting depth:																																					
Standard installation bracket	1-1/4"																																				
Swivel bracket	1/2"																																				
Minimum mounting depth, flush mount:																																					
Standard installation bracket	2-1/4"																																				
Swivel bracket	2"																																				
End mount bracket	2"																																				
Outside (OB) Mount																																					
Minimum flat vertical surface	1"																																				
Max width for end mount is 36"																																					
NOTE: Measurements may vary $\pm 1/8$ "																																					

CIRCLES

FINISHED DIMENSIONS	MOUNTING REQUIREMENTS																								
Adjustments are taken from ordered dimensions.	Use a metal tape measure for all measurements.																								
<table> <tr> <th colspan="2">Inside (IB) Mount</th></tr> <tr> <td>Rail unit</td><td>- 1/16"</td></tr> <tr> <td>Arch height</td><td>- 3/32"</td></tr> <tr> <td>Fabric width</td><td>- 3/8"</td></tr> <tr> <th colspan="2">Outside (OB) Mount</th></tr> <tr> <td>Rail unit</td><td>+ 3/32"</td></tr> <tr> <td>Arch height</td><td>+ 1/32"</td></tr> <tr> <td>Fabric width</td><td>ordered width</td></tr> </table>	Inside (IB) Mount		Rail unit	- 1/16"	Arch height	- 3/32"	Fabric width	- 3/8"	Outside (OB) Mount		Rail unit	+ 3/32"	Arch height	+ 1/32"	Fabric width	ordered width	<table> <tr> <th colspan="2">Inside (IB) Mount</th></tr> <tr> <td>Minimum mounting depth</td><td>1-7/8"</td></tr> <tr> <th colspan="2">Outside (OB) Mount</th></tr> <tr> <td>Minimum flat vertical surface</td><td>5/8"</td></tr> </table>	Inside (IB) Mount		Minimum mounting depth	1-7/8"	Outside (OB) Mount		Minimum flat vertical surface	5/8"
Inside (IB) Mount																									
Rail unit	- 1/16"																								
Arch height	- 3/32"																								
Fabric width	- 3/8"																								
Outside (OB) Mount																									
Rail unit	+ 3/32"																								
Arch height	+ 1/32"																								
Fabric width	ordered width																								
Inside (IB) Mount																									
Minimum mounting depth	1-7/8"																								
Outside (OB) Mount																									
Minimum flat vertical surface	5/8"																								
NOTE: Measurements may vary $\pm 1/8$ "																									

ANGLES

FINISHED DIMENSIONS	MOUNTING REQUIREMENTS
Finished dimensions vary depending on the degree of the angle.	SAME AS STANDARD CORDLOCK SHADES
NOTE: Measurements may vary $\pm 1/8$ "	

SPECIALTY SHAPES

FINISHED DIMENSIONS	MOUNTING REQUIREMENTS																
Adjustments are taken from ordered dimensions.	SAME AS ARCHES & QUARTER CIRCLES																
<table> <tr> <th colspan="2">Inside (IB) Mount</th></tr> <tr> <td>Rail unit</td><td>- 3/16"</td></tr> <tr> <td>Arch height</td><td>ordered height</td></tr> <tr> <td>Fabric width</td><td>- 3/8"</td></tr> <tr> <th colspan="2">Outside (OB) Mount</th></tr> <tr> <td>Rail unit</td><td>+ 3/16"</td></tr> <tr> <td>Arch height</td><td>ordered height</td></tr> <tr> <td>Fabric width</td><td>ordered width</td></tr> </table>	Inside (IB) Mount		Rail unit	- 3/16"	Arch height	ordered height	Fabric width	- 3/8"	Outside (OB) Mount		Rail unit	+ 3/16"	Arch height	ordered height	Fabric width	ordered width	
Inside (IB) Mount																	
Rail unit	- 3/16"																
Arch height	ordered height																
Fabric width	- 3/8"																
Outside (OB) Mount																	
Rail unit	+ 3/16"																
Arch height	ordered height																
Fabric width	ordered width																
NOTE: Measurements may vary $\pm 1/8$ "																	

CELLULAR SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

STANDARD 3/4" RAIL SYSTEM

CELLULAR			2" HYBRID PLEAT
All Semi- Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	All Fabrics

Standard Cordlock

Min Width (net) *	8"	8"	8"	N/A
Max Width	60"	60"	60"	
Max Width - End Mount	36"	36"	36"	
Min Height	12"	12"	12"	
Max Height	120"	120"	120"	
Max Area (Sq/Ft)	40-50	40	60	

Standard Cordlock - Top-Down

Min Width (net) *	10"	10"	10"	N/A
Max Width	60"	60"	60"	
Max Width - End Mount	36"	36"	36"	
Min Height	12"	12"	12"	
Max Height	96"	96"	96"	
Max Area (Sq/Ft)	40-50	40	60	

Standard Cordlock - Top-Down/ Bottom-Up

Min Width (net) *	10"	10"	10"	N/A
Max Width	72"	72"	72"	
Max Width - End Mount	36"	36"	36"	
Min Height	12"	12"	12"	
Max Height	96"	96"	96"	
Max Area (Sq/Ft)	40-50	40	60	

Standard Cordlock - Two-On-One Headrail

Min Width (per panel) (net) *	8"	8"	8"	N/A
Min Width (overall)	16"	16"	16"	
Max Width (per panel)	60"	60"	60"	
Max Width (overall)	120"	120"	120"	
Max Width - End Mount	36"	36"	36"	
Min Height	12"	12"	12"	
Max Height	120"	120"	120"	
Max Area (Sq/Ft)	40-50	40	60	

Continuous Cord Loop

Min Width (net)	18"	18"	18"	18"
Max Width	120"	120"	120"	120"
Max Width – End Mount	48"	48"	48"	42"
Min Height	12"	12"	12"	12"
Max Height	120"	120"	120"	120"
Max Area (Sq/Ft)	100	90	100	60

Continuous Cord Loop - Top-Down/Bottom-Up

Min Width (net)	24"	24"	24"	24"
Max Width	120"	120"	120"	120"
Max Width – End Mount	48"	48"	48"	42"
Min Height	12"	12"	12"	12"
Max Height	120"	120"	120"	120"
Max Area (Sq/Ft)	100	90	100	60

Continuous Cord Loop - Two-On-One Headrail

Min Width (per panel) (net)	18"	18"	18"	18"
Min Width (overall)	36"	36"	36"	36"
Max Width (per panel)	100"	96"	96"	102"
Max Width (overall)	120"	120"	120"	120"
Min Height	12"	12"	12"	12"
Max Height	120"	120"	120"	120"
Max Area (Sq/Ft)	83	80	80	60

CELLULAR SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

CELLULAR			2" HYBRID PLEAT
All Semi- Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	All Fabrics

Cordless Lift System

Min Width (net)	16"	16"	16"	16"
Max Width	120"	84"	96"	120"
Max Width - End Mount	48"	48"	48"	42"
Min Height	12"	12"	12"	12"
Max Height	84"	84"	84"	84"
Max Area (Sq/Ft)	70	49	56	60

Cordless Lift System - Top-Down/ Bottom-Up

Min Width (net)	16"	16"	16"	16"
Max Width	96"	84"	96"	120"
Max Width - End Mount	48"	48"	48"	42"
Min Height	12"	12"	12"	12"
Max Height	84"	84"	84"	84"
Max Area (Sq/Ft)	56	49	56	60

Cordless Lift - Two-On-One Headrail

Min Width (per panel) (net)	16"	16"	16"	16"
Min Width (overall)	32"	32"	32"	32"
Max Width (per panel)	100"	84"	96"	100"
Max Width (overall)	120"	120"	120"	120"
Min Height	12"	12"	12"	12"
Max Height	84"	84"	84"	84"
Max Area (per panel) (Sq/Ft)	70	49	56	60

Cordless Lift - Three-On-One Headrail

Min Width (per panel) (net)	16"	16"	16"	16"
Min Width (overall)	48"	48"	48"	48"
Max Width (per panel)	120"	84"	96"	120"
Max Width (overall)	174"	174"	174"	174"
Min Height	12"	12"	12"	12"
Max Height	84"	84"	84"	84"
Max Area (per panel) (Sq/Ft)	70	49	56	60

Cordless Lift & Lock

Min Width (net)	9-1/2"	9-1/2"	9-1/2"	9-1/2"
Max Width	84"	84"	84"	84"
Max Width - End Mount	48"	48"	48"	48"
Min Height	12"	12"	12"	12"
Max Height	84"	84"	84"	84"
Max Area (Sq/Ft)	49	49	49	49

Cordless Lift & Lock - Top-Down/ Bottom-Up

Min Width (net)	16"	16"	16"	16"
Max Width	84"	84"	84"	84"
Max Width - End Mount	48"	48"	48"	42"
Min Height	12"	12"	12"	12"
Max Height	84"	84"	84"	84"
Max Area (Sq/Ft)	49	49	49	49

Cordless Lift & Lock - Two-On-One Headrail

Min Width (per panel) (net)	9-1/2"	9-1/2"	9-1/2"	9-1/2"
Min Width (overall)	20"	20"	20"	20"
Max Width (per panel)	84"	84"	84"	84"
Max Width (overall)	168"	168"	168"	168"
Min Height	12"	12"	12"	12"
Max Height	84"	84"	84"	84"
Max Area (per panel) (Sq/Ft)	49	49	49	49

Cordless Lift & Lock - Three-On-One Headrail

Min Width (per panel) (net)	9-1/2"	9-1/2"	9-1/2"	9-1/2"
Min Width (overall)	30"	30"	30"	30"
Max Width (per panel)	84"	84"	84"	84"
Max Width (overall)	168"	168"	168"	168"
Min Height	12"	12"	12"	12"
Max Height	84"	84"	84"	84"
Max Area (per panel) (Sq/Ft)	49	49	49	49

CELLULAR SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

CELLULAR			2" HYBRID PLEAT
All Semi- Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	All Fabrics

TriLight Shades - Continuous Cord Loop

Min Width (net)	24"	24"	24"	24"
Max Width	83" - 96"	83"-96"	83" - 96"	83" - 96"
Max Width - End Mount	48"	48"	48"	42"
Min Height	12"	12"	12"	12"
Max Height	96"	96"	96"	96"
Max Area (Sq/Ft)	64	50	50	60

* The cellular fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < cellular max width.

** Willa Sheer maximum width is 83"

TriLight Shades - Cordless

Min Width (net)	16"	16"	16"	16"
Max Width	83" - 96"	83"-96"	83" - 96"	83" - 96"
Max Width - End Mount	48"	48"	48"	42"
Min Height	12"	12"	12"	12"
Max Height	84"	84"	84"	84"
Max Area (Sq/Ft)	56	49	49	60

* The cellular fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < cellular max width.

** Willa Sheer maximum width is 83"

TriLight Shades - Cordless Lift & Lock

Min Width (net)	12"	12"	12"	12"
Max Width	84"	84"	84"	84"
Max Width - End Mount	48"	48"	48"	42"
Min Height	12"	12"	12"	12"
Max Height	84"	84"	84"	84"
Max Area (Sq/Ft)	49	49	49	49

* The cellular fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < cellular max width.

** Willa Sheer maximum width is 83"

Vertical Application

Min Width	12"	12"	12"	12"
Max Width Side & Center Stack	168"	168"	168"	168"
Max Width Split Stack	190"	144"	190"	190"
Min Height	24"	24"	24"	24"
Max Height	120"	120"	120"	120"
Max Area Side & Center Stack	120	120	100	100
Max Area Split Stack	140	120	140	120

CELLULAR SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

CELLULAR			2" HYBRID PLEAT
All Semi- Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	All Fabrics

Classic Skylight

Min Width	18"	18"	18"	N/A
Max Width	60"	60"	60"	
Min Height	12"	12"	12"	
Max Height	72"	72"	72"	
Max Area (Sq/Ft)	25	25	25	

Classic Skylight – Side Stack

Min Width	12"	12"	12"	N/A
Max Width	72"	72"	72"	
Min Height	18"	18"	18"	
Max Height	60"	60"	60"	
Max Area (Sq/Ft)	25	25	25	

Skylight with Simplicity Motorization

Min Width	18"	18"	18"	N/A
Max Width	48"	48"	48"	
Min Height	12"	12"	12"	
Max Height	72"	72"	72"	
Max Area (Sq/Ft)	N/A	N/A	N/A	

Non-Movable Perfect Arch (Fan-Fold)

Min Width	12"	12"	12"	N/A
Max Width	84"	84"	84"	
Min Height	12"	12"	12"	
Max Height	42"	42"	42"	

Movable Perfect Arch (Fan-Fold)

Min Width	12"	12"	12"	N/A
Max Width	84"	84"	84"	
Min Height	12"	12"	12"	
Max Height	42"	42"	42"	

Non-Movable Elliptical Arch (Fan-Fold)

Min Width	12"	12"	12"	N/A
Max Width	84"	84"	84"	
Min Height	1/4 width	1/4 width	1/4 width	
Max Height	42"	42"	42"	

Top-Down Movable Perfect Arch

Min Width	18"	18"	18"	N/A
Max Width	84"	84"	84"	
Min Height	6"	6"	6"	
Max Height	48"	42"	48"	

Top-Down Movable Elliptical Arch


Min Width	18"	18"	18"	N/A
Max Width	84"	84"	84"	
Min Height	1/4 width	1/4 width	1/4 width	
Max Height	48"	42"	48"	

Angle


Min Width	12	12	12	N/A
Max Width	angle chart	angle chart	angle chart	
Max Height	angle chart	angle chart	angle chart	
Max Area (Sq/Ft)	48	30	48	

PRODUCT COMPONENTS – STANDARD RECTANGULAR

3/8" End Mount Bracket (Part #2980038000) – Not Shown
 3/4" End Mount Bracket (Part #2980050000) – Not Shown




Arch Trim – White (Part #2280364661)
 – Rich Cream (Part #2280364320)



Child Safety Kit (Cord Cleat)
 (Part #KIT2728)

PRODUCT COMPONENTS – CORDLESS




CORDLESS TOP-DOWN/BOTTOM-UP


Striker Plate:
Zinc: Part #CS5467PL-TDBU (Painted rails)
White: Part #CS5467PL-TDBU-W (Fabric covered rails)

Magnet:
Zinc: Part #CS5467 (Painted rails)
Magnet Cover - White: Part #CS5467CV-W (Fabric covered rails)
Magnet Lock: Part #CS5471
Magnet Screw: Part #CS5474



PRODUCT COMPONENTS – 2" HYBRID PLEAT



PRODUCT COMPONENTS – CORDLESS LIFT & LOCK




PRODUCT COMPONENTS – CONTINUOUS CORD



Universal Cord Tensioner Mounting Kit (Part #KIT2350)

Continuous Cord Top-Down/Bottom-Up Components




LH Rear Clutch Assembly (Part #CS4317)




Dual Bottom Limiter (Part #500199000)


TRILIGHT PRODUCT COMPONENTS – CORDLESS & CONTINUOUS CORD LOOP



PRODUCT COMPONENTS – 2" HYBRID PLEAT TRILIGHT




PRODUCT COMPONENTS – SIMPLICITY RECHARGEABLE MOTORIZATION




Simplicity Top-Down/Bottom-Up Components

14 Channel Remote (Part #CS52136)
Primary Motor (Part #CS52138)
Secondary Motor (Part #CS52139)
Internal Battery Pack (Part #CS52134)
Exterior Battery Pack (Part #CS52105)
7 Conductor Extension Wire (Part #CS52140)

PRODUCT COMPONENTS – POWERWAND™ MOTORIZATION



PRODUCT COMPONENTS – CELLULAR VERTICAL APPLICATION



White Magnetic Strip (split stack) (2990133000)



Extension Bracket (40-0026-159)



Installation Bracket with Screws (2990934000)



Mounting Screws #6 x 1.5 (2980153000)




Shim (2990938785)




1/2" Spacer Block KIT2011 = 2 Spacers/kit KIT2012 = 3 Spacers/kit

PRODUCT COMPONENTS – SKYLIGHT



PRODUCT COMPONENTS – SIMPLICITY SKYLIGHT



Rechargeable Motor Components

Internal Battery Pack (Part #CS52101)
Exterior Battery Pack (Part #CS52105)
Plug-In Charger (Part #CS5199)
Solar Charger (Part #CS52096)