

West Virginia Department of Health & Human
Resources
Morgan County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name ROCS	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone #	
Facility Address 1691 Valley Rd. Berkeley Springs, WV	Licensee Address	
Inspection Information		
Inspection Type Routine	Inspection Date October 31, 2018	Total Time Spent 1.50

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk-In Cooler	41
Walk-In Freezer	9

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

Observed Non-Critical Violations
Total # 2
Repeated # 0
 4-602.13 - NONFOOD CONTACT SURFACES Observation: Walk-in freezer floor needs cleaned. Corrective Action(s):
 4-602.13 - NONFOOD CONTACT SURFACES Observation: Walk-in cooler floor needs cleaned. Corrective Action(s):

Inspection Outcome

Comments

Disclaimer

Person in Charge

Kathleen Flue

Sanitarian

Tim Zeigler