

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Sheetz #137	Facility Type Food Service Establishment	
Licensee Name Sheetz Inc.	Facility Telephone # 304 267-4161	
Facility Address 3728 Charlestown Rd Kearneysville , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 03/16/2018	Total Time Spent 1.57

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Hot dog cooler	40
Hot dog roller	147
Expresso cooler	36
Breakfast prep	40
Hot cheese machine	136
Sandwich prep	40
Walk in cooler	37
Topping hot hold unit	
Little topping cold unit	
Fry Warmer	167
Half and half a	41
Half and half b	40

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
DishMachineServ erbucket	Chemical300		50		

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 4

Observed Non-Critical Violations

Total # 8

Repeated # 4

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Inside black carry out condiment containers needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Tops of several pieces of equipment need cleaned on the line and drink areas

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Stove stand needs cleaned

5-501.116 - CLEANING RECEPTACLES

OBSERVATION: Low boy gray trash cans need outside cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Several line shelves need cleaned in the back and along hard to reach areas.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Floors need cleaned under and behind in several areas of the unit

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Chemical shelf needs cleaned under the dish machine.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floor fan needs cleaned, dust inside and on the grates and blades

Inspection Outcome

Comments

Disclaimer

Person in Charge



freda quinnam

Sanitarian



Glenn GCO Ondick