

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Valley View Elementary	Facility Type Food Service Establishment	
Licensee Name Berkeley Co. Board of Education	Facility Telephone # 304	
Facility Address 140 Nadenbousch Lane Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 04/20/2018	Total Time Spent 1.57

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk-in	37
Glenco Hot Box	139
Glenco Cold Box	39
Food Warming Equipment Box	140
Left Milk cooler	40
Right Milk Cooler	40

Food Temperatures	
Description	Temperature (Fahrenheit)
Corn	185/165

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Dishmachinebleac hbucket	Heat	160		Heat	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0 Repeated # 2

Observed Non-Critical Violations
Total # 2 Repeated # 2
4-602.13 - NONFOOD CONTACT SURFACES REPEAT OBSERVATION Wire shelving in walk-In refrigerator needs cleaned (crosspieces)
6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION REPEAT OBSERVATION Hood vents above steamer/ovens need cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge


Teresa Kincaid

Sanitarian


Keith Allison