

ben pearson[®] '77



Shadow[™] ...a new concept
of uncomplex compounds
with self-compensating limbs.

shadow™ 600

3-piece td self-compensating 6-wheel compound

Ben Pearson's new Shadow 600 is archery's most advanced uncomplicated compound. It combines two-wheel simplicity with high-speed four-wheel performance.

The Shadow 600 is designed with trophy-taking speed and stability in mind. As the archer draws the bow, its exclusive "Hyper-Flex" limbs are pulled from two different points on the limb, greatly multiplying the bow's stored energy force. On release, the archer is not only rewarded with increased speed, but with a flatter trajectory that assures greater accuracy and rock solid stability.

No fine tuning is required. The Shadow 600's self-compensating design keeps the bow in perfect balance — unaffected by "string walking" or any other shooting style or method of release. The smooth cable rotation through the compensating wheels reduces the amount of stress and friction on both the cables and the bow string — lengthening their service life, insuring vertical alignment and reducing torque and eliminating cable/arrow interference.

The Shadow 600 has a precision die-cast magnesium riser, and laminated, interchangeable "Hyper-Flex" limbs. Its peak draw weight is adjustable, with your choice of 45 to 55 pounds, or 55 to 65 pounds. Peak weight changes and tiller adjustments are accomplished with just a few turns of the master weight adjusting bolts.

Ben Pearson Shadow 600

Length: 44". (Measured axle to axle)
Peak draw weight: Adjustable. 45 to 55 lbs., or 55 to 65 lbs.
Let-off at full draw: 30% ± 3%.
Draw lengths: 28"-29", 30", 31".
String (brace) height: 10½" to 10¾".
String length: 40". Dacron® with black monofilament center serving.
Riser: Die-cast magnesium with polyester powder coat finish.
Length: 24". Tapped for three stabilizers, bow quiver, bow sight and cushion plunger.
Non-slip contoured grip of molded vinyl.
Sight window: 7/16" center shot. Length: 7". Recessed for proper arrow rest.
Cam size: 1⅞", 2", 2⅛".
Limbs: Interchangeable, laminated "Hyper-Flex" limbs with maple cores and black Pearsonite Fiberglass.
Bow weight: 4 lbs. 2 oz.
Shipping weight: 5 lbs.
*Specify draw length and peak weight.
Right hand only.*

Licensed under Allen patent No. 3,486,495.





shadow™ 300

3-piece td

**high-performance
adjustable, 2-wheeler**

Speed, accuracy, adaptability, dependability. This new Ben Pearson Compound has it all. You can adjust the Shadow 300's peak weight from 50 to 60 pounds with just a few quick turns of the master weight adjusting bolts. A let-off of approximately 45% at full draw lessens arm fatigue and lets you hold steadier for a longer time.

The Shadow 300's self-compensating limb design keeps the bow in balance at all times. There is absolutely no complicated tuning procedure, and the balance is completely unaffected by any shooting style or type of release.

The Shadow 300's precision die-cast magnesium riser carries light, yet has amazing strength. Its polyester powder coat finish defies corrosion, grease, acids, alkalines and other solvents. The interchangeable, laminated "Hyper-Flex" limbs have tapered maple cores and store a tremendous amount of energy — energy you need to cast hefty broadheads in a flat, fast and accurate trajectory. Should a limb suffer accidental damage, it is easily replaceable.

A removable, non-slip contoured grip of molded vinyl snaps on and off in a jiffy, and provides comfort and control.

Ben Pearson Shadow 300

Length: 41 $\frac{3}{4}$ ". (Measured axle to axle)

Peak draw weight: Adjustable from 50 to 60 lbs.

Let-off at full draw: 45% \pm 3%.

Draw lengths: 28"-29", 30"-31".

String (brace) height: 9 $\frac{7}{8}$ " to 10 $\frac{1}{4}$ ".

String length: 36". Dacron® with black monofilament center serving.

Riser: Precision die-cast magnesium with polyester powder coat finish. Length: 20".

Tapped and drilled for 5/16" x 24" stabilizer and cushion plunger. Indented for 4 holes to accommodate sight and quiver.

Removable, molded vinyl non-slip contoured grip.

Sight window: 5/8" center shot. Length: 4 $\frac{1}{2}$ ".

Recessed for proper arrow rest.

Cam size: 2" and 2 $\frac{3}{8}$ ".

Limbs: Interchangeable "Hyper-Flex" laminated limbs with tapered maple cores.

Bow weight: 3 lbs. 9 oz.

Shipping weight: 4 lbs. 5 oz.

Specify draw length. Right hand only.

Licensed under Allen patent No. 3,486,495.

shadow™ 100

3-piece td adjustable 2-wheeler

This streamlined, three piece take-down is engineered to provide maximum performance with a minimum of maintenance. Virtually "goof-proof", it is always in balance. Self-compensating fiberglass limbs are unaffected by any shooting style or method of release.

The Shadow 100's peak draw weight is adjustable from 50 to 60 pounds with a few quick turns of the master weight adjusting bolts. And you enjoy a let-off of approximately 45% at full draw.

The Shadow 100's precision die-cast magnesium riser is strong, yet packs light, and has a polyester powder coat finish that is impervious to corrosion, grease, acids, alkalines and other solvents. Interchangeable limbs are Pearsonite reinforced poly fiberglass. A removable, non-slip contoured grip of molded vinyl snaps on and off and helps protect bow hand when the weather is cold.

Ben Pearson Shadow 100

Length: 41¾". (Measured axle to axle)

Peak draw weight: Adjustable from 50 to 60 lbs.

Let-off at full draw: 45% ± 3%.

Draw lengths: 28"-29", 30"-31".

String (brace) height: 9⅞" to 10¼".

String length: 36". Dacron® with black monofilament center serving.

Riser: Precision die-cast magnesium with polyester powder coat finish.

Length: 20". Tapped and drilled for 5/16" x 24" single stabilizer and cushion plunger.

Indented for 4 holes to accommodate sight and quiver. Removable non-slip contoured grip of molded vinyl.

Sight window: ⅝" center shot. Length: 4½".

Recessed for proper arrow rest.

Cam size: 2" and 2⅜".


Limbs: Interchangeable. Pearsonite reinforced poly fiberglass.

Bow weight: 3 lbs. 9 oz.

Shipping weight: 4 lbs. 7 oz.

Specify draw length. Right hand only.

Licensed under Allen patent No. 3,486,495.



 **model 250™****4-wheel compound
with unexcelled speed**

The Ben Pearson Model 250 Compound retains all the beauty and feel of a traditional one piece bow, while providing extraordinary speed, great stability and quietness.

In tests conducted by a leading independent research organization, the 250 delivered more foot/pounds of energy, and thus, more speed than comparative models of four major compound bow manufacturers. Clocked at 226 feet per second, no other compound tested could equal its velocity. The Model 250 with its exclusive "Hyper-Flex" limbs, topped them all — by as much as 23 feet per second.

The Model 250's turnbuckle tuning is simple and uncomplicated, requiring no special tools, no special knowledge of physics or mechanics. It's factory tuned and tested before it ever reaches your hands. And you keep it in tune with a simple turnbuckle adjustment.

In the Ben Pearson Model 250 Compound you get speed, quietness, simple turnbuckle tuning, and true, handcrafted beauty.

Ben Pearson Model 250 Compound

Bow length: 47". (Measured axle to axle)

Peak weights: 45, 50, 55 and 60 lbs.

Let-off at full draw: Approx. 25%.

Draw lengths: 28,29,30,31".

String (brace) height: 8½".

String length: 40".

Sight window: 5/16" center shot.

Length: 5½".

Cam size: 2" and 2¼".

Flexible arrow rest.

Limbs: Exclusive "Hyper-Flex" laminated working limbs. Gordon fiberglass.

Handle: Hand finished Pearson Marblewood.

Tapped for stabilizer. Cushion plunger bushing installed.

Bow weight: 4 lbs. 2 oz.

Shipping weight: 5 lbs.

Specify draw length, peak weight and right or left hand.

Licensed under Allen patent #3,486,495.

For

model 210™

adjustable weight 2-wheel compound

The Ben Pearson Model 210 Compound provides the economy-conscious archer with all the advantages of compound design, including an adjustable peak weight range of 15 pounds (from 45 to 60), with a single screw adjustment. At full draw, you will enjoy a let-off, or weight relaxation, between 40 and 50%.

Its two-wheel design eliminates any need for fine tuning. Since the cables are anchored at the limb tips, the drawing force is always equalized, and is unaffected by any shooting style or method of release.

Ben Pearson's Model 210 Compound is hand crafted from Pearson Marblewood to give a traditional look and feel, plus maximum one piece stability. Non-slotted "Hyper-Flex" laminated limbs are stronger and faster than comparable models. When ordering, specify peak weight, draw length and right or left hand.

model 200™

fixed weight 2-wheel compound

The same quality craftsmanship and high-performance features as the Model 210 Compound, but with a fixed peak weight of 45, 50, 55 or 60 pounds. When ordering, specify peak weight, draw length, and right or left hand.

Ben Pearson Model 210 Adjustable Weight Compound and Ben Pearson Model 200 Fixed Weight Compound

Bow length: 42½". (Measured axle to axle)
Model 210 (Adjustable Peak Weight).
Adjustable from 45 to 60 lbs. Factory pre-set at 45 lbs.

Let-off at full draw: Approx. 45%.

Model 200 (Fixed Peak Weight).

Choice of 45, 50, 55 or 60 lbs.

Let-off at full draw: Approx. 45%.

Draw lengths: 27"-29" and 29"-31".

String (brace) height: 9¾".

String length: 38".

Sight window: 3/16" center shot. Length: 6½".

Cam size: 2" and 2¾".

Flexible arrow rest.

Limbs: Exclusive "Hyper-Flex" laminated limbs.

Handle: Hand finished Pearson Marblewood.

Bow weight: 3 lbs. 15 oz.

Shipping weight: 4½ lbs.

When ordering Model 210, specify draw length and right or left hand.

When ordering Model 200, specify draw length, peak weight and right or left hand.

Licensed under Allen patent #3,486,495.

#1610 27-29





BPH 60™
3-piece td
Hyper-Kinetic limbs

The bow you've been asking for is here. The conventional three piece take-down hunting/target bow by Ben Pearson. It's here, and it's everything you wanted it to be. Fast, non-stacking, uncommonly smooth and accurate. With a die-cast magnesium riser that's virtually indestructible and a polyester powder coat finish that looks great and wears like iron. Overall bow length is 60".

Ben Pearson's exclusive, laminated "Hyper-Kinetic" limbs lock firmly to the riser with aircraft-quality limb locking bolts. Should a limb suffer accidental damage, replacement limbs are readily available from your Ben Pearson dealer or the manufacturer. If you're carrying "spares", you can change limbs in the field as easily as in your home workshop. It requires nothing more than a few turns of the Allen wrench which is included in your BPH 60 owner's kit.

The BPH 60 has a non-slip contoured grip of molded vinyl for comfort and control and is tapped and drilled for stabilizer and cushion plunger.

No. 7282-0 BPH 60

Length: 60" A.M.O.

Draw weight at 28": 45/50 lbs.

Draw limit: 31".

String (brace) height: 8½" to 9".

Handle: Precision die-cast magnesium.

Length: 20". Tapped and drilled for 5/16" x 24" stabilizer and cushion plunger.

Indented for 4 holes to accommodate sight and quiver. Removable non-slip contoured grip of molded vinyl.

Sight window: 5/8" center shot.

Length: 4½". Recessed for proper arrow rest.

Limbs: Interchangeable laminated "Hyper-Kinetic" full working recurve.

Tapered maple core with black Pearsonite fiberglass.

String: Serv-Weld custom Dacron®.

Pre-stretched and pre-waxed.

Bow weight: 2 lbs. 10 oz.

Shipping weight: 3 lbs. 8 oz.

Right hand only.

DROPPED FROM
1978 CATALOG

Ray

hand-crafted, super-fast Hyper-Kinetic limbs.

renegade™

The forward flowing handle section and "Hyper-Kinetic" limb design give this 60" bow a distinctively aggressive look. Ready to take on anything you're man enough to go after. The Renegade answers every demand for great striking power and consistent, torque-free shooting. Carefully hand crafted, the black Marblewood riser flows into long, clean micro-tapered limbs, whose deflex, reflex and recurve provide silent acceleration. The Renegade is available in either right or left hand models.



No. 7260-0 Renegade™

Length: 60" A.M.O.
Draw weights at 28": 40 to 55 lbs.
Draw limit: Unlimited.
String (brace) height: 8¾" to 9¼".
Handle: Hand finished Marblewood.
Pistol grip.
Arrow rest: Mohair quiet carpet.
Sight window: Center shot. Length: 5½".
Limbs: "Hyper-Kinetic" full working recurve.
Black Pearsonite fiberglass with reinforced tips.
String: Serv-Weld custom Dacron®, pre-stretched and pre-waxed.
Shipping weight: 4 lbs. 12 oz.
Specify draw weight and right or left hand.

rogue®

Speed and silence are the keys to successful hunting. Draw on the Rogue for both. Nock your favorite broadhead. Anchor, and release. "Hyper-Kinetic" action triggers a uniform thrust of three-stage penetrating power, and the broadhead silently sizzles to its target in a flat, unwavering trajectory. This 58" performer does all the things you expect of a reliable hunting bow. It casts heavy hunting arrows with tremendous speed and consistent accuracy, answering the most defiant challenges of the game and the terrain.



No. 7058-0 Rogue®

Length: 58" A.M.O.
Draw weights at 28": 40 to 55 lbs.
Draw limit: Unlimited.
String (brace) height: 7½" to 8".
Handle: Hand finished Marblewood and select hardwoods.
Pistol grip.
Arrow rest: Mohair quiet carpet.
Sight window: Center shot. Length: 5½".
Limbs: "Hyper-Kinetic" full working recurve.
Black Pearsonite fiberglass with reinforced tips.
String: Serv-Weld custom Dacron®, pre-stretched and pre-waxed.
Shipping weight: 4 lbs. 8 oz.
Specify draw weight and right or left hand.

*DROPPED 1978 CATALOG





spoiler®

The ruggedly handsome appearance of this new 52" bow tells you it definitely belongs to the famed Ben Pearson "hunting clan". The Spoiler sports an unmistakable family resemblance, starting with the tough, Marblewood handle. Its duo-stressed limbs are designed for extra lateral stability. "Hyper-Kinetic" action provides the power to drive a broadhead the maximum distance in the shortest period of time. The Spoiler's popular 52" length makes for easy handling under the most challenging hunting conditions. It's the bow that's spoiling for the toughest tests you can raise.



No. 7152-0 Spoiler®

Length: 52" A.M.O.
Draw weights at 28": 40 to 55 lbs.
Draw limit: Unlimited.
String (brace) height: 7" to 8½".
Handle: Hand finished Marblewood.
Pistol grip.
Arrow rest: Mohair quiet carpet.
Sight window: Center shot. Length: 4½".
Limbs: "Hyper-Kinetic" full working recurve.
Black Pearsonite fiberglass with reinforced tips.
String: Serv-Weld custom Dacron®, pre-stretched and pre-waxed.
Shipping weight: 3 lbs. 8 oz.
Specify draw weight and right or left hand.

equalizer™

Master-bowyer George Birnie took the principles of the reflexed tension and compression required to achieve the great acceleration of a tournament bow, and compacted them into 48 inches of hunting dynamite. He added to this explosive penetrating power the advantages of Ben Pearson's positive-control grip, and wider, laterally stabilized "Hyper-Kinetic" limbs. The result is a bow of great maneuverability, with a flat, accurate cast that puts heavy hunting arrows right on the money. Regardless of the game, you've got the Equalizer — the archer's best bet for heavy brush and tree stand hunting.



No. 7148-0 Equalizer™

Length: 48" A.M.O.
Draw weights at 28": 40 to 55 lbs.
Draw limit: 31".
String (brace) height: 7½" to 9".
Handle: Hand finished Marblewood.
Pistol grip.
Arrow rest: Mohair quiet carpet.
Sight window: Center shot. Length: 4".
Limbs: "Hyper-Kinetic" full working recurve.
Black Pearsonite fiberglass with reinforced tips.
String: Serv-Weld custom Dacron®, pre-stretched and pre-waxed.
Shipping weight: 3 lbs.
Specify draw weight and right or left hand.

="sportster" laminated bows & sets

Who Gets The Action?

The Dealer Who Banks On Ben Pearson "Action-Packs".

The value is plain to see in these all-in-one hunting and target sets. Their bright, bold headers win customer attention, invite close inspection, and stimulate sales. The size is right, too. So you can maximize your return on a minimum of floor space. This year, bank on Ben Pearson "Action-Packs". They're the sales help you don't have to pay.



hunter II


Built with strength, balance and bite, this 58" laminated bow has great stability and all 'round versatility. Take it hunting or target shooting and discover the fun this economy class bow can provide. Right hand model only.

* No. 7085-0 Hunter II

Length: 58" A.M.O.
Draw weight at 28": 45/50 lbs.
Draw limit: Unlimited.
String (brace) height: 8" to 8½".
Handle: Select hardwood.
Arrow rest: Mohair carpet.
Sight window: Center shot. Length: 4½".
Limbs: Full working recurve. Black Pearsonite fiberglass.
String: Serv-Weld custom Dacron®, pre-stretched and pre-waxed.
Shipping weight: 2 lbs. 10 oz.

* No. 7595-3 Hunter II Set

Everything you need to take to the field for plenty of hunting fun. For right hand shooters only. Set contains: No. 7085-0 58" Hunter II bow in 45/50 pound draw weight. 4-29" cedar hunting arrows, color band and crest. Bow quiver. Armguard. Leather tab. 16" leopard target face. The Ben Pearson booklet, "Secrets of Successful Bow Hunting". Shipping weight: 5 lbs. 9 oz.



ben pearson® target & field arrows

Manufactured to A.M.O. approved equipment and measuring standards



A-Deluxe Matched Cedar Field Arrows

Select Port Orford cedar shafts, painted full length, distinctive color band crest and hairline. 5" parabolic fletching. Matched in spine and weight in 5 lb. increments. Snap-On nocks. 125 grain tapered hole field points.

No. 2120-1 (Half Dozen)	Arrow Length	Bow Weight
	29" length 30" length	40 to 60 lbs. 40 to 50 lbs.
No. 2120-2 (Dozen)	Arrow Length	Bow Weight
	28" length 29" length	40 to 60 lbs. 40 to 60 lbs.

B-Matched Cedar Field Arrows

Matched Port Orford cedar shafts with color band crest. 4" parabolic fletching. Matched in spine and weight in 5 lb. increments for 40 to 60 lb. bows. In 28" and 29" lengths. Snap-On nocks. 60 grain non-skid field points.

NEW

No. 2110-1 (Half-Dozen)	28" and 29". With non-skid parallel field points.
No. 2110-2 (Dozen)	28" and 29". With non-skid parallel field points.

C-Camo Cedar Field Arrows

Tough, economical cedar arrows with 5" parabolic fletching. Indx nocks and 125 grain tapered-hole field points. Painted camo green. For 45 to 50 lb. bows. 29" length.

No. 2230-9 (4 Dozen Display) 29" length only.

D-Economy Cedar Field Arrows

Popular priced arrow for bows under 50 lbs. Colorful cresting with non-skid parallel field points. 4" fletch. 28" length.

No. 2100-9 (4 Dozen Display) In 28" length only.

E-Pearson-Easton Aluminum Target Arrows

Easton aluminum tournament shafts, specially processed to Ben Pearson specifications. Matched within 5 grains. Distinctive brush cresting. 3" parabolic fletching. Snap-On nocks. *Specify arrow length and bow weight.*

NEW	No. 2600-1 (Half-Dozen)	Arrow Length	Bow Weight
	No. 2600-2 (Dozen)	26" length	25 to 35 lbs.
		28" length	30 to 50 lbs.
No. 2605-1 (Half-Dozen)	29" length	35 to 50 lbs.	

* **No. 2605-2** (Dozen) XX-80 Gold anodized shafts with above specifications.

F-Deluxe Port Orford Matched Cedar Target Arrows

The finest wood target arrow. Matched and spined in 5 lb. increments for bows 25 to 50 lbs. Bright color crest, 3" parabolic fletching. *Specify arrow length and bow weight.*

*	No. 2070-1 (Half-Dozen)	Arrow Length	Bow Weight
	No. 2070-2 (Dozen)	26" length	25 to 35 lbs.
		28" length	30 to 50 lbs.
		29" length	35 to 50 lbs.

G-Select Target Practice Arrows

For bows under 40 lbs. Ideal for school and camp archery programs. Port Orford cedar shafts have colorful 3 band crest, 2 1/4" parabolic fletching. Cannot specify colors.

NEW

No. 2220-1 (Half-Dozen)	Specify 26", 28" or 29" length.
No. 2220-2 (Dozen)	Specify 26", 28" or 29" length.
No. 2220-5 (Half-Gross Display)	Specify 26", 28" or 29" length. Shipped 2 dozen each of 3 different colors.

H-Cedar Target Arrow With Nock-Fletch™

For bows under 40 lbs. Cedar shaft with parallel target point and one piece plastic Nock-Fletch™. A good choice for beginning and intermediate archers. Packed all 28", or in standard pack of one-half 26" and one-half 28".

No. 2210-5 (Half-Gross Display)

targets & cases



Standard 4-Color Target Faces On Heavy Tag

No. 9190-0
48" diameter. Shipping weight: 12 oz.

No. 9180-0
36" diameter. Shipping weight: 8 oz.

No. 9170-9 24" diameter.
Shipping weight: 9 oz. (2 per package)

No. 9210-9 16" diameter.
Shipping weight: 9 oz. (4 per package)



4-Color Skirted Heavy Tag

No. 4910-0 48" dia. Shipping weight: 1 lb.

No. 4810-0 36" dia. Shipping weight: 8 oz.

No. 4710-0 24" dia. Shipping weight: 2 oz.

4-Color Skirted Vinyl

No. 4135-0 48" dia. Shipping weight: 22 oz.

No. 4125-0 36" dia. Shipping weight: 12 oz.

No. 4115-0 24" dia. Shipping weight: 6 oz.



Do-It-Yourself Target

No. 9100-0 Heavy corrugated paper box with a four-color target face printed on both sides. Fill with paper or straw, tightly packed, or newspapers packed flat. Close with gummed tape. An inexpensive target for juniors and beginners using light-weight bows. Shipping weight: 1 lb. 4 oz.



Corrugated Cardboard Target

No. 9450-0 Thick layers of rugged, lightweight corrugated cardboard, in a full-sized 4-color target face. May be used satisfactorily with bows up to 40 lbs. in draw weight. Sold in multiples of 2 only. Shipping weight: 5 lbs.

Full Color Animal Target Faces

Natural, lifelike, printed on heavy stock . . . with scoring circles and aiming spots. Packed in poly bags.

No. 9273-9
24" Deer. Shipping weight: 3 oz. (2 per package)

No. 9263-9
18" Fox. Shipping weight: 1 oz. (3 per package)

No. 9253-9
12" Bobcat. Shipping weight: 1 oz. (3 per package)

No. 9243-9
6" Squirrel. Shipping weight: 3 oz. (8 per package)



Deluxe Metal Stand

No. 4380-0 A sturdy tripod with adjustable brackets for large or small targets. Mat locks hold target securely in place, even when moving. Rubber tips on legs permit use on indoor floors. Shipping weight: 2 lbs.



Target Face Pin

Holds face flat and firmly in the proper position. Prevents loss and damage. Essential to up-date target and field courses.

No. 4530-9
Card of 4 pins. Shipping weight: 2 oz.



Target Display Assortment

Sturdy, convenient corrugated display rack is free with total assortment order. Shipping weight: 17 lbs.

No. 9290-9
24", 4-color faces. (12 packages of 2)
16", 4-color faces. (8 packages of 4)
24", Deer faces. (12 packages of 2)
12", Bobcat faces. (10 packages of 3)
18", Fox faces. (10 packages of 3)
6", Squirrel faces. (8 packages of 8)

NEW

A. No. 8565-0 Deluxe Compound Bow Case

Professional quality case has a green expanded vinyl exterior with thick padding and protective fleece lining. Nylon coil Y.K.K. zipper. Has strong, wrap-around handle and name card holder. 53 inch length will handle bows with bow quivers attached. Can also be used as a strung bow case for conventional bows.

NEW

B. No. 8555-0 Camo Compound Bow Case

Light weight green and brown camouflage cotton with Velcro® closure. Permits compound bows to be carried legally without loosening tension on limbs. Will accommodate all compound or conventional bows up to 53 inches in length.

C. No. 8510-0 Flannel Bow Case

Strong, soft flannel with vinyl top and bottom. String tie, pocket on flap for carrying extra bow string. Accommodates conventional bows up to 68 inches in length.



A



B



C

armguards, tabs & gloves


For men, women and young archers



No. 8675-0 Full Length Armguard
Quality split leather, with soft suede lining and four adjustable arm straps. Protects the entire forearm and holds shirt out of way.



NEW
No. 8625-0 Camo Ventilated Armguard
Camo patterned expanded vinyl with comfortable suede-like backing. Has three, full length spring steel stays. Affords maximum ventilation and protection. Features two adjustable elastic straps with Velcro® fasteners. Length: 7 inches.



No. 8665-0 Vented Armguard With Velcro® Fastener
Long-lasting black leather, with soft suede lining. Fastens securely at the touch. Vented for hot weather comfort. Three spring steel stays. Adjustable straps.



NEW
No. 8635-0 Camo Hunting Armguard
Green camo pattern expanded vinyl armguard has a split leather backing and a steel center section for rigidity. Holds bulky hunting clothes out of the way for fast, silent shooting. Length: 7 inches. Three adjustable elastic straps.



No. 8660-0 Hunting Armguard
Heavy-duty with adjustable arm straps. Concealed fiber stay. Black vinyl, lined with soft suede.



No. 8690-0 Skeleton Armguard
The ideal, all-purpose armguard. Provides maximum protection. Strong, brown vinyl, with concealed fiber center stay. Soft vinyl lining, two adjustable elastic straps.



No. 8655-0 Standard Armguard
Good protection for a moderate price. Sturdy, brown vinyl. Two adjustable elastic arm straps.

No. 8695-0 Kant-Pinch Hair Tab

Double thick. Cordovan leather with calf hair face. Snaps in place. Has special finger divider to prevent arrow from pinching. Ideal for heavy hunting bows. Specify right or left hand, S-M-L.



No. 8745-0 "Ouchless" Deluxe Tab

Can't bite or pinch. Finest quality, top grain leather. Provides a positive hold for individual fingers. Improves accuracy. Leather reinforced for extra strength, clean release. Specify right or left hand, S-M-L.



No. 8710-0 "Easy-On" Finger Tab

Long-wearing, top grain leather release aid gives the right combination of pliability and protection. Fits either right or left hand. S-M-L.



No. 8715-0 Standard Tab

Tough, smooth leather protection in a tab that fits either right or left handed archers. Specify S-M-L.



DROPPED 1973 CATALOG

NEW

A. No. 8595-0 Camo Glove

Top quality expanded vinyl with nylon backing. Green camo pattern. Adjustable snap wrist closure. Double seam closed-end finger construction. Top grain soft leather finger material. S-M-L-XL.

B. No. 8730-0 Deluxe Glove

Tough cowhide with elastic webbing. Molded tips. V-shaped cut-outs. Adjustable wrist strap. A high quality glove made for active shooters. S-M-L-XL.

C. No. 8725-0 Standard Vinyl Glove

Long-lasting vinyl, with adjustable wrist strap. A one piece model for archers of all ages. S-M-L.



quivers

There's one for every age, every archer's needs.



No. 9045-0 Custom Compound Quiver

Detachable quiver, custom designed for Ben Pearson compound bows. Rugged, yet light weight. Shroud has padded interior to keep broadheads razor sharp and quiet. Gives maximum protection to both the archer and his arrows. Complete with both wood and metal screws and mounting plate. Wing nuts make attaching and detaching simple and quick. Holds 6 arrows.



No. 8530-0 Hooded Silent Bow Quiver

Safety is the foremost design feature of this economy-priced slip-on bow quiver. It's lightweight, fits on any bow. Heavy-duty, brown leather hood with cushioned lining, protects broadheads and the hunter. Holds 5 arrows. No tape, clamps or screws necessary.

No. 8520-0 Silent Bow Quiver

Soft, molded shoulders fit securely over bow limbs. Can't scratch bow or arrows. Slots hold five arrows ready for action. No tape, clamps or screws necessary.



No. 8525-0 Deluxe Kwikie Kwiwer®

Light, durable, space-saving quiver. Clamps on any bow. Grips arrows firmly, yet allows easy removal. Holds 4 arrows of any standard size. Ready for instant use.



No. 8320-0 Shoulder Quiver

A rugged, brown and tan, two-division quiver that carries 12 broadheads easily and safely. Of durable, scuff-resistant vinyl, with large zipper pocket for accessories. Adjustable leather shoulder and divider straps.



No. 8470-0 Junior Hunting Quiver

For arrows to 26". Has a wide throat for easy arrow removal, a heavy, leather bottom. Adjustable leather shoulder and arrow divider straps. Of durable, claret-colored vinyl, with tan, scalloped cuff.



No. 8350-0 New Target And Field Quiver

Claret colored rigid vinyl. Belt clip holds quiver at easy access angle. 12 arrows are held ready at your fingertips. Has roomy accessory pocket and arrow divider strap.



No. 8780-0 Economy Quiver

Low cost, yet tough and long lasting. Carries 12 target arrows or 6 hunting arrows. Brown vinyl, with molded puncture-proof bottom.



No. 8770-0 Young Archer's Side Quiver

Carries 12 target arrows. Has handy belt loop and heavy, puncture-proof bottom. Claret colored, scuff resistant vinyl, finished with a decorative cuff.



No. 5270-0 Ground Quiver

For expert archers, clubs, schools. Upright rod of quiver is designed to avoid contact with horizontally hanging bow. Holds 12 arrows. Bow rack is removable.

bow accessories




No. 1442-0 Bow Sling

Ideal for improving shooting form. Prevents over-gripping of the bow. Cowhide, with adhesive backing for quick and easy installation. No screws or tape. Adjustable. Complete with instructions.



No. 1465-0 Arrow Plate

Self-adhesive pressure plate fits and protects all bows. Use with No. 1891-0 Mohair carpet rest. Ideal for quieting hunting bows.



No. 1550-0 Arro-Guide

Perfect for the beginning archer. Holds arrow firmly in shooting position, ready to draw. Fits right or left hand bows. Self-adhesive for simple installation.

NEW

No. 1466-0 "Rifle Rest"

As the name implies, this arrow rest is made for accuracy. Can be used equally well for both hunting and target shooting. Long flipper arm takes care of the most center shot bow and eliminates all interference for both plastic vanes and feathers. Hole in back plate of rest allows use of most centering devices now available. Self-adhesive backing. Specify right or left hand.



No. 1415-0 Para-Rest

Horizontal nylon brush type. Mounts in seconds on any center shot bow. Assures noiseless arrow flight, protects arrows from crest damage. For hunting or target shooting.



No. 1891-0 Mohair Carpet Rest

Genuine mohair for quiet, smooth drawing and release. Padded to insure stable arrow flight. Self-adhesive backing, fits all arrow shelves. An ideal bowhunting arrow rest. Fits right or left hand bows.




No. 1418-0 Hoyt Pro Rest

A non-interfering rest with pressure plate. Provides for positive clearing of vanes or feathers. Retaining finger prevents arrow from falling off rest. Flexible shelf prevents arrow bounces. Self-adhesive backing. Specify right or left hand.



No. 1545-0 Kwik-Lok Arrow Holder

Keeps arrow in a constant "ready" position. Eliminates tired fingers, ideal for cold weather bowhunting. Releases instantly. Quiet, will not spook game. Self-adhesive backing. Fits all bows.



No. 1433-0 Klicker

Improves shooting technique. Spring clicks at full draw, eliminates "freezing" or snap shooting. Made of long-lasting spring steel mounted on leather tab.



No. 1447-0 Bow Tip Protector

Soft, pliable rubber. Protects bow while stringing. Holds string in place, keeps bow tip like new. Fits all bows.


No. 9917-0 Side Mount Hunting Sight

All metal, five pin bar sight. Mounts to side of either right or left-hand bows. Fluorescent, multi-color pins adjust for various distances. Has 5" sight bar, black, non-glaring finish and positive pin-locking system. Complete with both wood and metal screws for easy mounting.




No. 9925-0 Hunter Sight

Four position, multi-colored sight settings. Adjustable pins for windage and elevation. 5" sight bar. Double lock insures permanent position. Designed for rugged use. Tape or screw on. Fits all bows.



No. 9975-0 Field Sight

Hooded post for precise sighting. High visibility — no glare sight pin. Easily adjustable for windage and elevation. 5" sight bar. Tape or screw on. Fits all bows.




No. 9955-0 Target Pin Sight

Features a high visibility pin for all light conditions. Double lock insures a permanent, no-slip position. Adjustable for windage and elevation. 5" sight bar. Tape or screw on. Fits all bows.



No. 9920-0 Bow Sight

Adjustable for height and windage. Lightweight, flexible steel. Screw adjustment swivels into position. 5" sight bar. Easily attaches to bow with tape.



camouflage accessories



No. 1523-0 Camo Head Net
Mosquito netting material conceals your face but still permits clear vision. Keeps insects off. Can be worn over cap or parka hood. Fits all head sizes.



No. 1450-0 Camo Bow Sleeves
Durable green camouflaged cloth sleeves with elastic cuffs. Fit over both limbs. Sleeves eliminate limb reflection. May be taped at handle and limb tip. Easily removed.



No. 1504-9 Camo Face Paint
Camouflage colors conceal your face. Not affected by rain or perspiration. Easily removed and harmless to skin. Kit includes one tube brown and one tube green.



NEW
No. 8535-0 Compound Camo Limb Covers
2 piece cotton cover conforms to bow limbs. Velcro® fasteners for easy on and off. 5 color camo pattern. Fits Ben Pearson compounds and most other makes.



No. 9670-0 Buck Scent
Guaranteed to attract deer. A few drops give you that "close shot". Counteracts human odor. Unbreakable plastic bottle.



No. 1500-0 Tree Stand
(18" x 15") Black heavy-duty steel platform easily attaches to tree to put you above deer. Provides better visibility. Deer come in without seeing you or picking up your scent. For open areas or extra comfort, use two stands.

bow fishing accessories



No. 1535-0 Spin Cast Bow Reel & Bracket
Famous Zebco® 808 Closed Face Bow Reel and Bracket. A heavy-duty, closed face spin cast reel, loaded with 60 feet of 80 lb. test nylon line. Has precision, self-lubricating, stainless steel gears. Bronze bearings disc drag system, durable Lexan body. Bracket tapes to any bow. Salt water resistant.



No. 9990-0 Bow Reel
Efficient one-piece aluminum reel, equipped with spring wire line clip. Sturdy, yet lightweight. Tapes easily to any bow. Loaded with 50 ft. of 80 lb. test nylon line.



No. 9995-0 Shoot-Thru Bow Reel
7", shoot-thru reel mounts easily to your bow and has line holder to prevent line from paying out too soon when shooting at sharp downward angles. Loaded with 75 feet of 72 lb. test nylon line.



No. 9870-0 Double-Barbed Fishing Point
Fishing line attaches to lower section of point, which unscrews from the harpoon head. For 5/16" shaft.



No. 9825-0 "Sting-A-Ree" Fishing Point
Designed for big fish bow fishing. Ideal for gar, sharks and large rough fish. Long, extra-strength design for deep penetration. Large double-barb holds the big ones, retractable design. 5/16" shaft size.



No. 1540-0 Reel Bracket
Holds reel squarely and tightly. Light-weight, yet sturdy. black metal. Tapes to any bow.



No. 2770-0 Bow Fishing Arrow With Point
Durable solid glass shaft with rubber vanes. Has the weight to penetrate deeply into water. Two-color brush crest. Double-barbed harpoon point unscrews for easy withdrawal from fish. In easy-to-display package.



No. 2820-3 Bow Fishing Kit
Complete with 4" reel, line, barbed fishing arrow and "Tips On Successful Bow Fishing" booklet. Everything you need to shoot all types of game fish.



No. 9980-0 Bow Fishing Line
25 yards of braided nylon line, 70 lb. test. Spins easily off reel.

ben pearson



accessory assortments with free merchandisers

No. 6535-9

30 of the most needed archery accessories, conveniently blister packed and ready to display on Ben Pearson's attractive, deluxe metal floor merchandiser. (25" x 80") merchandiser FREE with purchase of assortment. Shipping weight: 28 lbs.

Quantity	Product No.	Product Description
6	1418-0 ✓	Hoyt Pro Rest
6	1434-9 ✓	Nok-Loks (Pair)
6	1440-9 ✓	String Silencer
6	1446-0 ✓	Bow Stringer
6	1447-0 ✓	Bow Tip Protector
6	1450-0 ✓	Camo Bow Sleeves (Pair)
6	1479-0 ✓	Tox-Nox (Pair)
6	1545-0 ✓	Kwik-Lok Arrow Holder
6	1891-0 ✓	Mohair Carpet Rest
6	6650-0 ✓	Bow String Wax
6	8520-0 ✓	Silent Bow Quiver
6	9405-2 ✓	Switch-On™ Broadhead Converter For Wooden Shafts (Dozen)
6	9425-2 ✓	Switch-On™ Broadhead Adapter
6	9652-2 ✓	Indx Nock 5/16" (Dozen)
6	9663-2 ✓	Indx Nock 11/32" (Dozen)
6	9670-0 ✓	Buck Scent
6	9770-9 ✓	Brush Buttons
6	9802-2 ✓	Parallel Target Points 5/16" (Dozen)
6	9815-2 ✓	Pearson Switchblade™ Auxiliary Blades (Dozen)
6	9820-1 ✓	Switch-On™ Field Points — 125 Grains (Half-Dozen)
6	9823-2 ✓	Parallel Field Points 11/32" (Dozen)
6	9825-0 ✓	Sting-A-Ree Fish Point
6	9843-2 ✓	5° Tapered Field Points 11/32" (Dozen)

6	9870-0 ✓	Double-Barbed Fish Point
6	9875-0 ✓	Broadhead Sharpener
6	9885-9 ✓	Pearson Switchblade™ Broadhead (3)
6	9910-0 ✓	Fletching & Nock Cement
6	9925-0 ✓	Hunter Sight
6	9935-0 ✓	Hot-Melt Broadhead Cement
6	9980-0 ✓	Bow Fishing Line

No. 6545-9

A 16 accessory display assortment complete with metal merchandiser and handsome header. Efficient and convenient. (16" x 31") merchandiser FREE with purchase of assortment. Shipping weight: 17 lbs.

Quantity	Product No.	Product Description
6	1434-9 ✓	Nok-Loks (Pair)
6	1440-9 ✓	String Silencer
6	1446-0 ✓	Bow Stringer
6	1450-0 ✓	Camo Bow Sleeves (Pair)
6	1891-0 ✓	Mohair Carpet Rest
6	6650-0 ✓	Bow String Wax
6	8520-0 ✓	Silent Bow Quiver
6	9425-2 ✓	Switch-On™ Broadhead Adapter (Dozen)
6	9652-2 ✓	Indx Nock 5/16" (Dozen)
6	9663-2 ✓	Indx Nock 11/32" (Dozen)
6	9770-9 ✓	Brush Buttons (Pair)
6	9802-2 ✓	Parallel Target Points 5/16" (Dozen)
6	9843-2 ✓	5° Tapered Field Points 11/32" (Dozen)
6	9870-0 ✓	Double Barbed Fish Point
6	9885-9 ✓	Pearson Switchblade® Broadhead (3)
6	9910-0 ✓	Fletching & Nock Cement

ADDED 1973 CATALOG

ADDED 1973 CATALOG

BEN PEARSON® COMPOUND BOW LIMITED TWO YEAR WARRANTY

Each Ben Pearson Compound Bow is numbered and accompanied by a warranty and owner's registration card. To validate warranty, this card must be filled out and mailed to Ben Pearson Archery, Pine Bluff, Arkansas 71601, WITHIN TEN DAYS AFTER PURCHASE. If failure occurs in a registered bow within two years, Ben Pearson will repair or replace in accordance with the timetable below, providing the bow does not show evidence of misuse, improper handling, utilization of unauthorized hardware or replacement parts, tune length adjustments, or limb damage due to improper stringing.

Incidental and/or consequential damages are excluded from this warranty. Some states do not allow exclusion of incidental or consequential damages, so this exclusion may not apply to you.

In the event that government regulations in the jurisdiction of purchase may require information other than that given here, then this warranty shall be null and void.

Before returning bow, please write a note to explain details of failure. Include compound bow model number, serial number, bow weight and date of purchase. Ben Pearson will mail shipping instructions and a form authorizing your shipment. We will not be responsible for unauthorized shipments.

BOW: RISER AND LIMBS

TIMETABLE	First 12 months from date of purchase	12 to 18 months from date of purchase	18 to 24 months from date of purchase
REPAIR OR REPLACEMENT CHARGE	No Charge	25% of Purchase Price	50% of Purchase Price

HARDWARE: LIMITED SIX MONTH WARRANTY ALL BOW APPURTENANCES (EXCEPTING STRING & REST) WHICH ARE A PART OF THE MANUFACTURER'S ORIGINAL EQUIPMENT.

TIMETABLE	First 6 months from date of purchase
REPAIR OR REPLACEMENT CHARGE	No Charge

BEN PEARSON® LAMINATED BOW LIMITED TWO YEAR WARRANTY

Each Ben Pearson Laminated Bow is numbered and accompanied by a warranty and owner's registration card. To validate warranty, this card must be filled out and mailed to Ben Pearson Archery, Pine Bluff, Arkansas 71601, WITHIN TEN DAYS AFTER PURCHASE. If failure occurs in a registered bow within two years, Ben Pearson will repair or replace in accordance with the timetable below, providing the bow does not show evidence of misuse, improper handling, or limb damage due to improper stringing.

Incidental and/or consequential damages are excluded from this warranty. Some states do not allow exclusion of incidental or consequential damages, so this exclusion may not apply to you.

In the event that government regulations in the jurisdiction of purchase may require information other than that given here, then this warranty shall be null and void.

Before returning the bow, please write a note to explain details of failure. Include bow name, serial number, weight and date of bow's purchase. Ben Pearson will mail shipping instructions and a form authorizing your shipment. We will not be responsible for unauthorized shipments.

TIMETABLE	First 12 months from date of purchase	12 to 18 months from date of purchase	18 to 24 months from date of purchase
REPAIR OR REPLACEMENT CHARGE	No Charge	25% of Purchase Price	50% of Purchase Price

All Ben Pearson product photos, descriptions and specifications appearing in this catalog are current and accurate at time of publication. However, in our continuing effort to provide you with the most up-to-date improvements in product quality and performance, products, specifications and materials could change without prior notice before the next publication of this catalog appears.

At Ben Pearson, talk's not cheap — it's free.
Call on us 24 hours a day on our Toll-Free Hot Line.

1-800-331-4661



ben pearson archery

POST OFFICE BOX 270, TULSA, OKLAHOMA 74101

ben pearson

A BRUNSWICK COMPANY