### Corrigendum

#### EXTENSION OF TENDER SUBMISSION DATE

1. Tender Reference No- 4606 Dated 23.01.2018

This notification is in continuation of the Notice Inviting Tender published by Jharkhand Silk, Textile & Handicraft Development Corporation Ltd (JHARCRAFT), Ranchi on 27<sup>th</sup> August 2018, for Supply of Machines, Installation & on hand Machine Operator Hand holding Training for 90 days in various Handicrafts units in Jharkhand.

The revised date and time for submission of bids is 18<sup>th</sup> September, 2018 by 3:00 pm. at the head office of Jharcraft situated at DIC Campus, Ratu Road, Ranchi.Bids shall be opened on 19<sup>th</sup> September, 2018 at 12 noon at Jharcraft head office,Ratu Road,Ranchi.

The Change in description of supply of machines, installation & on hand holding machines operating hand holding training for 90 days in handicrafts unit in Jharkhand for 4 CFC of bamboo craft manufacturing will be as follows:-

- The Bidder should submit single price bid for all bamboo 4 CFC items mentioned in bid document & the Single Completed price of 100% Items of all bamboo CFC will be considered as L1 Price.
- 2. The Payment % will be applicable for the quoted basic price of the Machines & Services. The Bidder will get 100% tax amount in all stages of the payment.
- 3. The Turnover of the bidder should by twice of the bid amount mentioned in the technical bid.
- 4. The Consumable used during the Machine Operator training will be provided by the CFC beneficiary at the time training of to the trainer.
- 5. EMD amounting of Rs.4, 00,000/-(Four lakh only) shall be submitted in favour of õJharkhand Silk Textile & Handicraft Development Corporation Ltdö.
- 6. Tender fee for participation in the bidding is Rs.10, 000/- Other terms & condition will be same as per tender published on 27.08.2018.
- 7. Bank guarantee should be submitted in favour of Managing Director, Jharcraft, Ranchi.
- 8. Technical and Financial bid should be submitted in separate envelope covered by third envelope at Jharcraft head office Ranchi.
- 9. The revised machine specification of Bamboo CFC are as below:-

### ANNEXURE-1

### (In the letter of the firm)

# 1. CFC at Berhait, Sahebgan

	01	CFC AT BERHAIT, SAHEBGAN		
SL No-	MACHINERY	Modified Technical specifications	QTY	RATE
	Bamboo Hydraulic	2 Meter stroke, Including 5 HP Motor, control panel,	-	KATE
1	splitter Machine	hydraulic oil, And Grill 4 Nos Four grill of no 6, 8, 10, 12, Crompton make Motors	1	
2	Bamboo Parallel Splitter Machine	with side rail and movable carrge for 1.2 meter cutting 5 HP, Ground Spacers, Adjustable height etc. With spare TCT cutter set- 2 nos, Crompton make Motors	1	
3	Bamboo Ext Knot Removing Machine	Motor 1.5 HP Motor of standard make and starter ISO make TCT Heavy duty Ext Knot removing cutter- dynamically balanced, Fully Covered body for higher safe, with spare Knot removing cutter- 1 nos, Crompton make Motors	1	
4	Solid Bamboo Join Machinery & Joinery hole making machine Set	Motor- Crompton make- 1 HP, Including Starter and carbide tipped drill with flat end, holding  V shaped for proper bamboo clamping. Motor - 2 HP 2 nos with carbide tipped cutter for cutting V Shape in Bamboo.  Complete drill set ranging from 15 mm/ 20 mm/ 25 mm/ 30 mm/ 35 mm/ 40 mm/ 45 mm/ 50 mm	1	
5	Planer (4side)	Motor Crompton make1 HP/ 1.5 HP feeder motor, with Gear box, 3 HP X 2, 1 HP X 2, Cutter motors with panel box, Should be quickly adjustable for width and thickness. Extra: one extra nos of all four cutters	1	
6	Pneumatic nail gun set with compressor	Coil use: 16 wire weld faster capacity: 100 faster capacity:100 Air pressing:5-8 bar (70-120psi)	1	
7	Bamboo turning machine for solid bamboo	Heavy Duty Machine with 80 mm dia as bore of spindle, high rpm spindle, big through chuck, customised big revolving centre, should be able to turn 6 ft long bamboo, weight: 1200 kg+, Crompton make Motor	1	
8	Spray painting booth	3m*2m*1m booth with compressor- 1HP & exhaust system & 1 Set of protective gear, Spray gun & accessories	1	
9	Universal woodworking cum bamboo application	Heavy Duty Universal Wood working machine with all the functions (gauge, surface, cutter, drill, slot, etc), Including a 3 HP, Motor and starter. Extra cutter set and blades, Crompton make Motors	1	
10	Bamboo Dryer, electrical	1400x1400x1400 with trolley/ rails/Air recirculation fan, control panel, total 12-15 Hp power	1	
11	Saw Sharpening machine	1 HP with fixture and wheel set. Should sharpen all the cutters , Crompton make Motors	1	

accessories, Crompton make Motors	12	Vacuum pressure treatment plant	Integrated/Potable unit, no civil construction required: 1 mt dia x 4 mt depth, including all pressure and vaccum pumps, Gauges, manifold, control panel, sight glass and all standard accessories, Crompton make Motors	1	
-----------------------------------	----	------------------------------------	--	---	--

Sl. No.	Machinery	Specification	Rate
1	Erection & commissioning	All Machines in THIS CFC	
2	90 Days handholding Training	All Machines in THIS CFC	

We agree to supply the above goods in accordance with the technical specifications within the period specified in the purchases order and the price will be remaining unchanged during the contract period. We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf will engage in bribery.

Note: The other Terms & Conditions are similar as bid published on 27.08.2018 and applicable on bidder.

Name & Business Address
(Seal of the firm)

### ANNEXURE-II

# (In the letter of the firm)

# 2. CFC at Shikaripara, Dumka

02		CFC at Shikaripara, Dumka		
SL No	MACHINERY	Modified Technical specifications	QTY	RATE
1	Bamboo Hydraulic splitter Machine	2 Meter stroke, Including 5 HP Motor, control panel- with limit switches, hydraulic oil, And Grill 4 Nos, Four grill of no 6, 8, 10, 12, Crompton make Motors, All standard fixtures and accessories.	1	
2	Bamboo Round stick making machines	3 Cutter machine(Two nos round and one nos planning cutter)-with more than 10 rollers- Hard, 3hp+3hp+1hp with gear boxbest quality, cutter to rotate at 4000+ rpm, cutter spindle to be made of allow steel, Machine fitted with DOL Started, Reverse & forward Switch, MCB etc. Extra cutter set(round and plain), qty 2 nos, PU Rollers: 20 nos extra, Crompton make Motors	1	
3	Bamboo Ext Knot Removing Machine	Motor 1.5 HP Motor of standard make and starter ISO make, TCT Heavy duty Ext Knot removing cutter- dynamically balanced, Fully Covered body for higher safe, with spare Knot removing cutter- 1 nos, Crompton make Motors	1	
4	Bamboo slice/ strip making machine	6 Rollers should be of EN24/20mncr5 material, hardened to 55 HRC, HCHCr blade. easy adjustability of blade, heavy and sturdy fixture and clamping, All rollers serrated, Sturdy Arrangement, 2 HP Motor, Crompton make Motors	1	
5	Bamboo sticks polishing machine	power 2 HP Crompton electric motor, it should polish long sticks upto 6 ft, should have belts etc to polish	1	
6	Bamboo screen weaving loom	2 Mt wide weaving power loom for bamboo strip and bamboo square, round stick with motor, power feeding system and all accessories	1	
7	Bamboo screen edge sewing machine	221- stitch advance sewing machine with LCD screen, Stitch selection dail & automatic stitch length & width	1	
8	Bamboo screen edge sizing machine	2 mtr wide, with special blade and length adjustable system	1	
9	Stick sizing machine	3 HP, Crompton Motors, Use carbide cutter of very high number of tip 14" X 150 t or more, Frame to be made of Heavy Metal, Good clamping arrangement, All electrical etc	1	
10	Bobbin winder machine	Bobbin winder suitable for the bamboo screen weaving loom	1	
11	Bamboo Dyer	1400x1400x1400 with trolley/rail/air reticular fan, control panel, total 12-15 HP power	1	
12	Saw Sharpening machine	1 HP Crompton Motor, with fixture and wheel set. Should sharpen all the cutters with the set	1	
13	Vaccum pressure treatment plant	Integrated/Potable unit, no civil construction required: 1 mt dia x 4 mt depth, including all pressure and vacuum pumps, Gauges, manifold, control panel, sight glass and all standard accessories, Crompton make Motors	1	

Sl. No.	Machinery	Specification	Rate
1	Erection & commissioning	All Machines in THIS CFC	
2	90 Days handholding Training	All Machines in THIS CFC	

We agree to supply the above goods in accordance with the technical specifications within the period specified in the purchases order and the price will be remaining unchanged during the contract period. We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf will engage in bribery.

Note: The other Terms & Conditions are similar as bid published on 27.08.2018 and applicable on bidder.

Name & Business Address (Seal of the firm)

### ANNEXURE-III

### (In the letter of the firm)

### 3. CFC at Teliachak, Dumka

03		03 CFC at Teliachak		
S No	MACHINERY	SPECIFICATION	QTY	RATE
1	Bamboo Hydraulic splitter Machine	2 Meter stroke, Including 5 HP Crompton Motor, control panel- with limit switches, hydraulic oil, And Grill 4 Nos Four grill of no 6, 8, 10, 12, Crompton make Motors	1	
2	Bamboo thin slivering machine - Set	one nos Heavy slicer machine of 1.5 HP and 4 rollers- hardened and one nos machine of 1 HP Machine Thin Slicer, should be able to give thin slice of less than 1 m - All Crompton Motors	2	
3	Bamboo Ext Knot Removing Machine	Motor 1.5 HP Motor of Crompton make and starter ISO make  TCT Heavy duty Ext Knot removing cutter-dynamically balanced, Fully Covered body for higher safe, with spare Knot removing cutter- 1 nos	1	
4	CNC wire bending machine	CNC machine wire bending, Automatic and programmable, bend steel / stainless steel wires up to 5mm diameter	1	
5	Spot Welding machine & Butt welding Machine	8 kva with standard accessories, 1 Nos Spot Welding & 1 Nos Butt welding Machine	2	
6	Spray painting booth	3m*2m*1m booth with compressor- 1HP & exhaust system & 1 Set of protective gear, Spray gun & accessories	1	
7	Bamboo Dryer, electrical	1400x1400x1400 with trolley/ rails/Air recirculation fan, control panel, total 12-15 Hp power	1	
8	Saw Sharpening machine	1 HP with fixture and wheel set, Should sharpen all blades & cutters	1	
9	Vacuum pressure treatment plant	Integrated/Potable unit, no civil construction required: 1 mt dia x 4 mt depth, including all pressure and vacuum pumps, Gauges, manifold, control panel, sight glass and all standard accessories	1	

10	Powder coating plant	Booth chamber 48x48x48 inches, spray gun, accessories, Metal de greasing plant- 3 solution, Drier inclusive - Includes spray booth, Coating gun system, dryer- electrical etc	1		
----	----------------------	---	---	--	--

Sl. No.	Machinery	Specification	Rate
1	Erection & commissioning	All Machines in THIS CFC	
2	90 Days handholding Training	All Machines in THIS CFC	

We agree to supply the above goods in accordance with the technical specifications within the period specified in the purchases order and the price will be remaining unchanged during the contract period. We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf will engage in bribery.

Note: The other Terms & Conditions are similar as bid published on 27.08.2018 and applicable on bidder.

Name & Business Address
(Seal of the firm)

### ANNEXURE-IV

### (In the letter of the firm)

# 4. CFC at Basia,Jama,Dumka

	04	CFC at Baisa		
SL. No.	MACHINERY	SPECIFICATION	QTY.	RATE
1	HD Stitching machine bamboo	8700 DNLS - For heavy duty Bamboo mat stitching or equivalent ( Machine equivalent to Leather, Jute / Jeans stitching Application)	8	
2	Cutting machine with table	3 Mtr long x 1 Mtr wide x 1 Mtr height sunmica laminated, white colour cutting table and rotary fabric cutting machine with 4cm cutting blade	1	
3	Edge sewing machine	1-needle, Semi-long Flat Bed, Lockstitch Machine heavy duty heavy duty sewing machine suitable for sitting bamboo screen & mats	1	
4	Laser engrave & cutter	Cutting area(x,y):918x 610mm (3x2ft.) laser power: 80 watt  Driven system: stepper motor  Max cutting thickness: upto 15mm acrylic  Travelling speed: 3.1 to 400 mm/s  Reposition accuracy: 0.02mm  Min. leeter size: 1mm (english font)  XY movement system: belt transmission  Z-A axis movement: 180mm (optional)  power adjustable: 1 to 100  operating system: Win 7-32bit  interface: USB,  Supported format: Plt, BMP, JPG  Memory buffer: 256MB  Operating Display: 16key with graphic display  Working voltage: 220v/50hz(Reqd. earthing)	1	
5	Steam Generator set	One set of 6KW-12 KW fully automatic compact steam generator with two steam iron & two vacuum table with complete lighting system	1	
6	Vacuum Impregnation plant	Integrated/Potable unit, no civil construction required: 1 mtr. dia x 4 mtr. depth, including all pressure and vacuum pumps, Gauges, manifold, control panel, sight glass and all standard accessories.	1	
7	Vacuum lamination Machine	hgp 360 - 43ø*67" bed Size Vacuum lamination Machine with all standard accessories used for Polyethene Film Lamination over various surfaces	1	
8	Bamboo Dryer, electrical	1400x1400x1400 with trolley/ rails/Air recirculation fan, control panel, total 12-15 Hp power	1	
9	Hydraulic press machines	4ftx4ft platform, 10 ton flat hydraulic type press with power pack and motor	1	

10	Bamboo Turning Lathe	Heavy Duty Machine with 80 mm dia. as bore of spindle, high rpm spindle, big through chuck, customised big revolving centre, should be able to turn 6 ft long bamboo, weight: 1200 kg+	1	
11	Potable steam ironing Stations	31*28*41, 3.4kg 0.8kw, Vacuum pressure Ironing tables	1	

Sl. No.	Machinery	Specification	Rate
1	Erection & commissioning	All Machines in THIS CFC	
2	90 Days handholding Training	All Machines in THIS CFC	

We agree to supply the above goods in accordance with the technical specifications within the period specified in the purchases order and the price will be remaining unchanged during the contract period. We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf will engage in bribery.

Note: The other Terms & Conditions are similar as bid published on 27.08.2018 and applicable on bidder.

Name & Business Address
(Seal of the firm)