

West Virginia Department of Health & Human Resources

Berkeley County Health Department



Public Health
Prevent. Promote. Protect.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name New China	Facility Type Food Service Establishment	
Licensee Name New China WV INC	Facility Telephone # 304 262-8188	
Facility Address 203 Winchester Ave Martinsburg, WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 08/07/2017	Total Time Spent 1.45

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk in cooler	39
Wok case	41
Small fryer case	41
Soda cooler	41

Food Temperatures	
Description	Temperature (Fahrenheit)
Fried rice	142
Pork fried rice	138
Sweet and sour sauce	136
White rice	146
Soup base	176

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysanitizerKitchenbucket	chemchem		50-100	bleach	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 2</p> <p>Repeated # 1</p> <p>3-302.11 - PACKAGED AND UNPACKAGED FOOD - SEPARATION, PACKAGING, AND SEGREGATION</p> <p><i>This is a critical violation</i></p> <p>OBSERVATION: (CORRECTED DURING INSPECTION): When noodles are not being used, they need to be covered</p> <p>4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS</p> <p><i>This is a critical violation</i></p> <p>REPEAT OBSERVATION Peelers, sharp knives and choppers need re-cleaned</p>

Observed Non-Critical Violations

Total # 7

Repeated # 1

4-501.12 - CUTTING SURFACES

OBSERVATION: Cutting board needs bleached or resurfaced

4-502.11 - GOOD REPAIR AND CALIBRATION

OBSERVATION: Gaskets in several coolers need replaced, torn

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Stainless steel shelves in the wok area need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Drystock shelves need cleaned

6-202.15 - OUTSIDE OPENINGS, PROTECTED

OBSERVATION: Back door wide opened, must be closed or use a screen door

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Hood and ansul system pipes need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Walk in cooler fan covers need cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge



li pan

Sanitarian



Glenn GCO Ondick