

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name Subway Inwood	Facility Type Food Service Establishment	
Licensee Name R.M. Roach and Sons Inc.	Facility Telephone # 304 229-6779	
Facility Address 4803 Gerrardstown Rd Inwood , WV	Licensee Address ,	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 02/11/2019	Total Time Spent 1.00

<i>Equipment Temperatures</i>	
Description	Temperature (Fahrenheit)
Walk in cooler	40
Sandwich cooler	
Front cooler	
Soda cooler	
Meatballs	147

<i>Warewashing Info</i>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysanitizerBuck et	Chemical				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations

Total # 4

Repeated # 1

4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE

This is a critical violation

REPEAT OBSERVATION (***CORRECTED DURING INSPECTION***): Vegetable slicer needs cleaned

4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE

This is a critical violation

OBSERVATION: Lid storage containers need cleaned

4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE

This is a critical violation

OBSERVATION: (***CORRECTED DURING INSPECTION***): Soda nozzles need cleaned (mold)

7-201.11 - SEPARATION

This is a critical violation

REPEAT OBSERVATION (***CORRECTED DURING INSPECTION***): Harsh chemicals stored above 3-Bay sink (bathroom cleaner/glass cleaned/de-limer)

Observed Non-Critical Violations

Total # 6

Repeated # 1

3-305.11 - FOOD STORAGE

OBSERVATION: Food stored on floor of walk-in refrigerator and freezer (needs to be 6 inches off floor)

4-302.12 - TEMPERATURE MEASURING DEVICES

OBSERVATION: Thermometers needed in walk-in refrigerator (wall not reading)/refrigerator at front counter (missing)

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside of microwave needs cleaned

4-901.11 - EQUIPMENT AND UTENSILS, AIR DRYING REQUIRED

REPEAT OBSERVATION Clean black storage containers are being stored or stacked without being air-dried first..

4-903.11 - EQUIPMENT, UTENSILS, LINENS, AND SINGLE-SERVICE AND SINGLE USE ARTICLES

OBSERVATION: Utensils need to be stored handle up (meatball)

6-501.16 - DRYING MOPS

OBSERVATION: Mops need to air dry


Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian



Alexis Brinklow



Keith Allison