

West Virginia Department of Health & Human  
Resources  
Morgan County Health Department



**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Cacapon State Park	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone #	
Facility Address 818 Cacapon Lodge Dr Berkeley Springs, WV	Licensee Address	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date January 30, 2018	Total Time Spent 1.00

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Walk in Freezer	-5.5
Walk in Cooler	41
Cooler	32.5
Freezer	9.0
Desert Cooler	37
Condiment Cooler	41
Ice Cream Chest Freezer	7.5

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 0</b>
<b>Repeated # 0</b>

<b>Observed Non-Critical Violations</b>
<b>Total # 6</b>
<b>Repeated # 0</b>
<b>4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED</b> Observation: Pizza oven need cleaned. Corrective Action(s):
<b>4-602.13 - NONFOOD CONTACT SURFACES</b> Observation: Food residue on ice cream chest freezer. Corrective Action(s):
<b>4-602.13 - NONFOOD CONTACT SURFACES</b> Observation: Food residue on counter tops. Corrective Action(s):
<b>6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS</b>

Observation: Walk-in freezer needs cleaned (vents).  
Corrective Action(s):

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

Observation: Walk-in cooler needs cleaned (floor, shelves, walls)  
Corrective Action(s):

**6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION**

Observation: Hood vents need cleaned.  
Corrective Action(s):

***Inspection Outcome***

***Comments***

Disclaimer

Person in Charge

*Rebecca Shufflet*

Sanitarian

**Tim Zeigler**