

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name Latte' Da Cupcakery	Facility Type Food Service Establishment	
Licensee Name Latte' Da Cupcakery	Facility Telephone # 304 707-8237	
Facility Address 202 S Queen St Martinsburg , WV	Licensee Address 202 S Queen St Martinsburg , WV 25403	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 04/16/2019	Total Time Spent 1.00

<i>Equipment Temperatures</i>	
Description	Temperature (Fahrenheit)
display case	41
front cooler	38
chest freezer	-4.5
cooler	38

<i>Warewashing Info</i>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
bleachspraybottle	chemical				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<i>Observed Critical Violations</i>
Total # 0
Repeated # 0

ObservedNon-CriticalViolations

Total # 4

Repeated # 0

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Food residue on cooling equipment

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: (CORRECTED DURING INSPECTION): Light above 3 bay sink needs repaired

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Food residue on walls

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Moisture on floor behind chest freezer

Inspection Outcome

Facility will be re-evaluated at the next routine inspection.

Comments

Disclaimer

Person in Charge
Signature on File
Dolly Fergus

Sanitarian
Tim Zeigler
Cara N Harding