

West Virginia Department of Health & Human Resources Berkeley County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT


Establishment Information	
Facility Name Mill Creek Intermediate School	Facility Type Food Service Establishment
Licensee Name Berkeley Co. Board of Education	Facility Telephone # 304
Facility Address 8785 Winchester Ave Bunker Hill, WV	Licensee Address ,

Inspection Information		
Inspection Type Routine	Inspection Date May 02, 2019	Total Time Spent 1.25

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk-in Cooler	36
Hot Box	not in use
True-Pass Through Cooler	37
Milk cooler wall	29
Milk cooler center	35
True-Pass Through Warmer	156

Food Temperatures	
Description	Temperature (Fahrenheit)
chicken pieces	145-151
broccoli	141
egg rolls	147

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Dish Machine	Heat	170			
Bucket	chemical		200		
quat spray bottle	chemical		200		



OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

Observed Non-Critical Violations

Total # 4

Repeated # 0

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: few areas on walkin shelving need cleaned (underneath)

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: dishroom walls need painted and wall above handsink

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: left side hood lights not working

6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION

OBSERVATION: hood filters need cleaned

Inspection Outcome

Comments

*Slicer possibly being used by other employees-do not use in kitchen?

Disclaimer

Person in Charge



Sanitarian



Amy ARE Edwards