

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name Solo, Solo S

Other means of identification

Product Code FM9004/FM9005

UN/ID No UN1719

**Document** FM9004-1/FM9004-5 -FM9005-1/FM9005-5/FM9005-2.5

Recommended use of the chemical and restrictions on use
Recommended use

Dishmachine Detergent

Details of the supplier of the safety data sheet

**Distributor** 

Accurate Companies 731 W. Fairmont Dr. Tempe, AZ 85282

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC: 1-800-424-9300 (NORTH AMERICA)

1-703-527-3887 (INTERNATIONAL)

Company Phone Number 602-996-9191

# 2. HAZARDS IDENTIFICATION

#### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

#### Label elements

### **Emergency Overview**

#### Danger

#### **Hazard Statements**

Causes severe skin burns and eye damage



Appearance Transparent Physical state Liquid Odor Characteristic



Version 1.0 Issuing Date 06/1/15

#### **Precautionary Statements - Prevention**

- Do not breathe dust/fume/gas/mist/vapors/spray
- Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

- Immediately call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

#### Other information

Unknown Acute Toxicity

3.67% of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight-%	Trade Secret
Sodium hydroxide	1310-73-2	10% - 20%	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

# First aid measures for different exposure routes

General advice Show this safety data sheet to the doctor in attendance. Immediately call a POISON

CENTER or doctor/physician.

Eye contact Flush with flowing water for 15 minutes & see physician.



Version 1.0 Issuing Date 06/1/15

**Skin contact** Immediately flush skin with plenty of water for at least 15 minutes while removing

contaminated clothing and shoes. Call a physician, immediately. Wash clothing before

re-use.

**Inhalation** Remove to fresh air. If breathing has stopped, apply suitable artificial respiration. Get

medical help.

**Ingestion** DO NOT induce vomiting. Give large amounts of water if victim is conscious. Never give

anything by mouth to an unconscious person. Get medical attention immediately. Rinse

mouth.

**Protection of First-aiders**Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce

artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device.

Most important symptoms/effects, acute and delayed

Main Symptoms The most important known symptoms and effects are described in the labelling in section 2

and/or in section 11.

Indication of immediate medical attention and special treatment needed. if necessary

**Notes to physician** Probable mucosal damage may contraindicate the use of gastric lavage.

### 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Use water spray or fog, foam, dry chemical, carbon dioxide, alcohol foam, if product is involved.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

Use water spray to cool adjacent fire exposed containers. Product will not burn but may splatter if temperature exceeds boiling point.

**Hazardous Combustion** 

**Products** 

If burned, normal combustion products: Carbon dioxide, Carbon monoxide; Nitrogen oxides.

Hydrogen gas in contact with some metals.

**Explosion Data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

#### **Protective Equipment and Precautions for Firefighters**

Avoid exposure to fumes or vapors. Protect eyes and skin from contact. Wear self-contained positive pressurized breathing apparatus MSHA/NIOSH Approved or equivalent to maintain TLV.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Use personal

protective equipment. Wash face, hands and any exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product. Do not breathe

dust/fume/gas/mist/vapors/spray.

Other information Common Weak Acids suitable for neutralizing caustic alkalis: acetic acid, citric acid, lemon

juice, tartaric acid, vinegar.



Version 1.0 Issuing Date 06/1/15

**Environmental precautions**Neutralization is normally necessary before waste water is discharged into water treatment

plants. See Section 12 for additional Ecological Information.

#### Methods and materials for containment and cleaning up

Methods for Containment Neutralize with dilute acid or sodium bicarbonate. Prevent further leakage or spillage if safe

to do so.

Methods for cleaning up Neutralise with a weak acid. Soak up with inert absorbent material. Sweep up and shovel

into suitable containers for disposal. After cleaning, flush away traces with water.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or

using toilet facilities. Wash thoroughly after work using soap and water. Do not eat, drink or

smoke when using this product.

### Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep container in cool well-ventilated area. Keep container tightly closed. Store away from

incompatible materials. Keep out of the reach of children.

**Incompatible products** Strong acids, reactive metals (i.e. aluminum or zinc).

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide	-	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
1310-73-2		_	Ceiling: 2 mg/m <sup>3</sup>

NIOSH IDLH: Immediately Dangerous to Life or Health

#### Appropriate engineering controls

Engineering Measures Ensure adequate ventilation and that running water is available for washing eyes and skin Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Splash-proof chemical goggles or face shield.

**Skin and body protection** Impervious rubber, alkali-proof protective gloves. Impervious rubber boots & apron..

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**Hygiene measures**Do not eat, drink or smoke when using this product. Remove and wash contaminated

clothing before re-use.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Physical and chemical properties

Physical state Liquid



Version 1.0 Issuing Date 06/1/15

Appearance Transparent Odor Characteristic

Color Red Odor Threshold No information available

 $\pm 0.5$ 

<u>Property Values Remarks • Methods</u>

Melting/freezing pointNo information availableBoiling point/boiling range100 °C / 212 °F

10

Flash Point No information available

Evaporation rate GT 1.00

Flammability (solid, gas) No information available

Flammability Limits in Air

Hq

Upper flammability limitNo information availableLower flammability limitNo information available

Vapor pressure 17 Vapor density 0.62 Specific Gravity 1.30

Water solubility Completely Soluble Solubility in other solvents No information available Partition coefficient: n-octanol/waterNo information available **Autoignition temperature** No information available **Decomposition temperature** No information available No information available Viscosity, kinematic Viscosity, dynamic No information available **Explosive properties** No information available **Oxidizing Properties** No information available

Other information

Softening point No information available Molecular Weight No information available

VOC Content(%) Negliggible Density VALUE 10.8

Bulk Density VALUE No information available

### 10. STABILITY AND REACTIVITY

#### **Chemical stability**

Stable.

#### Possibility of hazardous reactions

None under normal processing.

#### **Conditions to Avoid**

Extremes of temperature and direct sunlight.

#### **Incompatible Materials**

Strong acids, reactive metals (i.e. aluminum or zinc).

# **Hazardous Decomposition Products**

If burned, normal combustion products: Carbon dioxide, Carbon monoxide; Nitrogen oxides. Hydrogen gas in contact with some metals.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Product Information Harmful if swallowed Causes severe skin burns and eye damage

**Inhalation** Corrosive to respiratory system.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.



Version 1.0 Issuing Date 06/1/15

**Skin contact** Causes burns.

Ingestion Causes gastrointestinal tract burns. Causes severe pain, nausea, vomiting, diarrhea, and

shock.

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Sodium hydroxide 1310-73-2	140 mg/kg (Rat)	= 1350 mg/kg ( Rabbit )	-

#### Information on toxicological effects

**Symptoms** No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization**No information available. **Mutagenic effects**No information available.

**Carcinogenicity** Contains no ingredient listed as a carcinogen.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

**Chronic toxicity** No information available. Avoid repeated exposure.

**Aspiration hazard** No information available.

#### Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 3.67% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 1803604 mg/kg ATEmix (dermal) 7353 mg/kg

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

5.8913% of the mixture consists of components(s) of unknown hazards to the aquatic environment

	Chemical Name	Algae/aquatic plants	Fish	Crustacea
	Sodium hydroxide	-	45.4: 96 h Oncorhynchus mykiss	-
	1310-73-2		mg/L LC50 static	

# Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS


#### Waste treatment

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

Page 6/8





Version 1.0 Issuing Date 06/1/15

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status	
Sodium hydroxide	Toxic Corrosive	
1310-73-2		

# 14. TRANSPORT INFORMATION

DOT Regulated UN/ID No UN1719

**Proper shipping name** Caustic Alkali Liquid, n.o.s. (Sodium Hydroxide)

Hazard class 8
Packing Group II
Emergency Response Guide 154

Number

### 15. REGULATORY INFORMATION

#### Leaend:

TSCA - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no



Version 1.0 Issuing Date 06/1/15

**Reactive Hazard** Yes

### **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2	1000 lb	-	-	X

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium hydroxide 1310-73-2	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ

# U.S. State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### **U.S. State Right-to-Know Regulations**

This product contains substances regulated by state right-to-know regulations.

1	3 , 3	0	
Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium hydroxide	X	X	X
1310-73-2			

### U.S. EPA Label Information

**EPA Pesticide Registration Number** Not applicable

# **16. OTHER INFORMATION**

<u>NFPA</u> **Health Hazards** 3 Flammability 0 Instability 1 Physical and chemical hazards COR

**HMIS** Health hazard 3 Flammability 0 Physical Hazards 1 Personal protection X

**Prepared By Accurate Companies** 

731 W. Fairmont Dr. Tempe, AZ 85282 01-June-2015

Issuing date **Revision Date Revision Note Disclaimer** 

# The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**