

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

| Establishment Information | | |
|---|--|---------------------------------|
| Facility Name Corner Cafe | Facility Type Food Service Establishment | |
| Licensee Name Berkeley Medical Center | Facility Telephone # 304 | |
| Facility Address 880 N Tennessee Martinsburg , WV | Licensee Address , | |
| Inspection Information | | |
| Inspection Type Routine | Inspection Date 03/02/2020 | Total Time Spent 1.23 |

| Equipment Temperatures | |
|-------------------------------|--------------------------|
| Description | Temperature (Fahrenheit) |
| Front cooler left | 41 |
| Front cooler right | 40 |
| Small true cooler | 39 |

| Food Temperatures | |
|--------------------------|--------------------------|
| Description | Temperature (Fahrenheit) |
| Fish | 153 |
| Mashed potatoes | 91 |
| Greenbeans | 92 |
| Soup | 136 |
| Hot sandwiches | 135 |

| Warewashing Info | | | | | |
|-------------------------|---------------------|--------------|---------|----------------|----------------|
| Machine Name | Sanitization Method | Thermo Label | PPM | Sanitizer Name | Sanitizer Type |
| 3baysanitizer | chem | | 300-400 | | |

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

| Observed Priority Violations |
|---|
| Total # 1 |
| Repeated # 0 |
| 3-501.16 (Hot) - TCS, HOT HOLDING |
| OBSERVATION: Mashed potatoes and greenbeans 91-92F, must be hot held 135F or above |

| Observed Priority Foundation Items |
|---|
| Total # 1 |
| Repeated # 0 |
| 7-102.11 - COMMON NAME |
| OBSERVATION: Working container quat sanitizer not labeled with contents. |

Observed Core Violations

Total # 1

Repeated # 0

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside the small cooler needs cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian



Glenn GCO Ondick

Penny Curry