



**6"x4'-0" 8 STRAND SEAWALL**

CONCRETE STRENGTH = 6000 PSI @ 28 DAYS

STRAND = 1/2" 270K LO LAX UNIT WT(LB/SF) - 73 AREA (SQ. IN.) - 288

**CAST IN PRODUCTS**

MARK	QTY.	DESCRIPTION
501	2	#5 x 1'-6" HAIRPIN
402	2	#4 x 3'-5"
403	1	#4 x 2'-9"

**SECTION PROPERTIES**

AREA (SQ. IN.)	288	WEIGHT (LB.)	75 lbs./sq.ft.
----------------	-----	--------------	----------------

**RJW Consulting International, Inc.**  
 2518 Catalina Dr. Orlando, FL 32805  
 (407) 493-7573 rick@rjwconsultinginc.com  
 www.rjwconsultinginc.com

Prepared For:

**HENDERSON  
 PRESTRESSED  
 CONCRETE, INC.**  
 822 ANCLOTE RD.  
 TARPON SPRINGS, FL 34689  
 (727) 938-2828

DRAWN: RJW ISSUED (PRELIM.): 11/12/13

CHECKED: ISSUED (PRODUCTION):

Project:

**6" x 4'-0" SEAWALL (8 STRAND)**

REVISIONS			QUANTITY
REV.	DATE	DESCRIPTION	MARK NO.

NOTE: THIS DRAWING IS THE PROPERTY OF HENDERSON PRESTRESSED CONCRETE, INC. (HPC) AND SHALL NOT BE REPRODUCED MEANS WITHOUT THE EXPRESSED WRITTEN CONSENT OF HPC

DWG. NO.