INSPECTION CERTIFICATE

Name: Elevator

Type: SLX 41/2/15.

Dispatch No. 81152

The elevator is designed and manufactured in according to API spec 8A/8C. It has been qualified through inspection and allowed to dispatch.

Inspector: Song Jian Hua

Date:



JIANGSU RUDONG GENERAL MACHINERY CO.LTD

LOAD TEST REPORT

Sample source		SI.NO.: QR350-					
		Set up at plant					
Description		Elevator	Туре	SLX4.1/2/150	Qty.	1Pcs	
Method of sample		100%	Sample Qty.	1	Sample No	81152	
Test std		API Spec 8C	Character	Leave factory	Condition	20℃	
Test equipment	Name	Test-bed of compute control	Туре	YEW-10000F	Equipment No.	301	
	Precision	±1.0%	Period of validity	09.08.07	Test Date	07.08.0	
Load rating		150ton	Test load	225ton	Load time	5 mins	
		RI	ESULT				
Actual te	st load	225ton(2025kN)	Load-Time				
Test EST RESULT:	One (1)kN=2	00 100.0 200.0 3 Time (s)	00.0 400.0 500	•			
Remark Inspector : So				OFDICAT:	Geal S		

Inspector: Song Jian Hua


Engineer: Yin Zhi Gao

JIANGSU RUDONG GENERAL MACHINERY CO.,LTD MAGNETIC PARTICLE INSPECTION CERTIFICATE

NO · OROAO

	NO.: QR049-		
Casing Elevator	Туре	SLX4.1/2/150	
81152	Qty.	1 (Pcs)	
Alloy steel	Face estate	12.5/	
Quenching and Tempering	Area thickness	See below	
CEW-6000	Method of Magnetization	Continuum	
Fluorescence	Sensitivity	A 15/100	
>800uW/cm ²	Acceptance Std	GB9444 ASTM E709	
	Alloy steel Quenching and Tempering CEW-6000 Fluorescence >800uW/cm²	Casing Elevator 81152 Qty. Alloy steel Quenching and Tempering CEW-6000 Method of Magnetization Fluorescence Sensitivity	

rest extent and place of assess casing:



Find type of disfigurement and dimension(give clear indication of position in up map):

Nonexistence

Quality grade of assess and/or conclusion:

OK

Inspector	Wu Zeng Yi	Auditing	Ge Wei Bing	Date(Badge of department)	11/26/2008
-----------	------------	----------	-------------	---------------------------	------------

JIANGSU RUDONG GENERAL MACHINERY CO., LTD Low Temperature Test Report

No.: QR-

Casing Elevator	Туре	SLX4.1/2/150
Serial No. 81152 Qty		1 (Pcs)
Alloy Steel	Sample Size	10X10X55
V-type	Test Temperature	-40℃
JB30B	Tester Against Energy	150J
2009.09.19	Test Method	GB/T229-1994
Acceptance Standards API Spec 8C PSL-2 Shock Absorption Power		39、40、39
	Alloy Steel V-type JB30B 2009.09.19	Alloy Steel Sample Size V-type Test Temperature JB30B Tester Against Energy 2009.09.19 Test Method API Spec 8C PSL-2 Shock Absorption

OK

Inspector: Wu Zeng Yi Audit: Ge Wei Bing

Date: 11/26/2008