WEST VIRGINIA Department of Health & Human Resources
BUREAU FOR PUBLIC HEALTH

West Virginia Department of Health & Human Resources

Berkeley County Health Department

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of **Priority** items and 10 calendar days for **Priority Foundation** items or **HACCP** Plan deviations. (§ *64 C.S.R. 17-3.1.j.*)

OBSERVATION TOTALS PRIORITY: 3 PRIORITY FOUNDATION: 1
CORE: 6 TOTAL: 10

ESTABLISHMENT: Burger King Spring Mills PERMIT NO.: DATE: 8/20/2019
ADDRESS: 66 Cordial Court CITY: Martinsburg STATE: WV ZIP: 25404
PERSON IN CHARGE/TITLE: X Barb Hess TELEPHONE:
RECEIVED BY (SIGNATURE): X Barb Hess SANITARIAN (SIGNATURE):
INSPECTION TYPE: ROUTINE ☑ FOLLOW-UP ☐ COMPLAINT ☐ OTHER: TIME: 2:15 pm

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
	✓		4-602.11	Ice Machine chute needs cleaned (Mold)
			6-501.11	Outlet cover missing under Ketchup/Mustard dispensers.
✓	✓		4-602.11	Tomatoe slicer needs cleaned (stored not clean)
			4-501.11	Hamburger storage freezer slide top needs repaired (bent)
			6-501.14	Hamburger grill hoods need cleaned.
			4-501.11	Gasket on specialty freezer needs replaced (torn)
✓			4-302.12 PF	Thermometer needed in dessert refrigerator (broken)
	✓		4-602.11	Soda Nozzles at Drive-Thru need cleaned (moled)
			6-501.11	Soap dispensers in bathrooms need repaired.
			6-501.12	Drain under soda machine in Lobby needs cleaned.

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
Walk-In	40°	Taco	163°	Dessert Refrig	40°		
3-Bay	400 ppm	Bucket	400ppm				
Frappe Cold Hold	38°	Whopper	154°				
Chicken Nuggets	164°	Cooler Under Line	39°				