

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

CHILD CARE CENTER INSPECTION REPORT

Establishment Information	
Facility Name RESA VIII School House Rd.	Facility Type Child Care Center
Licensee Name RESA VIII Head Start	Facility Telephone # 304
Facility Address 143 School House Rd Hedgesville, WV	Licensee Address ,

Establishment Details	
Adult to Child Ratio	

Inspection Information		
Inspection Type Routine	Inspection Date 03/12/2018	Total Time Spent 0.85

OPERATOR - The violations in operating procedure or physical arrangement indicated below must be corrected by the next routine inspection or by a date specified in this report.

Observed Violations
<p>Total # 3 Repeated # 0</p> <p>14.1 - All areas and equipment of the child care center shall be kept clean and in good repair and in a neat and orderly condition at all times. Indoor environmental surfaces associated with children's activities, such as table tops, shall be cleaned and disinfected. OBSERVATION: Tall shelf around the top of the stairs needs dusted</p> <p>14.1 - All areas and equipment of the child care center shall be kept clean and in good repair and in a neat and orderly condition at all times. Indoor environmental surfaces associated with children's activities, such as table tops, shall be cleaned and disinfected. OBSERVATION: Lower level hand sinks need recaulked</p> <p>14.1 - All areas and equipment of the child care center shall be kept clean and in good repair and in a neat and orderly condition at all times. Indoor environmental surfaces associated with children's activities, such as table tops, shall be cleaned and disinfected. OBSERVATION: Bent ceiling tile needs replaced upstairs in ramp area</p>

Inspection Outcome

Comments

Disclaimer

Person in Charge



J Yvonne Eckenrode

Sanitarian



Glenn GCO Ondick