

West Virginia Department of Health & Human  
Resources  
Morgan County Health Department



**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Angus & Ale	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone #	
Facility Address 146 Southridge Drive Berkeley Springs, WV	Licensee Address	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date June 21, 2019	Total Time Spent 1.00

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Walk in Cooler	36
Freezer	10
Chest Freezer	-6
Sliding Cooler	40
Freezer	6
Cooler	37
Condiment Cooler (Near Microwave)	40
Condiment Cooler	40
Freezer	8
Desert Cooler	
Bar Cooler	38.5

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 0</b>
<b>Repeated # 1</b>

<b>Observed Non-Critical Violations</b>
<b>Total # 3</b>
<b>Repeated # 1</b>
<p><b>4-602.13 - NONFOOD CONTACT SURFACES</b>            Observation: Food residue in microwave.            Corrective Action(s):</p>
<p><b>6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS</b>            Observation: Women's restroom needs cleaned.            Corrective Action(s):</p>
<b>6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION</b>

REPEAT OBSERVATION Hood vents need cleaned.  
Corrective Action(s):

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge

Sanitarian

*Brandi Kys*

Tim Zeigler