



SPARK YOUR OWN BACKYARD REVOLUTION





MASTER-TOUCH® 22 INCH CHARCOAL GRILL

FIRE UP THE POSSIBILITIES



GOURMET BBQ SYSTEM HINGED COOKING GRATE

Transform your grill into a complete cooking center with mix-and-match cookware. Cookware sold separately, see page 16.



TUCK-AWAY™ LID HOLDER Allows you to easily move your lid to the side.

CHAR-BASKET™ CHARCOAL FUEL HOLDERS
Accommodates the right amount of charcoal for indirect cooking. Set of 2.

WARMING RACK

For additional cooking space.

FULL PRODUCT FEATURES, SEE PAGE 29





WWW.WEBER.COM®
FOR MORE INFORMATION ON THESE GRILLS.



WHY WEBER?

QUALITY

Since 1952 Weber has been a staple in backyards. We're in it for the long haul. We back our products with generous warranties and a lifetime of customer service. We have the most rigorous quality control measures in the industry. It's not good enough until we've proved it. This is why every grill is inspected and lit before it leaves our factory to ensure that only perfection arrives in your backyard.

PERFORMANCE

A Weber® grill will always perform well above the rest. Each lid, bowl, body, and cookbox is solid, sturdy, and carefully engineered. We've spent endless hours perfecting our cooking systems. Our unique designs allow circulation for even cooking, grilling at any temperature, and the promise of mouthwatering results.


PERKS

We believe our responsibility continues when the grill arrives in your backyard. Weber Nation, the heart of Weber has it all; stories, techniques, videos, and lessons. Download our FREE Weber® grill app; browse the latest and greatest Weber® products. Each week, a new and original grilling recipe will be delivered to your device and added to the app's recipe collection of mouthwatering classics.

OUR PROMISE

We don't believe in leaving anything to chance because at Weber, only the best will do. Every detail matters. All of us at Weber take great pride in delivering the most awesome grilling experience. This is what it takes to be the best, and at Weber only the best will do. In our minds, this is not a badge, this is a promise.

weberkett



GRILLS YOU CAN NOW HAVE ALL THE FRESH, GRILLED FLAVORS YOU LOVE ANYTIME, ANYWHERE. Q™ 1000™ gas grill Q™ 2200™ gas grill

CHANGE THE WAY YOU SEE GRILLING

Q^{1M} GRILLS Weber &





Q™ 1000 SERIES GAS GRILLS

MODELS: 0™ 1000™ LP gas grill 0" 1200" LP gas grill



NEW EXPERIENCES AT HOME OR ON THE GO

The Q" 1000 gas grill series is perfect for the griller on the go. The small, portable design makes it easy to cook a delicious meal while away from home. The grates heat up quickly and evenly so that your food is ready when you are, wherever you are. Seeking out a new adventure? Take your Q" grill along for the ride!

Q™ 2000 SERIES **GAS GRILLS**

> MODELS: Q" 2000" LP gas grill 0" 2200" LP gas grill



SERIOUS POWER WITH PLENTY OF CAPACITY

The Q™ 2000 gas grill series is designed with the traveling griller in mind. Whether you're camping, tailgating, or simply relaxing in the backyard, grilling up your favorite food has never been easier. The sleek design, ergonomic carrying handle, and ample cooking area make it possible to perfect that succulent steak and juicy burger at


ENJOY THE LIFESTYLE

WITH WEBER® Q™ ACCESSORIES





Griddle lavailable for Q" 1000/2000/3000 series)



GREAT OPPORTUNITIES WITH THE 'WOW-EFFECT'

Impress your friends and family with a sporty, chic Q™ 3200 gas grill. This lightweight and easy to maneuver grill is perfect for cooking out in the yard, and also excellent for use on city balconies and patios. Stylish on the outside, and will cook a



Q™ ELECTRIC SERIES **GRILLS**

MODELS: Q" 1400" electric grill 0" 2400" electric grill



LIGHT UP THE BLOCK JUST PLUG-N-PLAY

The Q" Electric grill series was designed with the urban griller in mind. This grill is ideal for apartment buildings that restrict gas and charcoal grills on their patios or balconies. Simply plug it into an outdoor electrical supply and expect the same superior results as you would in any other Weber® grill. When has grilling ever been easier?



WWW.WEBER.COM[®] FOR MORE INFORMATION ON THESE GRILLS





2 BURNERS

450 SQUARE INCHES TOTAL COOKING AREA 26,500 BTU-PER-HOUR INPUT MAIN BURNERS PORCELAIN-ENAMELED, CAST-IRON COOKING GRATES



SPIRIT® E-210™ GAS GRILL WITH FOLD-DOWN TABLES



SPIRIT* E-220* GAS GRILL WITH SIDE BURNER

SPIRIT S-210 GAS GRILL WITH FOLD-DOWN TABLES

0

3 BURNERS
529 SQUARE INCHES TOTAL COOKING AREA
32,000 BTU-PER-HOUR INPUT MAIN BURNERS
PORCELAIN-ENAMELED, CAST-IRON COOKING GRATES





weber !



SPIRIT® E-320™ GAS GRILL WITH SIDE BURNER







PORCELAIN-ENAMELED CAST-IRON GRIDDLE

SPIRIT® GAS GRILLS

webers

Spirit® SP series, all of the upgraded features a griller could want in an affordable package.



The stainless steel shroud is durable and will withstand the elements for years to come.




STAINLESS STEEL COOKING GRATES

7 mm diameter stainless steel rod cooking grates provide even heat and easy clean-up.

CONDIMENT RACK

Conveniently stows condiments and supplies out of the way while you grill your food.






3 BURNER GAS GRILL WITH SIDE BURNER



GENESIS® GAS GRILLS

An iconic gas grill where design and function go hand in hand.



GENESIS® EP-330™ GAS GRILL
7 MM DIAMETER STAINLESS STEEL ROD COOKING GRATES
FLUSH-MOUNTED SIDE BURNER

Available with and without side burner and Sear Station® burner.

Can be upgraded with various accessories - such as rotisserie, griddle, Gourmet BBQ System™, and the Elevations™ tiered cooking system.


Available colors:


LP: black, copper, green, crimson, smoke and stainless steel NG: black and stainless steel





SEAR STATION® BURNER








WWW.WEBER.COM®
FOR MORE INFORMATION ON THESE GRIELS.





SUMMIT® GAS GRILLS

Setting a whole **new standard** for backyard grilling.



ROAST. SEAR. SMOKE. ALL ON ONE GRILL.
THE SUMMIT® S-670™ GAS GRILL



weber

Grill Cover with Storage Bag 7108 | Summit[®] 400 series gas grills 7109 | Summit[®] 600 series gas grills 6727 | Stainless Steel Barbecue Rack



WEBER ACCESSORIES

ESSENTIAL TOOLS AND COOKWARE
THAT YOU NEED, SO YOU GET THE MOST
OUT OF COOKING ON YOUR WEBER® GRILL.

PROTECT







Gas Grill Rotisse

weberkeitledub.com













WWW.WEBER.COM CONTROL OF THE SE GRILLS. COTTON ON THESE GRILLS. COTTON ON THESE GRILLS.











BIG FUN COMES IN SMALL SIZES

GRILLS PERFECT FOR CAMPING, TAILGATING OR WHEREVER ADVENTURE LEADS YOU.







	0" 1400"	Q" 2400"	0" 1000"	0 1200	07 2000	0 20000	The same
COOKING SYSTEM	u 1400	u 2400	u luuu	u 1200	0" 2000"	0 2200"	Q" 3200
Stainless steel burner(s)	EKAN						
			1	1	1	1	2
Porcelain-enameled, cast-iron cooking grates	~	~		~	~	~	v .
Main burners: BTU-per-hour input	24 (21) (22)		8,500	8,500	12,000	12,000	21,700
Watts/Volts	1560 / 120	1560 / 120			311-113		
Infinite heat control settings	-	~					201
Infinite control burner valve(s)			~	V	V.	~	~
Push button ignition system			~	10	~		
Electronic ignition system	A SAME			~		~	~
COOKING AREA	2580						
Primary cooking area (square inches)							393
Warming rack area (square inches)							75
Total cooking area (square inches)	189	280	189	189	280	280	468
CONSTRUCTION	100	-					
Cast aluminum lid and body	-		~	~		~	~
Glass-reinforced nylon frame	~	010	~	~	V	-	~
Two folding work tables				~	~	~	
Two removable folding work tables							~
Removable catch pan	~	~	~	~	V	~	~
Built-in lid thermometer				V		~	
Aluminum heat retention liner	~	~					
Q™cart) ,
FEATURES							
Grill Out" handle light							1
Owner's guide and grilling guide	~		~	~	~		V
Limited warranty	~	V	V	~	~	~	V
FUEL						1	
14.1 or 16.4 oz. LP cylinder (sold separately)			V	V	~	V	
Liquid propane (20 lb LP tank sold separately)							V
Hose and regulator for 20-lb LP tank							V
Natural gas (10-foot flexible hose included)							V
6-foot grounded electrical cord	~	V					
COLOR / MODEL #			4				
Painted, cast aluminum lid finish	-	V	-	~	~	/~	V
Fitanium (LP)			50060001	51060001	53060001	54060001	5706000
Fitanium (NG)							5706700
Black (LP)				51010001			
Blue (LP)				51080001			
Fuchsia (LP)				51210001			
Green (LP)				51070001			
Drange (LP)	1			51190001			
Purple (LP)	1			51200001			
Dark gray	52020001	55020001					
DIMENSIONS (LID OPEN, TABLES OUT)	M A						
Height (inches)	23.5	26	23.5	24.6	26	26	55.5
Vidth (inches)	27	31.5	27	40.9	51.4	51.4	50.2
A CONTRACTOR OF THE CONTRACTOR	70			13.604	91.4	0.174	50.2





SPIRIT [®]							
	E-210"	E-220**	S-210*	E-310"	E-320™	SP-310™	SP-320"
COOKING SYSTEM			- 11		-	5a ,	14
Stainless steel burners	2	2	2	3	3	3	3
Porcelain-enameted, cast-iron cooking grates	V	V	~	V.			
mm diameter stainless steel rod cooking grates				THE REAL		· · ·	~
Porcelain-enameled Flavorizer* bars	V	~	~	~	~		~
Main burners: BTU-per-hour input	26,500	26,500	26,500	32,000	32,000	32,000	32,000
ide burner: BTU-per-hour input		12,000			12,000		12,000
lectronic Crossover* ignition system	~	~	~		~	V .	
COOKING AREA	A STATE OF THE STA	_		100			
rimary cooking area (square inches)	360	360	360	424	424	424	424
farming rack area (square inches)	90	90	90	105	105	105	105
otal cooking area (square inches)	450	450	450	529	529	529	529
CONSTRUCTION							
orcelain-enameled shroud with center-mounted thermometer	· ·	4		~			
tainless steel shroud with center-mounted thermometer		-	~		-		~
tainless steel fold-down tables	2		2				
tainless steel work surfaces	2	2	2	2	. 2	2	2
ront-mounted control panel	V	~	V	~	V	~	V
ainted enclosed steel cabinet with painted steel door	~	~		~	V		11.0
ainted enclosed steel cabinet with stainless steel door			~			V	~
ide-mounted condiment rack							V
ront access, porcelain-enameted grease tray with catch pan	-	~	~	~	V		V
leavy-duty front locking swivel casters	2	2	2	2	2	2	2
leavy-duty back swivel casters	2	2	2	2	2	2	2
EATURES WALLES							-
ruel gauge (LP models only)	V	-	-	~	~	~	
ool hooks	6	6	6	0 6	6	6	6
wner's guide and grilling guide	· ·			V	V	~	V
imited warranty	V	-		V		V	V
UEC CONTROL OF THE CO	100						
latural gas (10-foot flexible hose included)	100			~			V
iquid propane (20-lb LP tank sold separately)	v	-	~	~	~	10	~
OLOR / MODEL #							
lack (LP)	46110001	46310001	1 100	46510001	46710001		
tack (NG)				47510001			
tainless steel (LP)	100		46100001		A CO.	46500401	4670040
tainless steel (NG)	No.		47100001		-	The season of th	4770040
IMENSIONS (LID OPEN, TABLES OUT)				3			
eight (Inches)	63	63	63	63	63	63	63
fidth (inches)	50	48	50	52	52	52	52
epth (inches)	32	32	32	32	32	32	32

weberkettleclub.com



GENESIS°						F CHYE
	E-310"	E-330"	EP-310™	EP-330"	S-310"	S-330
OKING SYSTEM						
ainless steel burners	3	3	3	3	3	3
orcelain-enameled, cast-iron cooking grates	V	~				
mm diameter stainless steel rod cooking grates			V	V	v	V
orcelain-enameled Flavorizer" bars	~	V				
ainless steel Flavorizer" bars			~	V	v	~
ain burners: BTU-per-hour input	38,000	38,000	38,000	38,000	38,000	38,00
de burner; BTU-per-hour input		12,000		12,000		12,00
ear Station* burner: BTU-per-hour input		10,000		10,000		10,00
dividual electronic ignition system		~	~	v	~	V
OOKING AREA						
imary cooking area (square inches)	507	507	507	507	507	507
arming rack area (square inches)	130	130	130	130	130	130
tal cooking area (square inches)	637	637	637	637	637	637
nat cooking area (square inches)			997	-		007
		-	V	,		
rcelain-enameled shroud with center-mounted thermometer						V
ainless steel shroud with center-mounted thermometer				2	2	
ainless steel work surfaces	2	2	2	2		2
ont-mounted control panel	~	V	~	· ·	-	~
ainted enclosed steel cabinet with painted steel doors and stainless steel handles	~	~	~	-		
ainted enclosed steel cabinet with stainless steel doors and stainless steel handles					~	~
ont access, porcelain-enameled grease tray with catch pan	~	~	~	-	~	~
orcelain-enameled heat deflectors	~	~	-	/	-	~
eavy-duty front locking swivel casters	2	2	2	2	2	2
eavy-duty back swivel casters	2	2	2	2	2	2
ATURES TO THE PROPERTY OF THE						
iel gauge (LP models only)		- '	~	~	~	~
ol hooks	6	6	6	6	6	6
wner's guide and grilling guide	~	~	V	~	V	~
mited warranty	V	~	V	V	4	~
IEL COMPANY		-				
atural gas (10-foot flexible hose included)	V 0	~	~		V	V
quid propane (20-lb LP tank sold separately)	~	V	~	V	-	~
DLOR / MODEL #		-				
ack (LP)	6511001	6531001	6511301	6531301		
ack (NG)	6611001	6631001	6611301	6631301		
opper (LP)	6512001	6532001	6512301	6532301		
reen (LP)	6517001	6537001	6517301	6537301		
rimson (LP)			6513301	6533301		4 6
moke (LP)			6515301	6535301		
tainless steel (LP)					6550001	65700
tainless steel (NG)					6650001	66700
IMENSIONS (LID OPEN)			11			
eight (inches)	64.5	64.5	64.5	64.5	64.5	64.
	2010		1994		145,142.0	170
fidth (inches)	60	60	60	60	60	60



SUMMIT* BUILT-IN GAS GRILLS

Summit*					P COLUMN	, lei		History		The same
	E-420™	E-470"	E-620"	E-670	S-420™	S-470	S-620"	S-670"	S-460"	S-660°
OOKING SYSTEM	ST.			Service of	COLUMN TO SERVICE	Dec 100 Line				
tainless steel burners	4	4	6	6	4	4	6	6	4	6
mm diameter stainless steel rod cooking grates	V	~	~	V	~	~	V	V	~	V
tainless steel Flavorizer* bars	~	~	~	~	~	~	,	~	~	~
fain burners: BTU-per-hour input	48,800	48,800	60,000	60,000	48,800	48,800	60,000	60,000	48,800	60,000
ide burner: BTU-per-hour input	12,000	12,000	12,000	12,000	12,000	12,000	12,000	12,000		
ear Station* burner; BTU-per-hour input	12,000	10,600	12,000	10,600	12,000	10,600	12,000	10,600	10,600	10,600
		6,800		6,800		6,800		6,800	6,800	6,800
moker burner: BTU-per-hour input		10,600		10,600		10.600		10,600	10,600	10,600
lear-mounted infrared rotisserie burner: BTU-per-hour input uck-Away [™] rotisserie system with flip-up motor nd separate spit and fork storage in the enclosed cart		10,000		V		v		v	10,000	10,000
nap-Jet™ individual burner ignition system	V	V .	~	V	V	V	~	~	~	~
OOKING AREA										
Primary cooking area (square inches)	538	468	693	624	538	468	693	624	468	624
MINA A CONTRACT OF THE CONTRAC	112	112	145	145	112	112	145	145	112	145
Varming rack area (square inches)	650	580	838	769	650	580	838	769	580	769
otal cooking area (square inches)	030	580	030	107	000	300	200	141	000	1947
ONSTRUCTION		-0	0	4						
Porcelain-enameled shroud with center-mounted thermometer	~	~	~	~						
tainless steel shroud with center-mounted thermometer					~	~	~	-	~	~
stainless steel side tables with painted aluminum end caps	2	2	2	2	2	2	2	2		
ainted enclosed cart with painted steel doors nd chrome-plated aluminum handles	V	~	~	~						
Painted enclosed cart with stainless steel doors and chrome-plated aluminum handles					~	~	~	~	~	V
front access, stainless steel grease tray with catch pan	~	~	~	~	~	~	~	-		
BlideFrame™ design										~
wo swivel casters and two locking casters with stainless steel trim									~	~
Cabinet for LP tank must be built separately (island not included)						-			-	-
Heavy-duty front locking swivel casters	2	2	2	2	2	2	2	2		
Heavy-duty back swivel casters	2	2	2	2	2	2	2	2		
EATURES		-	- 10	_	-					
.ED tank scale display and fuel gauge (LP models only)	V	V	~	~	1	~	~	V	-	
Grill Out" handle light(s)	1	1	2	2	1	1	2	2	1	2
ighted control knobs		V		~	199	V		~	V	~
Tool hooks	6	6	6	6	6	6	6	6		
Premium cover included				-					1	~
Owner's guide and grilling guide	V	V	-	V	~	V	V	V	~	~
imited warranty	V	V	v	V	V	V	~	V	~	V
COEL IN SECURIOR STATE OF THE SECURIOR STATE		-	- 1							
Natural gas (10-foot flexible hose included)		V	_	_	V	~	V	1	V	~
		v .			~		V	-	V	~
iquid propane (20-lb LP tank sold separately)										100
COLOR / MODEL #		4			-					
Black (LP)	7121001	7171001	7321001	7371001						
Black (NG)	7221001	7271001	7421001	7471001		di.				
					7120001	7170001	7320001	7370001	7160001	736000
Stainless steel (LP)						The same of the sa	The second second	arma all a co	221222	
Stainless steel (LP) Stainless steel (NG)		-	- land		7220001	7270001	7420001	7470001	7260001	746000
Stainless steel (NG)	4			-	7220001	7270001	7420001	7470001	7260001	746000
Stainless steel (NG) DIMENSIONS (LID OPEN)	671	571	571	571		77				
	57.1	57.1	57.1	57.1	7220001 57.1	7270001 57.1	7420001 57.1 74.1	7470001 57.1 74.1	7260001 49.5 34	746000 49.5



UMMIT® GRILL CENTERS		(h.7.270)	The same			DU
OHITH OMEE SERVERS			RIGHT-HAND Social Area	LEFT-HAND SOCIAL AREA	RIGHT-HAND Social Area	LEFT-HAND SOCIAL ARE
COOKING SYSTEM		1				
Stainless steel burners	6	6	6	6	6	6
7 mm diameter stainless steel rod cooking grates	V	V	~	~		~
Stainless steel Flavorizer" bars	V	~	V	~	~	~
Main burners: BTU-per-hour input	60,000	60,000	60,000	60,000	60,000	60,000
Side burner: BTU-per-hour input	27,000	27,000	27,000	27,000	27,000	27,000
Sear Station* burner: BTU-per-hour input	10,600	10,600	10,600	10,600	10,600	10,600
Smoker burner: BTU-per-hour input	6,800	6,800	6,800	6,800	6,800	6,800
Rear-mounted infrared rotisserie burner: BTU-per-hour input	10,600	10,600	10,600	10,600	10,600	10,600
Tuck-Away™ rotisserie system with flip-up motor	~	~	,	_	~	~
and separate spit and fork storage in the enclosed cart 5nap-Jet™ individual burner ignition system	~	~	~	~	~	~
COOKING AREA						
Primary cooking area (square inches)	624	624	624	624	421	121
Warming rack area (square inches)	145	145	145		624	624
Fotal cooking area (square inches)	-			145	145	145
	769	769	769	769	769	769
CONSTRUCTION - CONSTR	0 / 0					
Porcelain-enameled shroud with center-mounted thermometer			~	~		
Stainless steel shroud with center-mounted thermometer		~				-
Stainless steel work surfaces with cast aluminum end caps	2	2	3	3	3	3
Painted enclosed cart with painted steel doors and chrome-plated aluminum handles	~		~	~		
Painted enclosed cart with stainless steel doors and chrome-plated aluminum handles		~			~	~
Front access, stainless steel grease tray with catch pan	~	~	~	~	~	~
Adjustable stainless steel legs	8	8	12	12	12	12
Enclosed storage areas	2	2	4	4	4	4
FEATURES						
ED tank scale display and fuel gauge (LP models only)	v _	~	V	~	~	~
Grill Out* handle light(s)	2	2	2	2	2	2
ighted control knobs	V	~	V	~	~	V
Fool hooks	6	6	6	6	6	6
Adjustable stainless steel wire shelves	4	4	6	6	ő	6
Stainless steel paper towel holder	V	V	-	V	V	~
-shaped social area featuring condiment rail and covered insulated ice bin			right side	left side	right side	left side
inclosed trash can with rear-access trash removal door (plastic can included)			V	V	~	~
Owner's guide and grilling guide	~	~	V	~	v /	
Limited warranty	V	~	V	~	~	V
VEL CONTRACTOR OF THE PARTY OF		- 1	0			
Natural gas (10-foot flexible hose included)	V	V	V	~	V	V
iquid propane (20-lb LP tank sold separately)	V	v .	V	~	/ /	V
COLOR / MODEL #				-		
Black (LP)	291101		293101	297101		
Black (NG)	292101		294101	298101		
Stainless steel (LP)	10000	291001			293001	297001
Staintess steel (NG)		292001			294001	298001
DIMENSIONS (LID OPEN)		272001			278001	270001
feight (inches)	59	59	59	59	50	FA
Vidth (inches)	91.1				59	59
Depth (inches)	28.5	91.1	72.5	72.5	72.5	116 72.5

weberkettleclub.com



HARCOAL GRILLS		E.		180		T.			4
	ORIGINAL KETTL	E'" CHARCOAL GRI 22 INEH	LL 22 INCH PREMIUM	26 INCH PREMIUM	MASTER-TOUCH	PERFORMER CH 22 INCH	IARCOAL GRILL 22 INCH PREMIUM	22 INCH DELUXE	RANCH KETT
COOKING SYSTEM	M								
Porcetain-enameled bowl and lid	~	~	~	~	~	~	V	~	~
Plated steel cooking grate	V	~							
Plated steel hinged cooking grate			~						
Gourmet BBQ System™ hinged cooking grate					~	~	~	~	
Stainless steel hinged cooking grate	Maria Series			~					~
Steel charcoal grate		V		~	~	~	~	~	~
Electronic Touch-N-Go™ gas ignition system								~	
COOKING AREA									
Warming rack area (square inches)					80				
Total cooking area (square inches)	240	363	363	508	443	363	363	363	1,104
CONSTRUCTION								•	
Heavy-duty steel cart frame						~	~	~	V
Painted, metal fold-down table						~			
Painted, metal work table			-				~	~	
One-Touch™ cleaning system	~	~	-	-	~	V	~	~	
Aluminum ash catcher	~	~							~
Removable, high-capacity aluminum ash catcher			~	~	~	~	~	V	
Wire bottom shelf						V	~	~	
Weather-protected CharBin™ storage container							~	~	
Rust-resistant damper(s)	1.	1	1	1	1	1	1	1	4
Glass-reinforced nylon lid handle									- 1
Lid handle with heat shield	~	~	~	~	~	~	~	~	
Glass-reinforced nylon bowl handle	1	1							
Glass-reinforced nylon handle with tool hooks			2	1	1				
Spring clip/push pin teg assembly	~	~	~	~	~				
Durable all-weather wheels	2	2	2						
Durable all-weather wheels with full wheel hubs				2	2	2	2	2	2
Locking casters						2	2	2	2
FEATURES									
Built-in lid thermometer			~	UV	V	V	~	~	
Removable backlit LCD cook timer				-			~	Y	
Char-Basket™ charcoal fuel holders		100		2	2		2	2	
Tool hooks	48.0					3	3	3	3
Tuck-Away™ lid holder				V	V	V	~	· ·	~
Owner's guide	V	~	V	V	~	~	v/	~	V
Limited warranty	V	V	~	V	~	~	V	~	~
COLOR / MODEL #									
Black	441001	741001	14401001	16401001	14501001	15301001	15401001	15501001	60020
Copper			14402001				15402001	15502001	
Crimson	0		14403001		-			15503001	
Green			14407001				15407001	15507001	
DIMENSIONS				-11-11		11			
Height (inches)	35	38.5	38.5	42.3	42	43.5	43.5	43.5	42
Width (inches)	23	25	27	32	29.5	42	48	48	37.75
Depth (inches)	18.5	22.5	22.5	24.4	24	29	30	30	44.75

weberkettleclub.com















PORTABLE GRILLS	SMOKEY JOE	14 INCH PREMIUM	JUMBO JOE	GO-ANYWHERE CHARCOAL	GAS
COOKING SYSTEM					
Porcelain-enameled bowl and lid	~	~	~	~	~
Plated steel cooking grate	V	V	~	~	
Porcelain-enameled, cooking grate					-
Steel charcoal grate	V	~	~	~	
Stainless steel burner					1
Main burner: BTU-per-hour input					6,800
Push button igniter					~
COOKING AREA					
Total cooking area (square inches)	147	147	240	160	160
CONSTRUCTION					
Rust-resistant damper(s)	2	1	2	2	
Glass-reinforced nylon handle	1	1	1	1	1
Tuck-N-Carry* lid lock/lid holder		~	~		
Plated steel legs pivot to lock lid in place for carrying				~	V
FEATURES					
Owner's guide	V	~	~	~	V
Limited warranty	· ·	~	~	~	~
Uses disposable 14.1 oz. LP cylinders (not included)					~
COLOR / MODEL #					
Black	10020	40020	1211001	121020	1141001
DIMENSIONS					
Height (inches)	17	17	19.75	14.5	14.5
Width (inches)	14.25	14.25	20.5	21	21
Depth (inches)	14.5	16.5	19.75	12.25	12.25








SMOKEY MOUNTAIN COOKER™ SMOKER	14 INCH SMOKER	18 INCH SMOKER	22 INCH SMOKE
COOKING SYSTEM			
Porcelain-enameled bowl and lid	~	~	~
Porcelain-enameled water pan	V	~	V
Porcelain-enameled charcoal chamber	V	~	V
Plated steel cooking grate	V	~	V
COOKING AREA			
Total cooking area (square inches)	286	481	726
CONSTRUCTION CONST			
Rust-resistant damper(s)	4	4	4
Glass-reinforced nylon lid handle	V	V	V
Rust-resistant aluminum fuel door	V	~	V
Rust-resistant aluminum heat shield	V	~	~
FEATURES			
Built-in lid thermometer	V	~	V
Silicone temperature grommet	V	~	~
Premium-grade cover inluded	4	~	~
Owner's guide	-	~	~
Limited warranty	V	V	V
COLOR / MODEL #			
Black	711001	721001	731001
DIMENSIONS			
Height (inches)	31.4	41	48.5
Width (inches)	14.75	19	23
/eperkettled	14.75	21	24

WEBER GRILLING TIPS

1

PREHEAT THE GRILL

Preheat your grill with the lid closed for 10 to 15 minutes, temperature should reach 500 °F. The heat loosens any pieces of food on the grate, making it easy to brush them off. It also prevents food from sticking to the grate and heats to sear properly.





KEEP IT CLEAN

When food has stuck to your cooking grate, and the grate is hot, clean it with a Weber stainless steel grill brush. Replace brush if any loose bristles are found on cooking grates or brush.

2

3

OIL THE FOOD NOT THE GRATE

Oil prevents food from sticking while adding flavor and moisture as well. Always make sure to oil your food and not the grate. You will use less oil and avoid a potentially dangerous situation.





KEEP THE LID DOWN

Keep the lid on as much as possible. This limits the amount of oxygen inside the grill, which will help extinguish any flare-ups.

4





WEBER NATION JOINTHE WEBER FAMILY

WWW.WEBER.COM/WEBERNATION





WWW.WEBER.COM











erbho webe

webergrills

grillwithweber

©2014 Weber-Stephen Products LLC. Weber, the kettle sithouette, the kettle configuration, \$\frac{x}{2}\$, Q. Char Q. Spirit, Genesis, Summit, Smokey Joe, Go-Anywhere, Master Touch, Performer, Ranch, Elevations, Grill Out, Flavorizer, rossover, Sear Station, Tuck, N-Carry, Junito Joe, Rapidfire and Firespite are registered U.S. tradismath 500 100, 1200, 1200, 2200, 2200, 2400, 3700, E-210, E-220, E-310, E-320, E-330, E-420, E-470, E-4