

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name Rite Aid	Facility Type Retail Food Store	
Licensee Name Rite Aid of West Virginia Inc	Facility Telephone # 304 229-0935	
Facility Address 7916 Winchester Ave Inwood , WV	Licensee Address ,	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 11/28/2018	Total Time Spent 0.75

<i>Equipment Temperatures</i>	
Description Milk/Egg Cooler	Temperature (Fahrenheit) 39

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<i>Observed Critical Violations</i>
Total # 0
Repeated # 3

<i>Observed Non-Critical Violations</i>
Total # 4
Repeated # 3
 4-602.13 - NONFOOD CONTACT SURFACES REPEAT OBSERVATION Vent on Cold Drinks Beverage Air needs cleaned
 6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR OBSERVATION: First toilet in women's bathroom needs repaired (running)
 6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR REPEAT OBSERVATION Bottom shelf of ice storage needs replaced (burned)
 6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS REPEAT OBSERVATION Ceiling vents in bathrooms need cleaned.

<i>Inspection Outcome</i>

<i>Comments</i>

Disclaimer

Person in Charge



Jason Woodring

Sanitarian



Keith Allison