

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b><i>Establishment Information</i></b>		
Facility Name Potomac Intermediate	Facility Type Food Service Establishment	
Licensee Name Berkeley Co. Board of Education	Facility Telephone # 304	
Facility Address 5308 Williamsport Pike Martinsburg , WV	Licensee Address ,	
<b><i>Inspection Information</i></b>		
Inspection Type Routine	Inspection Date 12/10/2018	Total Time Spent 1.25

<b><i>Equipment Temperatures</i></b>	
Description	Temperature (Fahrenheit)
Walk-in	34
Right Milk Cooler	41
Left Milk Cooler	40
Continental Hot Hold	156
Victory Hot Hold	150
Beverage Air refrigerator	41

<b><i>Warewashing Info</i></b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
DishmachineKitch enBucket	Heat	160		Heat	

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b><i>Observed Critical Violations</i></b>
<b>Total # 0</b>
<b>Repeated # 0</b>

<b><i>Observed Non-Critical Violations</i></b>
<b>Total # 1</b>
<b>Repeated # 0</b>
<b>4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION</b>
<b>OBSERVATION:</b> Ice under compressor in walk-in freezer

<b><i>Inspection Outcome</i></b>

<b><i>Comments</i></b>

Disclaimer

Person in Charge



**Sherry DeHaven**

Sanitarian



**Keith Allison**